

RICHMOR PRODUCTS FEATURES

2017 Chinese famous brand factory mobile dvr with gps 3g 4g wifi with 4ch ahd camera

- 1. Power failure protection.**
 - 2. Wide voltage.**
 - 3. OTA function support. (Upgrading DVR software automatically, better after-sales service for you, ONLY WE CAN ACHIEVE IT IN CHINA FOR NOW.)**
 - 4. A SMS can get DVR situation feedback from DVR.(ONLY WE CAN ACHIEVE IT IN CHINA FOR NOW.)**
 - 5. Industrial level design. (More professional and better quality.)**
 - 6. Modular design. (To prevent a module error while affecting the entire product.)**
 - 7. Encrypt video format. (To prevent data loss)**
 - 8. Current and voltage over protection.**
 - 9. Wide working temperature. (-25°C- +75°C).**
 - 10. Data redundancy technology. (To prevent data loss)**
 - 11. Excellent vibration protection.**
-



SMS Device configure
OTA Remote Updating
AHD 720P/960P
Motion Detection

Richmor





RCM-MDR210 Parameter Sheet

Item	Parameter
OS	Linux
Language	Chinese/English/Customized
Video Compression	H.264
OSD	Overlays information such as date time and vehicle ID
GUI	Graphical User Interface Setup system parameters with the remote control.
Video Record System	4CH 720P AHD input, aviation connector, 1.0Vp-p, 75Ω
Video Output	1 CVBS, 1.0Vp-p, 75Ω, Aviation, Support 1CH Full Screen, 4CH Screen
Preview	Support 1 channel and 4 channels preview., Support Manual/Alarm Trigger full screen preview
Resolution	720P/D1/HD1/CIF, MAX:4 channels of 720P and 4 channels of D1
Video Quality	1-4 levels, 1 is the highest level.
Video Standard	PAL: 100f/s, CCIR625 line, 50field; NTSC: 120f/s, CCIR525 line, 60field; CIF: 256Kbps ~ 1.5Mbps, 8 level video quality optional; HD1: 600Kbps ~ 2.5Mbps, 8 level video quality optional; D1: 800Kbps ~ 3Mbps, 8 level video quality optional; 720P: 4Mbps-6Mbps, multi level video quality optional
Audio	Record Mode The default setting is auto recording after power on. Timed recording, alarm trigger recording and manual recording are supported.
Audio Input	4CH, Aviation Plug
Audio Output	1CH, Aviation Plug
Compression	G.726 compression, 8KB/s speed
Alarm Input	3Ch Alarm Input, kinds of alarm linkage support
Alarm Output	1CH Alarm Output
Position	Support Built GPS/BD Module
G-Sensor	Support G-sensor
Storage	SD Dual SD Card, each max 128GB SD Card loop recording
Upgrade	Support SD Card updating
File Format	.H264
File System	Special FAT32 File System

Video Playback	Video Search Playback	Search By Record Time/Record Type etc Max support 4CH Replay /Stop/Fast/Slow at same time Support forward and backward play at the speed of: x 2,x4,x8,x16.
Voltage & Power	Power Management Voltage Input Voltage Output Power Consumption	Wide Voltage.Support Timed/Delay off DC:+10V ~ +36V +12V~2.5A,+5V~2.5A Normal Working <5W
Working Environment	Temperature Humidity	-20°C to +70°C 20% to 80%
Security others	Password Size Net Weight	User/Admin 2 Level Different Password 112(W) x36(H) x138(D) mm 360g

Player software interface



Application

Widely used in passenger car,bus,taxi,school bus,lorry,dangerous vehicle, personal car and ship etc.



PART OF THE CASE



Buying Guides

Packaging

1 unit with all standard accessories such as AV Cables/IO Cable/Power Cable/Key etc

Neutral paper box or Color paper box with Logo Richmor printed,also welcome customized package.



Richmor Brand Package



Standard Package

Shipping

Strong cooperated with DHL/UPS Etc for fast and safety delivery.

- a. 2-5 days after payment cleared for sample order.
- b. 5-10 days after payment cleared depends on order quantity for bulk order.

Payment



MoneyGram



HSBC



Service

1. Well Trained Sales team and engineers for fast and professional support

2. OEM/ODM Service



CUSTOMER SATISFACTION

- Excellent Aftersale service
- 12 months warranty
- 24 hours customer service
- We understand the importance of our customers

Certifications

VERIFICATION OF CONFORMITY		
	Verification of Conformity Reference No.: LC0304000019	
	Responsible Party	Shenzhen Richstar Technology Development Co., LTD.
	Address	3F Wu Mei West Longgang Road, Longhua New District, Shenzhen, China
	Product	Cables
		R0M-P02H, R0M-P02H, R0M-U02H, R0M-U02H, R0M-002H, R0M-002H, R0M-002, R0M-002, R0M-002, R0M-002, R0M-002, R0M-002, R0M-002, R0M-002, R0M-002-R02, R0M-002-R02, R0M-002-R02
	Model No.	
	Trade Mark	Richstar
	Standards	CCC-CB-47 PART 18 Subpart B, GB4793.1-2008
	Important notes:	<p>This device is in compliance with Part 18 of the FCC Rules and Regulations for radio frequency emission. Description of the product is subject to the following key conditions: (1) this device will not cause harmful interference; and (2) this device must accept all interference received, including interference from other radio-wave controlled operations. We intend to conform to the applicable FCC Rules and Regulations. This method of testing was in accordance to the most accurate measurement standards available, and that all necessary steps have been followed to assure that all manufacturer units of the same equipment will continue to comply with the Federal Communications Commission's requirements.</p>
	 Manager April 19, 2012	
	Shenzhen LCS Compliance Testing Laboratory Ltd. #1 Angangou Avenue Park, Yantao Road, Xixiang Shi, Baoan District, Shenzhen, Guangdong, China Tel: +86(755)42591122 http://www.lcs-test.com Fax: +86(755)42591122 E-mail: info@lcs-test.com	

VERIFICATION OF CONFORMITY



Verification of Conformity

Reference No.: L201904000109

Responsible Party	Shenzhen Xinyuan Technology Development Co., LTD.
Address	3F No.44 West Longgang Road, Longgang New District, Shenzhen, China
Product	Mobiles (CMR)
Model No.	HCN-8607000, HCN-8609000, HCN-8610000, HCN-8611000, HCN-8612000, HCN-8613000, HCN-8614000, HCN-8615000, HCN-8616000, HCN-8617000, HCN-8618000, HCN-8619000, HCN-8620000, HCN-8621000, HCN-8622000, HCN-8623000, HCN-8624000, HCN-8625000, HCN-8626000, HCN-8627000, HCN-8628000, HCN-8629000, HCN-8630000, HCN-8631000, HCN-8632000, HCN-8633000, HCN-8634000, HCN-8635000, HCN-8636000, HCN-8637000, HCN-8638000, HCN-8639000, HCN-8640000, HCN-8641000, HCN-8642000, HCN-8643000, HCN-8644000, HCN-8645000, HCN-8646000, HCN-8647000, HCN-8648000, HCN-8649000, HCN-8650000, HCN-8651000, HCN-8652000, HCN-8653000, HCN-8654000, HCN-8655000, HCN-8656000, HCN-8657000, HCN-8658000, HCN-8659000, HCN-8660000, HCN-8661000, HCN-8662000, HCN-8663000, HCN-8664000, HCN-8665000, HCN-8666000, HCN-8667000, HCN-8668000, HCN-8669000, HCN-8670000, HCN-8671000, HCN-8672000, HCN-8673000, HCN-8674000, HCN-8675000, HCN-8676000, HCN-8677000, HCN-8678000, HCN-8679000, HCN-8680000, HCN-8681000, HCN-8682000, HCN-8683000, HCN-8684000, HCN-8685000, HCN-8686000, HCN-8687000, HCN-8688000, HCN-8689000, HCN-8690000, HCN-8691000, HCN-8692000, HCN-8693000, HCN-8694000, HCN-8695000, HCN-8696000, HCN-8697000, HCN-8698000, HCN-8699000, HCN-8700000, HCN-8701000, HCN-8702000, HCN-8703000, HCN-8704000, HCN-8705000, HCN-8706000, HCN-8707000, HCN-8708000, HCN-8709000, HCN-8710000, HCN-8711000, HCN-8712000, HCN-8713000, HCN-8714000, HCN-8715000, HCN-8716000, HCN-8717000, HCN-8718000, HCN-8719000, HCN-8720000, HCN-8721000, HCN-8722000, HCN-8723000, HCN-8724000, HCN-8725000, HCN-8726000, HCN-8727000, HCN-8728000, HCN-8729000, HCN-8730000, HCN-8731000, HCN-8732000, HCN-8733000, HCN-8734000, HCN-8735000, HCN-8736000, HCN-8737000, HCN-8738000, HCN-8739000, HCN-8740000, HCN-8741000, HCN-8742000, HCN-8743000, HCN-8744000, HCN-8745000, HCN-8746000, HCN-8747000, HCN-8748000, HCN-8749000, HCN-8750000, HCN-8751000, HCN-8752000, HCN-8753000, HCN-8754000, HCN-8755000, HCN-8756000, HCN-8757000, HCN-8758000, HCN-8759000, HCN-8760000, HCN-8761000, HCN-8762000, HCN-8763000, HCN-8764000, HCN-8765000, HCN-8766000, HCN-8767000, HCN-8768000, HCN-8769000, HCN-8770000, HCN-8771000, HCN-8772000, HCN-8773000, HCN-8774000, HCN-8775000, HCN-8776000, HCN-8777000, HCN-8778000, HCN-8779000, HCN-8780000, HCN-8781000, HCN-8782000, HCN-8783000, HCN-8784000, HCN-8785000, HCN-8786000, HCN-8787000, HCN-8788000, HCN-8789000, HCN-8790000, HCN-8791000, HCN-8792000, HCN-8793000, HCN-8794000, HCN-8795000, HCN-8796000, HCN-8797000, HCN-8798000, HCN-8799000, HCN-8800000, HCN-8801000, HCN-8802000, HCN-8803000, HCN-8804000, HCN-8805000, HCN-8806000, HCN-8807000, HCN-8808000, HCN-8809000, HCN-8810000, HCN-8811000, HCN-8812000, HCN-8813000, HCN-8814000, HCN-8815000, HCN-8816000, HCN-8817000, HCN-8818000, HCN-8819000, HCN-8820000, HCN-8821000, HCN-8822000, HCN-8823000, HCN-8824000, HCN-8825000, HCN-8826000, HCN-8827000, HCN-8828000, HCN-8829000, HCN-8830000, HCN-8831000, HCN-8832000, HCN-8833000, HCN-8834000, HCN-8835000, HCN-8836000, HCN-8837000, HCN-8838000, HCN-8839000, HCN-8840000, HCN-8841000, HCN-8842000, HCN-8843000, HCN-8844000, HCN-8845000, HCN-8846000, HCN-8847000, HCN-8848000, HCN-8849000, HCN-8850000, HCN-8851000, HCN-8852000, HCN-8853000, HCN-8854000, HCN-8855000, HCN-8856000, HCN-8857000, HCN-8858000, HCN-8859000, HCN-8860000, HCN-8861000, HCN-8862000, HCN-8863000, HCN-8864000, HCN-8865000, HCN-8866000, HCN-8867000, HCN-8868000, HCN-8869000, HCN-8870000, HCN-8871000, HCN-8872000, HCN-8873000, HCN-8874000, HCN-8875000, HCN-8876000, HCN-8877000, HCN-8878000, HCN-8879000, HCN-8880000, HCN-8881000, HCN-8882000, HCN-8883000, HCN-8884000, HCN-8885000, HCN-8886000, HCN-8887000, HCN-8888000, HCN-8889000, HCN-8890000, HCN-8891000, HCN-8892000, HCN-8893000, HCN-8894000, HCN-8895000, HCN-8896000, HCN-8897000, HCN-8898000, HCN-8899000, HCN-8900000, HCN-8901000, HCN-8902000, HCN-8903000, HCN-8904000, HCN-8905000, HCN-8906000, HCN-8907000, HCN-8908000, HCN-8909000, HCN-8910000, HCN-8911000, HCN-8912000, HCN-8913000, HCN-8914000, HCN-8915000, HCN-8916000, HCN-8917000, HCN-8918000, HCN-8919000, HCN-8920000, HCN-8921000, HCN-8922000, HCN-8923000, HCN-8924000, HCN-8925000, HCN-8926000, HCN-8927000, HCN-8928000, HCN-8929000, HCN-8930000, HCN-8931000, HCN-8932000, HCN-8933000, HCN-8934000, HCN-8935000, HCN-8936000, HCN-8937000, HCN-8938000, HCN-8939000, HCN-8940000, HCN-8941000, HCN-8942000, HCN-8943000, HCN-8944000, HCN-8945000, HCN-8946000, HCN-8947000, HCN-8948000, HCN-8949000,

	
	CERTIFICATE of Conformity Reference No.: L2315741/03/0475
	Applicant : Shanghai Shennuo Technology Development Co., LTD.
	Address : 2F No.28 West Longyuan Road Longyuan New District, Shanghai, China
	Product : Mobile DVR
Model(s) : PCIM-ME0001, PCIM-ME0004, PCIM-ME0005, PCIM-ME0006, PCIM-ME0007, PCIM-ME0008, PCIM-ME0009, PCIM-ME0010	
Trade Mark : Shennuo	
<p>The submitted products have been tested by us with the listed standards and found in conformance with the following European Directives:</p> <p>The EMC Directive 2004/108/EC</p> <p>EN 55022: 2007, EN 55024: 2007</p> <p>The tests were performed in normal operating mode. The test results apply only to the particular sample tested and to the specific test carried out. This certificate applies specifically to the sample investigated in our test reference number only.</p> <p>The CE marking as shown below can be affixed on the product after preparation of necessary technical documentation.</p> <p>Other relevant Directives have to be checked.</p>	
	 Manager April 15, 2015
Shanghai L233 Compliance Testing Laboratory Ltd. 1F, Jingyuan Industrial Park, Jingyuan Road, Baoshan District, Shanghai, China Tel: +86(21)60741123 Fax: +86(21)60741123 Email: administrator@L233-test.com Web: www.L233-test.com	

	
<h1 style="margin: 0;">CERTIFICATE</h1> <h2 style="margin: 0;">of Conformity</h2> <p style="margin: 0;">Reference No.: 1101040100070</p>	
Applicant	Shenzhen Rimonon Technology Development Co., LTD.
Address	3F No.43 West Longgang Road, Longgang New District, Shenzhen, China
Product	1. Tablets
Model(s)	RCM-IP3720, RCM-IP3721, RCM-IP3722, RCM-IP3723, RCM-IP3724, RCM-IP3725, RCM-IP3726, RCM-IP3727, RCM-IP3728, RCM-IP3729, RCM-IP3730, RCM-IP3731, RCM-IP3732, RCM-IP3733, RCM-IP3734, RCM-IP3735, RCM-IP3736, RCM-IP3737, RCM-IP3738, RCM-IP3739, RCM-IP3740
Drawn Mark	1. Reference
<p>The submitted products have been tested by us with the latest standards and found in compliance with the following European Directives:</p> <p>The EMC Directive 2004/108/EC</p> <p>(EN 60603, EN 61010, EN 60950, EN 60335)</p> <p>The tests were performed in normal operation mode. The test results apply only to the particular sample tested and to the specific tests carried out. This certificate attests specifically to the sample investigated in our test reference number only.</p> <p>The CE markings we affixed below can be affixed on the product after presentation of necessary technical documentation.</p> <p>Other relevant Directives have to be observed</p>	
<div style="display: flex; justify-content: space-around; align-items: center;">  <div style="text-align: right;">  <p style="margin: 0;">April 10, 2013</p> </div> </div>	
<p style="font-size: small;">Shenzhen CCS Compliance Testing Laboratory Ltd. 3/F, Kingwood Industrial Park, Tongda Road, Bao'an Dist., Shenzhen, Guangdong, China Tel: 86-755-26511000 http://www.ccs-test.com</p>	
<p style="font-size: small;">Fax: 86-755-26511001 Email: info@www.ccs-test.com</p>	

CERTIFICATE OF CONFORMITY

CERTIFICATE

of Conformity

(01/0000) Recognition of Hazardous Substance

Reference No.: LCEI 0001000716

When issued as reported, the submitted sample complies with the requirements of Commission Decision of 21 July 2007 amending Directive 2002/95/EC.

Applicant:	Bowtech Electronic Technology Development Co., LTD.
Address:	#F Hsiao Ming Longgang Road, Longhua New District, Shenzhen, China
Trade Mark:	Bowtech
Model(s):	ROM-IP21H, ROM-IP21H, ROM-AP21H, ROM-AP21H, ROM-SERVO, ROM-ASERV, ROM-MIL, ROM-HLS, ROM-DAL, ROM-TSUN, ROM-JAGU, ROM-AJUG, ROM-ABAG, ROM-BRUM, ROM-BOYUN, ROM-BOGUNG, ROM-DIGASSAR

This test report is issued by the Company subject to its General Conditions of Service printed hereafter. Intention is drawn to the limitations of liability, subcontracting and precontractual advice notified herein. The results shown in this test report refer only to the samples tested under laboratory control. This Test Report cannot be reproduced, except in full, without prior written permission of the Company.

Other relevant directives have to be observed.

RoHS

April 16, 2013

Bowtech CCS Compliance Testing Laboratory Ltd
1/F, Kingpower Industrial Park, Tongda Road, Bao'an Dist., Shenzhen City, Guangdong, China
Tel: 0086-755-8298-0282
<http://www.sgs.com.cn>

Fax: 0086-755-8298-1532
email@sgs.com.cn

CERTIFICATE OF CONFORMITY



CERTIFICATE

of Conformity

(3rd/10th) Inspection of Imported Devices

Reference No.: US01001000103

When tested as specified, the identified sample complies with the requirements of Commission Decision of 21 July 2011 amending Directive 2011/65/EU:

Applicant:	Shenzhen Richman Technology Development Co., LTD.
Address:	3F No.84 West Longgang Road, Longgang New District, Shenzhen, China.
Trade Mark:	Richman
Product:	Monitor D9K
Models:	RCM-M9000P, RCM-M9000P, RCM-M9000, RCM-M9000P, RCM-M9000P, RCM-M9000, RCM-M9000, RCM-M9000

The test report is issued to the Company stated in its General Conditions of Service provided written intention is shown to the Inspectors of Lloyds, Immunisation and preclinical tests control division. The results shown in this test report only refer to the subject(s) listed unless otherwise stated. This Test Report cannot be reproduced except in full, without prior written permission of the Company.

Other relevant directives have to be observed.

RoHS




 Manager
 April 16, 2013

Shenzhen UL Comprehensive Testing Laboratories Ltd

1001 Yixian Road, Tangshan Road, Bantian Block, Bantian Export Processing Zone, Guangdong, China

Tel: 86-755-83091444

http://www.ul.com.cn/en

Fax: 86-755-83291444

E-mail: service@ul.com.cn

Richmor

CPSE2012 in Shenzhen



CPSE2013

10.29-10.31

4 Booth we have

Welcome you !!!



CPSE2012-- Guangdong TV Report-Shenzhen Richmor



About us&Customers:



Inner Training after study from Alibaba in July



Technical Training For Fast Response to Customer Richmor 锐驰曼



lecturer for Execution



South Africa




Argentina



Czech Republic



Brazil



Russia



India



Turkey



Mexico



Saudi Arabia

Skype: rcmcctvsales2