

2017 Multy function 1080P hd mobile dvr car recorder support ACC power mode and timing mode,4g mdvr,RCM-MDR7204series





功能特点 Features



实时监控, GPS定位
Real-time monitoring,
GPS positioning

身份验证, 人数统计
Two-factor authentication



语音功能 Voice features



行车记录, 驾驶行为管理
Driving behavior management



短信提醒
Assured SMS alerts



偏航报警
Yaw alarm

采用高压压缩比, 图像清晰的H.264编码格式, 支持开机录像、定时录像及报警录像, 支持ACC熄火延时录像。内置GPS全球定位系统, 可通过3G网络远程查看实时视频, 车辆位置, 回放历史录像。支持手机远程监控。Adopting H.264 Video compression with high resolution, ACC on/off, Timer Recording, ACC Delay Recording Mode supported, Built-in GPS Tracking system, Real time video stream, Vehicle Position, Video Replay can be viewed through 3G Network, Support Mobile Phone remote Monitor.

可连接刷卡器验证身份, 统计数据, 避免人工统计时出现失误。提供每个停靠站点实时的上下学生人数, 避免漏接学生, 以及把学生遗留在车内, 造成事故。Combine with Card Equipment for authenticate information and counting, avoid artificial statistical mistake, offer the students get on/off real time number at each station, avoid the accident caused by missing students or leaving students in the carriage.

可进行语音电话, 网络对讲, 声音广播。实现管理中心和车辆即时通讯。Support VOIP, 3G Intercom, Broadcast realize Center office communicate with Driver in real time.

对司机的不良行为进行监管, 比如经常超速、急加速、急减速、急刹车等容易对车内学生造成危险的行为; 并对其进行评测, 预防安全隐患发生。Supervise driver's bad behavior, such as: over-speed, acceleration, decelerate urgently, brakes etc dangerous behavior for students, Driver's Performance evidence.

车载智能系统会根据需要向家长发送孩子上下车短信, 包括什么时间、在哪里上车及下车, 让家长及时、快捷的了解学生安全状况, 有利学生接送时间的精确控制。Intelligent vehicle system, students get on/off bus information sent to parents by SMS including When and where on/off, convenient for parents to know students status and easily for picking up students.

预先设定校车的固定行驶路线, 当校车未按照预定的驾驶路线行驶时, 中心上会自动发出语音报警, 中心可与车载终端通过语音对讲进行通讯。Geo Fence Alarm, preset driving route, when out of the line it will sound alarm automatically at center office, center can talk with the driver for the information.

product specification:

| Item | | parameter |
|-------------------|--------------------------|---|
| Operating System | | Linux |
| Language | | English/chinese/customized |
| Video Compression | | H.264 Compression |
| OSD | | overlays information such as date time and vehicle ID |
| GUI | Graphical user interface | setup system parameters with the remote control |

| | | |
|-----------------------|---------------------|---|
| Video Record System | video input | 4CH 960P/720P AHD input,aviation connector, 1.0Vp-p, 75Ω |
| | video output | 1 CVBS, 1.0Vp-p, 75Ω,Aviation,Support 1CH Full Screen,4CH Screen view |
| | preview | Support 1 channel and 4 channels preview., Support Manual/Alarm Trigger full screen preview |
| | resolution | 720P/D1/HD1/CIF, MAX:4 channels of 720P and 4 channels of D1 |
| | image quality | 1-4 levels, 1 is the highest level. |
| | video standard | PAL: 100f/s , CCIR625 line,50field; NTSC: 120f/s, CCIR525 line,60field; CIF: 256Kbps ~ 1.5Mbps, 8 level video quality optional; HD1: 600Kbps ~ 2.5Mbps, 8 level video quality optional; D1: 800Kbps ~ 3Mbps, 8 level video quality optional; 720P: 4Mbps-6Mbps, multi level video quality optional |
| | record mode | The default setting is auto recording after power on. Timed recording, alarm trigger recording and manual recording are supported. |
| Audio | audio input | 4CH Aviation Plug Input |
| | audio output | 2CH,headphone connect at front panel, BNC Connect on Back panel |
| | compression | G.726 compression, 8KB/s speed |
| Alarm Input | | 7CH Alarm Input,1CH AD Input,impulse speed input,Alarm Linkage |
| Alarm Output | | 2CH Alarm Output,Support Light/Sound alarm sensor,Oil/Power cut off |
| Interface | | 3CH RS232, POS/Fuel Sensor/LED Advertisement Connection |
| | | 1CH 485 Interface,Connect PTZ Camera |
| Wireless Transmission | | Support Built in 3G transmission,, WCDMA, CDMA2000,GPRS, EDGE; Built in 4G module optional, TDD-LTE, FDD-LTE |
| GPS Position | | Support Built GPS/BD Module |
| Storage | HDD | Max 2.5" 1TB HDD |
| | SD Card | Max 128GB SD Card Mirror Recording Keep Data Safety |
| | update | Support USB Updating, SD Card Updating,OTA Remote Updating |
| | file format | H.264 |
| | file system | Special FAT32 File System |
| | USB | USB Interface on Front Panel for data back up by U Disk,Hard Disk |
| Record Replay | video search | Search By Record Time/Record Type etc |
| | playback | Max support 4CH Replay /Stop/Fast/Slow at same time Support forward and backward play at the speed of: x 2,x4,x8,x16. |
| Security | | User/Admin 2 Level Different Password |
| Optional Functions | voice call | Support voice call each other |
| | TTS Voice broadcast | Support TTS voice broadcast function. |
| | serial expand | Support LED Advertisement Panel,Oil Sensor, POS,Bus Station Broadcaster,Car OBD,ect.external device |
| Voltage & Power | Power Management | Wide Voltage.Support Timed/Delay off |
| | Input Voltage | DC:+6V - +36V |
| | Output Voltage | +12V~1.5A,+5V~1.5A |
| | Power | Working<5W |
| Working Environment | Temperature | -20℃ - +70℃ |
| | Humidity | 20% - 80% |
| Others | Size | 200 (D)* 187(W)* 62(H) mm |
| | Weight | 1.90Kg |

Product Show:





AV Input & Output Cables



Power Cable



IO Cables



Remote Control



3G Antenna



WIFI Antenna




CD (Manual & Software Inside)



7000 HDD Mobile DVR


Product Introduction

Device Series



15

Product Advantage



Client User Graph Interface

The interface is titled "移动视频监控平台" (Mobile Video Monitoring Platform). It features a top navigation bar with tabs for "实时预览" (Real-time Preview), "电子地图" (Electronic Map), "回放管理" (Playback Management), "信息管理" (Information Management), and "系统设置" (System Settings). The main area is divided into several sections:







- Left Sidebar:** Contains a tree view of the monitoring center hierarchy, including "贵州(11)" and "贵C A6446". Below this is a table with columns for "状态" (Status), "云台" (PTZ), "色彩" (Color), and "语音" (Voice).
- Top Right:** A "用户登录" (User Login) panel with fields for "用户名" (Username: RCMTEST), "密码" (Password: *****), "服务器" (Server: 113.108.120.47), and checkboxes for "记住密码" (Remember Password) and "自动登录" (Auto Login). Buttons for "登录" (Login) and "退出" (Logout) are present.
- Center:** A grid of four video feeds labeled "贵C A6446 - CH1 - 0 KB/S", "贵C A6446 - CH2 - 24 KB/S", "贵C A6446 - CH3 - 0 KB/S", and "贵C A6446 - CH4 - 0 KB/S". The feeds show interior views of a vehicle and a road view.
- Right:** A map view showing the vehicle's location on a road network. A search bar and a list of nearby locations are visible.
- Bottom:** A table displaying real-time data for the vehicle, including "GPS时间" (GPS Time), "位置" (Location), "速度" (Speed), and "报警" (Alarm). The table shows data for "贵C A6446" and other vehicles.

The interface also includes a status bar at the bottom with information such as "运行时长: 00:01:04" (Runtime: 00:01:04), "在线数: 3" (Online Count: 3), and "定损率: 1 / 欠费: 0" (Damage Rate: 1 / Due Fee: 0).




our mdvr support mobile Client monitoring like PC,mobile phone etc.

[Anasayfa](#)[İndir](#)[Soru](#)[Language](#)

İstemci İndirme

| | | |
|--|--|---|
|  Windows İndir  Version: 7.4.0.15 Güncelle: 20151123 |  İndir  Version: 7.0.3 Güncelle: 20150523 |  İndir  Version: 7.0.0.10 Güncelle: 20150801 |
|--|--|---|

Uygun Program İndir

| | | |
|---|---|---|
|  |  |  |
|---|---|---|

Appliacation

FUNCTIONS

- Video& Audio real-time monitoring
- Online Vehicle Status
- Satellite Map
- GPS
- Video Storage
- Tracking Display
- Intercom
- Fuel Sensor
- G-Sensor
- Temperature-Sensor

Richmor

OEM & ODM Service

Brasil World Cup Supplier
www.rcmcctv.com



Truck
Coach



School Bus
Bus




Police Car
Taxi



Support
All Vehicles

certificate

| Verification of Conformity | |
|--|--|
| Reference No.: L/C-018/0000171 | |
| Responsible Party | Sherwood Electronic Technology Development Co., LTD. |
| Address | 3F, A1 West Longgang Road, Longgang New District, Shenzhen, China |
| Product | Cables |
| Model No. | RSC-PDCE, RSC-PDCE, RSC-PLUPE, RSC-PLUPE, RSC-BPDE, RSC-BPDE, RSC-SH, RSC-AW, RSC-AW, RSC-AWE, RSC-AWE, RSC-AWE, RSC-AWE, RSC-AWE, RSC-EDSHE, RSC-EDDSH, RSC-CSDSHS |
| Trade Mark | Shenzhen |
| Standards | IEC 62847 Part 1 & Part 2 Subject B, ENI, ANSI C84A 2008 |
| Important note: This device is in compliance with Part 14 of the EMC Rules and Regulations for safety standards. Description of the product is supplied in the following two scenarios: (1) This device can cause harmful interference; and (2) the device may accept any electromagnetic emission; emitting electromagnetic energy that exceeds authorized operation. You need to conform to the applicable EMC Rules and Regulations. The method of testing was in accordance to the most appropriate measurement standards provided, and that all necessary steps have been followed to ensure that all manufacturer units of the same equipment will continue to comply with the Technical Commission's Compliance to Requirements. | |
|  Manager April 10, 2012 | |

| Verification of Conformity | |
|--|--|
| Reference No.: LCB-00000000000000000000 | |
| Responsible Party : | Shenzhen Weichuan Technology Development Co., LTD. |
| Address: | #F 4th Fl West Longgang Road, Longhua New District, Shenzhen, China |
| Product: | Battery Charger |
| Model No.: | WCH-M0000000, WCH-M0000000, WCH-M0000000, WCH-M0000000, WCH-M0000000, WCH-M0000000, WCH-M0000000, WCH-M0000000 |
| Type Mark: | RoHSmark |
| Standards: | FCC CISR # PART 15 Subpart C-1, FCC CISR # 15A.200B |
| <p>Important notes:</p> <p>This device is in conformance with Part 15 of the FCC Rules and Regulations for radio frequency devices. Operation of the product is subject to the following two conditions:</p> <ul style="list-style-type: none"> (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation. <p>It may need to conform to the applicable FCC Rules and Regulations. The national labeling was in accordance to the most accurate measurement capabilities available, and that all necessary steps have been exhausted to ensure that all production units of the same equipment will continue to comply with the Federal Communications Commission's requirements.</p> | |
|  Date: April 15, 2013 | |
| Shenzhen LCB Compliance Testing Laboratory Ltd. 1/F, Kingstone Industrial Park, Tonghe Street, Baoan Dist., Baoan City, Shenzhen, Guangdong, China Tel: 86-(0)755-2600-1000 http://www.lcb-test.com | |
| Fax: 86-(0)755-2600-1001 Email: info@shenzhenlcb.com | |

CERTIFICATE OF CONFORMITY

CERTIFICATE of Conformity

Reference No.: C23047032475

| | |
|-------------|--|
| Applicant: | Shenzhen Rixinze Technology Development Co., LTD. |
| Address: | 2/F, 100 West Longgang Road, Longgang New District, Shenzhen, China |
| Product: | Mobile Phone |
| Model: | NON-MEMORY, NON-MEMORY, NON-MEMORY, NON-MEMORY, NON-MEMORY, NON-MEMORY, NON-MEMORY, NON-MEMORY |
| Trade Mark: | None |

The mentioned products have been tested by us with the latest standards and found in compliance with the following European Directives:

The EMC Directive 2004/108/EC

EN 55022: 2005, EN 55024: 2005

The tests were performed in normal operating mode. The test results apply only to the particular sample tested and to the specific date carried out. This certificate applies specifically to the sample investigated in our test reference number only.

The CE markings as shown below can be affixed on the product after completion of necessary technical investigations.

(Read relevant Directives before to be affixed)

Manager

April 18, 2011

Shenzhen CCC Compliance Testing Laboratory Ltd.
17, Singapore Industrial Park, Singapore Park, Nanhai Dist., Shunde District, Shenzhen
Guangdong, China
Tel: 0086-755-82671123
Fax: 0086-755-82671123
http://www.ccc.com.cn Email: admin@ccc.com.cn

CERTIFICATE OF CONFORMITY

|  CERTIFICATE of Conformity Reference No.: CCB0104000019 | |
|--|--|
| Purchaser | Shenzhen Moxian Technology Development Co., LTD. |
| Address | #1 South West Longgang Road, Longgang New District, Shenzhen, China |
| Product | Speakers |
| Models | RCM-IPCH18, RCM-IPCH18, RCM-LC1818, RCM-IPCH18, RCM-MP18A, RCM-MP18A, RCM-SAL, RCM-SAL, RCM-SAL, RCM-SAL, RCM-SAL, RCM-SAL, RCM-SAL, RCM-SAL, RCM-SAL, RCM-SAL, RCM-SAL, RCM-SAL, RCM-SAL |
| Trade Mark | Boschman |
| The submitted products have been tested by us with the latest standards and found in compliance with the following European Directives: | |
| This EMC Directive 2004/108/EC | |
| (EN 60950, EN 60950, EN 60950) | |
| These tests were performed in normal operation mode. The test results apply only to the particular sample tested and to the specific tests carried out. This certificate attests conformity to the sample investigated in our test reference number 010. | |
| The CE marking as stated below can be affixed on the product after inspection of satisfactory technical documentation. | |
| (Please release CE marking here to be checked) | |
| <div style="float: left; width: 40%;">  </div> <div style="float: right; width: 55%; text-align: right;">  April 10, 2013 </div> <div style="clear: both;"></div> | |
| <p>Shenzhen LCC Compliance Testing Laboratory Ltd. #17 Jingdong Industrial Park, Songshan Road, Bao'an Dist., Shenzhen City, Guangdong, China Tel: 86-(0)755-26214218 http://www.lcc-test.com.cn Fax: 86-(0)755-42320102 Email: info@lccw.com.cn; cc@lcc.com.cn</p> | |

CERTIFICATE OF CONFORMITY

RoHS

CERTIFICATE OF CONFORMITY

RoHS

CERTIFICATE

of Conformity
 2011/0010 Recast of European Directive

Reference No.: 10010000000000000000

When tested as specified, the specimen sample complies with the requirements of Commission Decision of 19 July 2002 amending Decision 2002/465/EC.

| | |
|------------|--|
| Applicant | Shenzhen Electronic Technology Development Co., Ltd. |
| Address | 17 World Wind Longgang Road, Longgang New District, Shenzhen, China |
| Trade Mark | Redragon |
| Model | Various |
| Product | ROM-PC101, ROM-PC102, ROM-PC103, ROM-PC104, ROM-PC105, ROM-PC106, ROM-PC107, ROM-PC108, ROM-PC109, ROM-PC110, ROM-PC111, ROM-PC112, ROM-PC113, ROM-PC114, ROM-PC115, ROM-PC116, ROM-PC117, ROM-PC118, ROM-PC119, ROM-PC120, ROM-PC121, ROM-PC122, ROM-PC123, ROM-PC124, ROM-PC125, ROM-PC126, ROM-PC127, ROM-PC128, ROM-PC129, ROM-PC130, ROM-PC131, ROM-PC132, ROM-PC133, ROM-PC134, ROM-PC135, ROM-PC136, ROM-PC137, ROM-PC138, ROM-PC139, ROM-PC140, ROM-PC141, ROM-PC142, ROM-PC143, ROM-PC144, ROM-PC145, ROM-PC146, ROM-PC147, ROM-PC148, ROM-PC149, ROM-PC150, ROM-PC151, ROM-PC152, ROM-PC153, ROM-PC154, ROM-PC155, ROM-PC156, ROM-PC157, ROM-PC158, ROM-PC159, ROM-PC160, ROM-PC161, ROM-PC162, ROM-PC163, ROM-PC164, ROM-PC165, ROM-PC166, ROM-PC167, ROM-PC168, ROM-PC169, ROM-PC170, ROM-PC171, ROM-PC172, ROM-PC173, ROM-PC174, ROM-PC175, ROM-PC176, ROM-PC177, ROM-PC178, ROM-PC179, ROM-PC180, ROM-PC181, ROM-PC182, ROM-PC183, ROM-PC184, ROM-PC185, ROM-PC186, ROM-PC187, ROM-PC188, ROM-PC189, ROM-PC190, ROM-PC191, ROM-PC192, ROM-PC193, ROM-PC194, ROM-PC195, ROM-PC196, ROM-PC197, ROM-PC198, ROM-PC199, ROM-PC200, ROM-PC201, ROM-PC202, ROM-PC203, ROM-PC204, ROM-PC205, ROM-PC206, ROM-PC207, ROM-PC208, ROM-PC209, ROM-PC210, ROM-PC211, ROM-PC212, ROM-PC213, ROM-PC214, ROM-PC215, ROM-PC216, ROM-PC217, ROM-PC218, ROM-PC219, ROM-PC220, ROM-PC221, ROM-PC222, ROM-PC223, ROM-PC224, ROM-PC225, ROM-PC226, ROM-PC227, ROM-PC228, ROM-PC229, ROM-PC230, ROM-PC231, ROM-PC232, ROM-PC233, ROM-PC234, ROM-PC235, ROM-PC236, ROM-PC237, ROM-PC238, ROM-PC239, ROM-PC240, ROM-PC241, ROM-PC242, ROM-PC243, ROM-PC244, ROM-PC245, ROM-PC246, ROM-PC247, ROM-PC248, ROM-PC249, ROM-PC250, ROM-PC251, ROM-PC252, ROM-PC253, ROM-PC254, ROM-PC255, ROM-PC256, ROM-PC257, ROM-PC258, ROM-PC259, ROM-PC260, ROM-PC261, ROM-PC262, ROM-PC263, ROM-PC264, ROM-PC265, ROM-PC266, ROM-PC267, ROM-PC268, ROM-PC269, ROM-PC270, ROM-PC271, ROM-PC272, ROM-PC273, ROM-PC274, ROM-PC275, ROM-PC276, ROM-PC277, ROM-PC278, ROM-PC279, ROM-PC280, ROM-PC281, ROM-PC282, ROM-PC283, ROM-PC284, ROM-PC285, ROM-PC286, ROM-PC287, ROM-PC288, ROM-PC289, ROM-PC290, ROM-PC291, ROM-PC292, ROM-PC293, ROM-PC294, ROM-PC295, ROM-PC296, ROM-PC297, ROM-PC298, ROM-PC299, ROM-PC300, ROM-PC301, ROM-PC302, ROM-PC303, ROM-PC304, ROM-PC305, ROM-PC306, ROM-PC307, ROM-PC308, ROM-PC309, ROM-PC310, ROM-PC311, ROM-PC312, ROM-PC313, ROM-PC314, ROM-PC315, ROM-PC316, ROM-PC317, ROM-PC318, ROM-PC319, ROM-PC320, ROM-PC321, ROM-PC322, ROM-PC323, ROM-PC324, ROM-PC325, ROM-PC326, ROM-PC327, ROM-PC328, ROM-PC329, ROM-PC330, ROM-PC331, ROM-PC332, ROM-PC333, ROM-PC334, ROM-PC335, ROM-PC336, ROM-PC337, ROM-PC338, ROM-PC339, ROM-PC340, ROM-PC341, ROM-PC342, ROM-PC343, ROM-PC344, ROM-PC345, ROM-PC346, ROM-PC347, ROM-PC348, ROM-PC349, ROM-PC350, ROM-PC351, ROM-PC352, ROM-PC353, ROM-PC354, ROM-PC355, ROM-PC356, ROM-PC357, ROM-PC358, ROM-PC359, ROM-PC360, ROM-PC361, ROM-PC362, ROM-PC363, ROM-PC364, ROM-PC365, ROM-PC366, ROM-PC367, ROM-PC368, ROM-PC369, ROM-PC370, ROM-PC371, ROM-PC372, ROM-PC373, ROM-PC374, ROM-PC375, ROM-PC376, ROM-PC377, ROM-PC378, ROM-PC379, ROM-PC380, ROM-PC381, ROM-PC382, ROM-PC383, ROM-PC384, ROM-PC385, ROM-PC386, ROM-PC387, ROM-PC388, ROM-PC389, ROM-PC390, ROM-PC391, ROM-PC392, ROM-PC393, ROM-PC394, ROM-PC395, ROM-PC396, ROM-PC397, ROM-PC398, ROM-PC399, ROM-PC400, ROM-PC401, ROM-PC402, ROM-PC403, ROM-PC404, ROM-PC405, ROM-PC406, ROM-PC407, ROM-PC408, ROM-PC409, ROM-PC410, ROM-PC411, ROM-PC412, ROM-PC413, ROM-PC414, ROM-PC415, ROM-PC416, ROM-PC417, ROM-PC418, ROM-PC419, ROM-PC420, ROM-PC421, ROM-PC422, ROM-PC423, ROM-PC424, ROM-PC425, ROM-PC426, ROM-PC427, ROM-PC428, ROM-PC429, ROM-PC430, ROM-PC431, ROM-PC432, ROM-PC433, ROM-PC434, ROM-PC435, ROM-PC436, ROM-PC437, ROM-PC438, ROM-PC439, ROM-PC440, ROM-PC441, ROM-PC442, ROM-PC443, ROM-PC444, ROM-PC445, ROM-PC446, ROM-PC447, ROM-PC448, ROM-PC449, ROM-PC450, ROM-PC451, ROM-PC452, ROM-PC453, ROM-PC454, ROM-PC455, ROM-PC456, ROM-PC457, ROM-PC458, ROM-PC459, ROM-PC460, ROM-PC461, ROM-PC462, ROM-PC463, ROM-PC464, ROM-PC465, ROM-PC466, ROM-PC467, ROM-PC468, ROM-PC469, ROM-PC470, ROM-PC471, ROM-PC472, ROM-PC473, ROM-PC474, ROM-PC475, ROM-PC476, ROM-PC477, ROM-PC478, ROM-PC479, ROM-PC480, ROM-PC481, ROM-PC482, ROM-PC483, ROM-PC484, ROM-PC485, ROM-PC486, ROM-PC487, ROM-PC488, ROM-PC489, ROM-PC490, ROM-PC491, ROM-PC492, ROM-PC493, ROM-PC494, ROM-PC495, ROM-PC496, ROM-PC497, ROM-PC498, ROM-PC499, ROM-PC500, ROM-PC501, ROM-PC502, ROM-PC503, ROM-PC504, ROM-PC505, ROM-PC506, ROM-PC507, ROM-PC508, ROM-PC509, ROM-PC510, ROM-PC511, ROM-PC512, ROM-PC513, ROM-PC514, ROM-PC515, ROM-PC516, ROM-PC517, ROM-PC518, ROM-PC519, ROM-PC520, ROM-PC521, ROM-PC522, ROM-PC523, ROM-PC524, ROM-PC525, ROM-PC526, ROM-PC527, ROM-PC528, ROM-PC529, ROM-PC530, ROM-PC531, ROM-PC532, ROM-PC533, ROM-PC534, ROM-PC535, ROM-PC536, ROM-PC537, ROM-PC538, ROM-PC539, ROM-PC540, ROM-PC541, ROM-PC542, ROM-PC543, ROM-PC544, ROM-PC545, ROM-PC546, ROM-PC547, ROM-PC548, ROM-PC549, ROM-PC550, ROM-PC551, ROM-PC552, ROM-PC553, ROM-PC554, ROM-PC555, ROM-PC556, ROM-PC557, ROM-PC558, ROM-PC559, ROM-PC560, ROM-PC561, ROM-PC562, ROM-PC563, ROM-PC564, ROM-PC565, ROM-PC566, ROM-PC567, ROM-PC568, ROM-PC569, ROM-PC570, ROM-PC571, ROM-PC572, ROM-PC573, ROM-PC574, ROM-PC575, ROM-PC576, ROM-PC577, ROM-PC578, ROM-PC579, ROM-PC580, ROM-PC581, ROM-PC582, ROM-PC583, ROM-PC584, ROM-PC585, ROM-PC586, ROM-PC587, ROM-PC588, ROM-PC589, ROM-PC590, ROM-PC591, ROM-PC592, ROM-PC593, ROM-PC594, ROM-PC595, ROM-PC596, ROM-PC597, ROM-PC598 |

| | | |
|---|--|--|
| CERTIFICATE OF CONFORMITY |  | |
| | CERTIFICATE of Conformity ISSUED IN ACCORDANCE WITH THE REQUIREMENTS OF THE REGULATIONS OF THE CHINA ELECTRONICS TESTING CERTIFICATION INSTITUTE | |
| Reference No. 13101040100018 | | |
| When issued on receipt of the submitted sample conforming with the requirements of Commission Decision of 21 July 2011 amending Directive 2011/65/EU. | | |
| Applicant | Shenzhen Ruitong Technology Development Co., Ltd. | |
| Address | 3F No. 44 West Longgang Road, Longgang New District, Shenzhen, China | |
| Trade Mark | Ruitong | |
| Product | Mobile phone | |
| Version | ROM-MS000, ROM-MS001, ROM-MS002, ROM-MS003, ROM-MS004, ROM-MS005, ROM-MS006 | |
| The test report is issued to the Company subject to the General Conditions of Service annexed herewith. Attention is drawn to the limitations of liability, manufacturer's and purchaser's responsibilities defined therein. The results shown in this test report may only be the subject of limited commercial warranty. This Test Report cannot be reproduced, copied in full, without your written permission of the Institute. | | |
| Other relevant documents have to be obtained. | | |
|  | | |
|  | | |
| Shenzhen 1310 Electronics Testing Certification Institute Ltd 12, Guangguang Industrial Park, Tanggou Road, Shuangzhen Suburb, Shuangzhen District, Tangguang, China Tel: 0755-26101000 http://www.1310.com.cn | | |
| Beijing 1310 Electronics Testing Certification Institute Ltd 100000, Beijing, China Tel: 010-60741000 http://www.1310.com.cn | | |
| Date of issue: April 10, 2013 | | |

company and factory



Richmor

OEM & ODM Service

Brasil World Cup Supplier



Exhibition:

Richmor

CPSE2012 in Shenzhen



CPSE2013

10.29-10.31

4 Booth we have

Welcome you !!!



CPSE2012-- Guangdong TV Report-Shenzhen Richmor



Best Regards
Amily Zhang

HAND US YOUR TRUST, OFFER YOU OUR BEST!!!

Shenzhen Richmor Technology Development Co.,LTD

Email: overseasales-2@rcmcctv.com

Skype: rcmcctvsales2

QQ: 2355778097

MB/Whatsapp: +86 18929314790

Website: <http://www.richmor.net/>

ADD: 6th Floor, F Building, Xinzhi Industrial Park, Yangmei,Bantian,Longgang, Shenzhen

