3g 4g hdd Vehicle Mobile DVR RCM-MDR7104




3g 4g hdd Vehicle Mobile DVR RCM-MDR7104




Richmor surveillance GUI



Richmor Mobile DVR Mileage Summary



Richmor Mobile DVR surveillance Platform Player



Richmor actual cases





Specification

3g 4g hdd Vehicle Mobile DVR RCM-MDR7104

Item		Parameter
OS		Linux
Language		English/Chinese/Customized
Video Compression		H.264 Compression
OSD		Overlays information such as date time and vehicle ID
GUI	Graphical User Interface	Setup system parameters with the remote control.
Video Record	Video Input	4CH 960P/720P AHD input, aviation connector, 1.0Vp-p, 75Ω
System	Video Onput	1 CVBS, 1.0Vp-p, 75 Ω , Aviation, Support 1CH Full Screen, 4CH Screen view
	Preview	Support 1 channel and 4 channels preview., Support Manual/Alarm Trigger full screen preview
	Resolution	720P/D1/HD1/CIF, MAX:4 channels of 720P and 4 channels of D1
	Image Quality	1-4 levels, 1 is the highest level.
	Video Standard	PAL: 100f/s , CCIR625 line,50field; NTSC: 120f/s, CCIR525 line,60field; CIF: 256Kbps ~ 1.5Mbps, 8 level video quality optional; HD1: 600Kbps ~ 2.5Mbps, 8 level video quality optional; D1: 800Kbps ~ 3Mbps, 8 level video quality optional; 720P: 4Mbps-6Mbps, multi level video quality optional
	Record Mode	The default setting is auto recording after power on. Timed recording, alarm trigger recording and manual recording are supported.
Audio	Audio Input	4CH Aviation Plug Input
	Audio Output	2CH,headphone connect at front panel, BNC Connect on Back panel
	Compression	G.726 compression, 8KB/s speed
Alarm Input		7CH Alarm Input,1CH AD Input,impulse speed input,Alarm Linkage
Alarm Output		2CH Alarm Output, Support Light/Sound alarm sensor, Oil/Power cut off
Interface		3CH RS232, POS/Fuel Sensor/LED Advertisement Connection
		1CH 485 Interface,Connect PTZ Camera
Wireless Transmission		Support Built in 3G transmission,, WCDMA, CDMA2000,GPRS, EDGE; Built in 4G module optional, TDD-LTE, FDD-LTE
GPS Position		Support Built GPS/BD Module
	HDD	Max 2.5" 1TB HDD

Storage SD Card Max 128GB SD Card Mirror Recording Keep Data Safety

Update Support USB Updating, SD Card Updating, OTA Remote Updating

File Format H.264

File System Special FAT32 File System

USB USB Interface on Front Panel for data back up by U Disk,Hard Disk

Record Replay Video Search Search By Record Time/Record Type etc

Playback Max support 4CH Replay /Stop/Fast/Slow at same time

Support forward and backward play at the speed of: x 2,x4,x8,x16.

Security User/Admin 2 Level Different Password

Voice Call Support voice call each other
TTS Voice Broadcast Support TTS voice broadcast function.

Serial Expand Support LED Advertisement Panel, Oil Sensor,

POS, Bus Station Broadcaster, Car OBD, ect. external device

Voltage & Power Management Wide Voltage.Support Timed/Delay off

Input Voltage DC:+6V - +36V

Output Voltage $+12V\sim1.5A, +5V\sim1.5A$

Power Working <5W

Working Environment Temperature $-20^{\circ}\text{C} - +70^{\circ}\text{C}$

Humidity 20% - 80%

Ohters Size 200 (D)* 187(W)* 62(H) mm

Weight 1.90 Kg


Our Services

Optional Functions



PC&Phone Monitoring

CMSV6 Interface



hand

CMSV6 In Mobile Phone Have all in the palm of your

Real-time monitoring via Mobile Phone Support iPhone, Android, iPad system





Video & Audio Monitoring Online Vehicle GPS

Satellite Map Video Storage

PTZ control Tracking Display Picture Snapshot Voice intercom

FQA

- Q: During playback, the map doesn't show?
- A: Possible reasons are as follows;
- 1.Net cable did not connect to PC;
- 2.Net works, but the computer can not get to the Internet;
- Q: When SD card and HDD records, How is the record coverage?
- A: SD card and HDD will record circularly for each other. When they are full, they

will delete the original video records respectively.

- Q: The device was opened, HDD was installed, but the device can not record successful.
- A: 1.Check the HDD/SD Card was formatted or not, the unformatted HH/SD Card can not be used. Enter into the Main Menu System Setup Formatting the new installed HDD/SD Card.
- 2. If the recording channel is closed, if set the timing recording, it can not recording when it beyond the period of timing recording.
- 3. If the HDD is connect well, if the HDD/SD light is on.



Richmor Brand Package

Standard Package



Shipping

Strong cooperated with DHL/UPS Etc for fast and safety delivery.

- a. 2-5 days after payment cleared for sample order.
- b. 5-10 days after payment cleared depends on order quantity for bulk order.


Payment



Exhibition

Richmor

CPSE2012 in Shenzhen



CPSE2013 10.29-10.31

4 Booth we have

Welcome you !!!



CPSE2012-- Guangdong TV Report-Shenzhen Richmor









What is our expectation

Become your helpful and long term partner meeting your requirement.

Any enquiry on Mobile DVR, warmly welcome to get back to us.

Cell phone:+86 18929318475 Skype: rcmcctvsales7

Contact Representative: Vicky Chan