

3g mdvr,mdvr player h.264,mdvr gps 3g wifi

Shenzhen Richmor Science&Technologies Development Co.,Ltd



WE PUT FORWARD THE IDEAL OF "4M" IN ENTERPRISE MANAGEMENT:

- More enhancements of product quality everyday.
- More progress of services and sales everyday,
- More widely the effect of our brand expands everyday,
- More smiles to each of us everyday.

Richmor

product specification:

Item		parameter
Operating System		Linux
Language		English/chinese/customized
Video Compression		H.264 Compression
OSD		overlays information such as date time and vehicle ID
GUI	Graphical user interface	setup system parameters with the remote control
Video Record System	video input	4CH 960P/720P AHD input,aviation connector, 1.0Vp-p, 75Ω
	video output	1 CVBS, 1.0Vp-p, 75Ω,Aviation,Support 1CH Full Screen,4CH Screen view
	preview	Support 1 channel and 4 channels preview., Support Manual/Alarm Trigger full screen preview
	resolution	720P/D1/HD1/CIF, MAX:4 channels of 720P and 4 channels of D1
	image quality	1-4 levels, 1 is the highest level.
	video standard	PAL: 100f/s , CCIR625 line,50field; NTSC: 120f/s, CCIR525 line,60field; CIF: 256Kbps ~ 1.5Mbps, 8 level video quality optional; HD1: 600Kbps ~ 2.5Mbps, 8 level video quality optional; D1: 800Kbps ~ 3Mbps, 8 level video quality optional; 720P: 4Mbps-6Mbps, multi level video quality optional
	record mode	The default setting is auto recording after power on. Timed recording, alarm trigger recording and manual recording are supported.
Audio	audio input	4CH Aviation Plug Input
	audio output	2CH,headphone connect at front panel, BNC Connect on Back panel
	compression	G.726 compression, 8KB/s speed
Alarm Input		7CH Alarm Input,1CH AD Input,impulse speed input,Alarm Linkage
Alarm Output		2CH Alarm Output,Support Light/Sound alarm sensor,Oil/Power cut off
Interface		3CH RS232, POS/Fuel Sensor/LED Advertisement Connection 1CH 485 Interface,Connect PTZ Camera

Wireless Transmission		Support Built in 3G transmission,, WCDMA, CDMA2000,GPRS, EDGE; Built in 4G module optional, TDD-LTE, FDD-LTE
GPS Position		Support Built GPS/BD Module
Storage	HDD	Max 2.5" 1TB HDD
	SD Card	Max 128GB SD Card Mirror Recording Keep Data Safety
	update	Support USB Updating, SD Card Updating,OTA Remote Updating
	file format	H.264
	file system	Special FAT32 File System
	USB	USB Interface on Front Panel for data back up by U Disk,Hard Disk
Record Replay	video search	Search By Record Time/Record Type etc
	playback	Max support 4CH Replay /Stop/Fast/Slow at same time
		Support forward and backward play at the speed of: x 2,x4,x8,x16.
Security		User/Admin 2 Level Different Password
Optional Functions	voice call	Support voice call each other
	TTS Voice broadcast	Support TTS voice broadcast function.
	serial expand	Support LED Advertisement Panel,Oil Sensor, POS,Bus Station Broadcaster,Car OBD,ect.external device
Voltage & Power	Power Management	Wide Voltage.Support Timed/Delay off
	Input Voltage	DC:+6V - +36V
	Output Voltage	+12V~1.5A,+5V~1.5A
	Power	Working<5W
Working Environment	Temperature	-20℃ - +70℃
	Humidity	20% - 80%
Others	Size	200 (D)* 187(W)* 62(H) mm
	Weight	1.90Kg

Product Show:





AV Input & Output Cables



Power Cable



IO Cables



Remote Control



3G Antenna



WIFI Antenna




CD (Manual & Software Inside)



7000 HDD Mobile DVR


Product Introduction

Device Series



15

Product Advantage



Client User Graph Interface

移动视频监控平台

欢迎登录: RCMTEST 系统

终端列表 轮询列表 我的地图

监控中心(3/11)
 贵州(1/1)
 贵C A6446
 CH1
 CH2
 CH3
 CH4
 桂KY7507
 桂KY7569
 80024
 80119
 D82868
 子NPS001
 桂KY7586
 桂KY7599
 贵B93017
 贵C87762

状态 **云台** **色彩** **语音**

设备类型	MDVR
终端名称	贵C A6446
终端ID	80109
公司	通运集团金融公司
所属分组	贵州
状态	在线
GPS时间	2016-03-14 09:50:09
位置	贵州省遵义市习水县G4215(蓉遵高速公路)
速度	74.10 km/h(南)
费用	正常

实时监控 **电子地图** **回放管理** **信息管理** **系统设置**

1 贵C A6446 - CH1 - 0 KB/S
 2 贵C A6446 - CH2 - 24 KB/S
 3 贵C A6446 - CH3 - 0 KB/S
 4 贵C A6446 - CH4 - 0 KB/S

地址: 马临镇政府 搜索

贵C A6446
 时间: 2016-03-14 09:50:09 速度: 74.10
 公司: 通运集团金融公司 司机: 陈国忠
 13511881529
 位置: 贵州省遵义市习水县G4215(蓉遵高速公路)
 状态: 在线, 3G, ACC开启, SD卡(存在), 视频, 对讲, 监听, 抓拍, 更多

石板田 转匠岩







200米

运行时长: 00:01:04 报警: 未报警 在线数: 3 / 定损数: 1 / 欠费: 0 / 总数: 11 在线率: 27.27% / 定损率: 9.09%




our mdvr support mobile Client monitoring like PC, mobile phone etc.

[Anasayfa](#)[İndir](#)[Soru](#)[Language](#)

İstemci İndirme

 Windows İndir  Version: 7.4.0.15 Güncelle: 20151123	 İndir  Version: 7.0.3 Güncelle: 20150523	 İndir  Version: 7.0.0.10 Güncelle: 20150801
--	--	---

Uygun Program İndir

		
---	---	---

Appliication

FUNCTIONS

- Video& Audio real-time monitoring
- Online Vehicle Status
- Satellite Map
- GPS
- Video Storage
- Tracking Display
- Intercom
- Fuel Sensor
- G-Sensor
- Temperature-Sensor

Richmor

OEM & ODM Service

Brasil World Cup Supplier
www.rcmcctv.com



Truck
Coach



School Bus
Bus



Police Car
Taxi



Support
All Vehicles

certificate

VERIFICATION OF CONFORMITY

Verification of Conformity

Reference No.: LCT0180000010

Responsible Party	Shenzhen Richcore Technology Development Co., LTD.
Address	3/F No. 10 West Langgong Road, Longhua New District, Shenzhen, China
Product	Cables
Model No.	RCC-PF07H, RCC-PF07H, RCC-LP07H, RCC-LP07H, RCC-IMP04L, RCC-IMP04L, RCC-SM-AL, RCC-SM-AL, RCC-JA05L, RCC-JA05L, RCC-A00H, RCC-A00H, RCC-B07H, RCC-B07H, RCC-C000H, RCC-C000H
Trade Mark	Richcore
Standards	FCC/CN 47 Part II Subpart B, EN54, EN50135-2-2008

Important note:

This device is in compliance with part II of the FCC Rules and Regulations for safety hazardous devices. Declaration of EMC analysis is based on the following two scenarios:

(1) This device may cause harmful interference; and (2) this device shall accept any electromagnetic interference, including man-made that is required national certification. The manufacturer is compliant to the applicable FCC Rules and Regulations. The notation of voluntary declaration is in accordance to the most accurate measurement available to date; and that all necessary steps have been undertaken to ensure that all evaluation units of the same equipment will continue to comply with the Federal Communications Commission's requirements.

Manager

April 10, 2012

Shenzhen LCT Compliance Testing Laboratory Ltd.
#1, Anping Industrial Park, Pingtan Town, Baoan Dist., Shenzhen
Guangdong, China
Tel: +86(0) 755 26591 930
http://www.lct.com.cn Email: admin@lct.com.cn

VERIFICATION OF CONFORMITY		
	Verification of Conformity Reference No. LCC0300020719	
	Responsible Party	Shenzhen Wuxinor Technology Development Co., LTD.
	Address	37 No.4 West Longgang Road, Longgang New District, Shenzhen, China
	Product	Mobile USB
	Model No.	WXC-M00200, WXC-M00100, WXC-M00150, WXC-M00160, WXC-M001700, WXC-SF000, WXC-SF001
	Trade Mark	Shenzhen
	Standards	FCC, CE, EN 60950, EN 60950-1, EN 60950-2, EN 60950-3, EN 60950-4, EN 60950-5, EN 60950-6, EN 60950-7, EN 60950-8, EN 60950-9, EN 60950-10, EN 60950-11, EN 60950-12, EN 60950-13, EN 60950-14, EN 60950-15, EN 60950-16, EN 60950-17, EN 60950-18, EN 60950-19, EN 60950-20, EN 60950-21, EN 60950-22, EN 60950-23, EN 60950-24, EN 60950-25, EN 60950-26, EN 60950-27, EN 60950-28, EN 60950-29, EN 60950-30, EN 60950-31, EN 60950-32, EN 60950-33, EN 60950-34, EN 60950-35, EN 60950-36, EN 60950-37, EN 60950-38, EN 60950-39, EN 60950-40, EN 60950-41, EN 60950-42, EN 60950-43, EN 60950-44, EN 60950-45, EN 60950-46, EN 60950-47, EN 60950-48, EN 60950-49, EN 60950-50, EN 60950-51, EN 60950-52, EN 60950-53, EN 60950-54, EN 60950-55, EN 60950-56, EN 60950-57, EN 60950-58, EN 60950-59, EN 60950-60, EN 60950-61, EN 60950-62, EN 60950-63, EN 60950-64, EN 60950-65, EN 60950-66, EN 60950-67, EN 60950-68, EN 60950-69, EN 60950-70, EN 60950-71, EN 60950-72, EN 60950-73, EN 60950-74, EN 60950-75, EN 60950-76, EN 60950-77, EN 60950-78, EN 60950-79, EN 60950-80, EN 60950-81, EN 60950-82, EN 60950-83, EN 60950-84, EN 60950-85, EN 60950-86, EN 60950-87, EN 60950-88, EN 60950-89, EN 60950-90, EN 60950-91, EN 60950-92, EN 60950-93, EN 60950-94, EN 60950-95, EN 60950-96, EN 60950-97, EN 60950-98, EN 60950-99, EN 60950-100, EN 60950-101, EN 60950-102, EN 60950-103, EN 60950-104, EN 60950-105, EN 60950-106, EN 60950-107, EN 60950-108, EN 60950-109, EN 60950-110, EN 60950-111, EN 60950-112, EN 60950-113, EN 60950-114, EN 60950-115, EN 60950-116, EN 60950-117, EN 60950-118, EN 60950-119, EN 60950-120, EN 60950-121, EN 60950-122, EN 60950-123, EN 60950-124, EN 60950-125, EN 60950-126, EN 60950-127, EN 60950-128, EN 60950-129, EN 60950-130, EN 60950-131, EN 60950-132, EN 60950-133, EN 60950-134, EN 60950-135, EN 60950-136, EN 60950-137, EN 60950-138, EN 60950-139, EN 60950-140, EN 60950-141, EN 60950-142, EN 60950-143, EN 60950-144, EN 60950-145, EN 60950-146, EN 60950-147, EN 60950-148, EN 60950-149, EN 60950-150, EN 60950-151, EN 60950-152, EN 60950-153, EN 60950-154, EN 60950-155, EN 60950-156, EN 60950-157, EN 60950-158, EN 60950-159, EN 60950-160, EN 60950-161, EN 60950-162, EN 60950-163, EN 60950-164, EN 60950-165, EN 60950-166, EN 60950-167, EN 60950-168, EN 60950-169, EN 60950-170, EN 60950-171, EN 60950-172, EN 60950-173, EN 60950-174, EN 60950-175, EN 60950-176, EN 60950-177, EN 60950-178, EN 60950-179, EN 60950-180, EN 60950-181, EN 60950-182, EN 60950-183, EN 60950-184, EN 60950-185, EN 60950-186, EN 60950-187, EN 60950-188, EN 60950-189, EN 60950-190, EN 60950-191, EN 60950-192, EN 60950-193, EN 60950-194, EN 60950-195, EN 60950-196, EN 60950-197, EN 60950-198, EN 60950-199, EN 60950-200, EN 60950-201, EN 60950-202, EN 60950-203, EN 60950-204, EN 60950-205, EN 60950-206, EN 60950-207, EN 60950-208, EN 60950-209, EN 60950-210, EN 60950-211, EN 60950-212, EN 60950-213, EN 60950-214, EN 60950-215, EN 60950-216, EN 60950-217, EN 60950-218, EN 60950-219, EN 60950-220, EN 60950-221, EN 60950-222, EN 60950-223, EN 60950-224, EN 60950-225, EN 60950-226, EN 60950-227, EN 60950-228, EN 60950-229, EN 60950-230, EN 60950-231, EN 60950-232, EN 60950-233, EN 60950-234, EN 60950-235, EN 60950-236, EN 60950-237, EN 60950-238, EN 60950-239, EN 60950-240, EN 60950-241, EN 60950-242, EN 60950-243, EN 60950-244, EN 60950-245, EN 60950-246, EN 60950-247, EN 60950-248, EN 60950-249, EN 60950-250, EN 60950-251, EN 60950-252, EN 60950-253, EN 60950-254, EN 60950-255, EN 60950-256, EN 60950-257, EN 60950-258, EN 60950-259, EN 60950-260, EN 60950-261, EN 60950-262, EN 60950-263, EN 60950-264, EN 60950-265, EN 60950-266, EN 60950-267, EN 60950-268, EN 60950-269, EN 60950-270, EN 60950-271, EN 60950-272, EN 60950-273, EN 60950-274, EN 60950-275, EN 60950-276, EN 60950-277, EN 60950-278, EN 60950-279, EN 60950-280, EN 60950-281, EN 60950-282, EN 60950-283, EN 60950-284, EN 60950-285, EN 60950-286, EN 60950-287, EN 60950-288, EN 60950-289, EN 60950-290, EN 60950-291, EN 60950-292, EN 60950-293, EN 60950-294, EN 60950-295, EN 60950-296, EN 60950-297, EN 60950-298, EN 60950-299, EN 60950-300, EN 60950-301, EN 60950-302, EN 60950-303, EN 60950-304, EN 60950-305, EN 60950-306, EN 60950-307, EN 60950-308, EN 60950-309, EN 60950-310, EN 60950-311, EN 60950-312, EN 60950-313, EN 60950-314, EN 60950-315, EN 60950-

CERTIFICATE OF CONFORMITY		
	CERTIFICATE of Conformity Reference No. 1-23-018-01471	
	Applicant	Shenzhen Elicitor Technology Development Co., LTD.
	Address	2/F Yu-Kai Road Longgang Road, Longgang New District, Shenzhen, China
	Product	Shenke 3000
	Model(s)	HCN-M0000A, HCN-M0000B, HCN-M0000C, HCN-M0000D, HCN-M0000E, HCN-M0000F, HCN-M0000G, HCN-M0000H
	Trade Mark	Shenke
	The certified products have been tested by us with the latest procedure and found in compliance with the following European Directives:	
	The EMC Directive 2004/108/EC	
	EN 55022, EN 55024, EN 55024-2	
The tests were performed in normal operating mode. The test results apply only to the particular sample tested and to the specific mode tested on. This certificate applies specifically to the sample investigated in our test laboratory number only.		
The CE marking can also be used on the product after presentation of necessary technical documentation.		
(Other relevant Directives have to be checked)		
<div style="display: flex; justify-content: space-around; align-items: center;">  <div style="text-align: right;">   Manager April 16, 2013 </div> </div>		
(Shenzhen) UKAS Compliance Testing Laboratory Ltd. 17, Engineer Industrial Park, Xingye Road, Nan-shi, Bao-an District, Shenzhen Guangdong, China Tel: 86-755-83271153 Fax: 86-755-83271153 E-mail: ukas@ukas-ct.com.cn Web: www.ukas-ct.com.cn		

[illegible]

CERTIFICATE OF CONFORMITY		
	CERTIFICATE of Conformity (S/10000) Declaration of Testimony Evidence	
	Reference No.: LCF 0010000278	
	When tested as specified, the supplier certifies compliance with the requirements of Commission Decision of 17 July 2017 amending Decision (S/10000).	
	Applicant	Shenzhen Etektron Technology Development Co., Ltd.
Address	3F Huai Xing Longgang Road, Longgang New District, Shenzhen, China	
Trade Mark	Etektron	
Product	Camera	
Model(s)	RCM-0012A, RCM-0012B, RCM-0012C, RCM-0012D, RCM-0012E, RCM-0012F, RCM-0012G, RCM-0012H, RCM-0012I, RCM-0012J, RCM-0012K, RCM-0012L, RCM-0012M, RCM-0012N, RCM-0012O, RCM-0012P, RCM-0012Q, RCM-0012R, RCM-0012S, RCM-0012T, RCM-0012U, RCM-0012V, RCM-0012W, RCM-0012X, RCM-0012Y, RCM-0012Z, RCM-0012AA, RCM-0012AB, RCM-0012AC, RCM-0012AD, RCM-0012AE, RCM-0012AF, RCM-0012AG, RCM-0012AH, RCM-0012AI, RCM-0012AJ, RCM-0012AK, RCM-0012AL, RCM-0012AM, RCM-0012AN, RCM-0012AO, RCM-0012AP, RCM-0012AQ, RCM-0012AR, RCM-0012AS, RCM-0012AT, RCM-0012AU, RCM-0012AV, RCM-0012AW, RCM-0012AX, RCM-0012AY, RCM-0012AZ, RCM-0012BA, RCM-0012BB, RCM-0012BC, RCM-0012BD, RCM-0012BE, RCM-0012BF, RCM-0012BG, RCM-0012BH, RCM-0012BI, RCM-0012BJ, RCM-0012BK, RCM-0012BL, RCM-0012BM, RCM-0012BN, RCM-0012BO, RCM-0012BP, RCM-0012BQ, RCM-0012BR, RCM-0012BS, RCM-0012BT, RCM-0012BU, RCM-0012BV, RCM-0012BW, RCM-0012BX, RCM-0012BY, RCM-0012BZ, RCM-0012CA, RCM-0012CB, RCM-0012CC, RCM-0012CD, RCM-0012CE, RCM-0012CF, RCM-0012CG, RCM-0012CH, RCM-0012CI, RCM-0012CJ, RCM-0012CK, RCM-0012CL, RCM-0012CM, RCM-0012CN, RCM-0012CO, RCM-0012CP, RCM-0012CQ, RCM-0012CR, RCM-0012CS, RCM-0012CT, RCM-0012CU, RCM-0012CV, RCM-0012CW, RCM-0012CX, RCM-0012CY, RCM-0012CZ, RCM-0012DA, RCM-0012DB, RCM-0012DC, RCM-0012DD, RCM-0012DE, RCM-0012DF, RCM-0012DG, RCM-0012DH, RCM-0012DI, RCM-0012DJ, RCM-0012DK, RCM-0012DL, RCM-0012DM, RCM-0012DN, RCM-0012DO, RCM-0012DP, RCM-0012DQ, RCM-0012DR, RCM-0012DS, RCM-0012DT, RCM-0012DU, RCM-0012DV, RCM-0012DW, RCM-0012DX, RCM-0012DY, RCM-0012DZ, RCM-0012EA, RCM-0012EB, RCM-0012EC, RCM-0012ED, RCM-0012EE, RCM-0012EF, RCM-0012EG, RCM-0012EH, RCM-0012EI, RCM-0012EJ, RCM-0012EK, RCM-0012EL, RCM-0012EM, RCM-0012EN, RCM-0012EO, RCM-0012EP, RCM-0012EQ, RCM-0012ER, RCM-0012ES, RCM-0012ET, RCM-0012EU, RCM-0012EV, RCM-0012EW, RCM-0012EX, RCM-0012EY, RCM-0012EZ, RCM-0012FA, RCM-0012FB, RCM-0012FC, RCM-0012FD, RCM-0012FE, RCM-0012FF, RCM-0012FG, RCM-0012FH, RCM-0012FI, RCM-0012FJ, RCM-0012FK, RCM-0012FL, RCM-0012FM, RCM-0012FN, RCM-0012FO, RCM-0012FP, RCM-0012FQ, RCM-0012FR, RCM-0012FS, RCM-0012FT, RCM-0012FU, RCM-0012FV, RCM-0012FW, RCM-0012FX, RCM-0012FY, RCM-0012FZ, RCM-0012GA, RCM-0012GB, RCM-0012GC, RCM-0012GD, RCM-0012GE, RCM-0012GF, RCM-0012GG, RCM-0012GH, RCM-0012GI, RCM-0012GJ, RCM-0012GK, RCM-0012GL, RCM-0012GM, RCM-0012GN, RCM-0012GO, RCM-0012GP, RCM-0012GQ, RCM-0012GR, RCM-0012GS, RCM-0012GT, RCM-0012GU, RCM-0012GV, RCM-0012GW, RCM-0012GX, RCM-0012GY, RCM-0012GZ, RCM-0012HA, RCM-0012HB, RCM-0012HC, RCM-0012HD, RCM-0012HE, RCM-0012HF, RCM-0012HG, RCM-0012HH, RCM-0012HI, RCM-0012HJ, RCM-0012HK, RCM-0012HL, RCM-0012HM, RCM-0012HN, RCM-0012HO, RCM-0012HP, RCM-0012HQ, RCM-0012HR, RCM-0012HS, RCM-0012HT, RCM-0012HU, RCM-0012HV, RCM-0012HW, RCM-0012HX, RCM-0012HY, RCM-0012HZ, RCM-0012IA, RCM-0012IB, RCM-0012IC, RCM-0012ID, RCM-0012IE, RCM-0012IF, RCM-0012IG, RCM-0012IH, RCM-0012II, RCM-0012IJ, RCM-0012IK, RCM-0012IL, RCM-0012IM, RCM-0012IN, RCM-0012IO, RCM-0012IP, RCM-0012IQ, RCM-0012IR, RCM-0012IS, RCM-0012IT, RCM-0012IU, RCM-0012IV, RCM-0012IW, RCM-0012IX, RCM-0012IY, RCM-0012IZ, RCM-0012JA, RCM-0012JB, RCM-0012JC, RCM-0012JD, RCM-0012JE, RCM-0012JF, RCM-0012JG, RCM-0012JH, RCM-0012JI, RCM-0012JJ, RCM-0012JK, RCM-0012JL, RCM-0012JM, RCM-0012JN, RCM-0012JO, RCM-0012JP, RCM-0012JQ, RCM-0012JR, RCM-0012JS, RCM-0012JT, RCM-0012JU, RCM-0012JV, RCM-0012JW, RCM-0012JX, RCM-0012JY, RCM-0012JZ, RCM-0012KA, RCM-0012KB, RCM-0012KC, RCM-0012KD, RCM-0012KE, RCM-0012KF, RCM-0012KG, RCM-0012KH, RCM-0012KI, RCM-0012KJ, RCM-0012KK, RCM-0012KL, RCM-0012KM, RCM-0012KN, RCM-0012KO, RCM-0012KP, RCM-0012KQ, RCM-0012KR, RCM-0012KS, RCM-0012KT, RCM-0012KU, RCM-0012KV, RCM-0012KW, RCM-0012KX, RCM-0012KY, RCM-0012KZ, RCM-0012LA, RCM-0012LB, RCM-0012LC, RCM-0012LD, RCM-0012LE, RCM-0012LF, RCM-0012LG, RCM-0012LH, RCM-0012LI, RCM-0012LJ, RCM-0012LK, RCM-0012LL, RCM-0012LM, RCM-0012LN, RCM-0012LO, RCM-0012LP, RCM-0012LQ, RCM-0012LR, RCM-0012LS, RCM-0012LT, RCM-0012LU, RCM-0012LV, RCM-0012LW, RCM-0012LX, RCM-0012LY, RCM-0012LZ, RCM-0012MA, RCM-0012MB, RCM-0012MC, RCM-0012MD, RCM-0012ME, RCM-0012MF, RCM-0012MG, RCM-0012MH, RCM-0012MI, RCM-0012MJ, RCM-0012MK, RCM-0012ML, RCM-0012MN, RCM-0012MO, RCM-0012MP, RCM-0012MQ, RCM-0012MR, RCM-0012MS, RCM-0012MT, RCM-0012MU, RCM-0012MV, RCM-0012MW, RCM-0012MX, RCM-0012MY, RCM-0012MZ, RCM-0012NA, RCM-0012NB, RCM-0012NC, RCM-0012ND, RCM-0012NE, RCM-0012NF, RCM-0012NG, RCM-0012NH, RCM-0012NI, RCM-0012NJ, RCM-0012NK, RCM-0012NL, RCM-0012NM, RCM-0012NN, RCM-0012NO, RCM-0012NP, RCM-0012NQ, RCM-0012NR, RCM-0012NS, RCM-0012NT, RCM-0012NU, RCM-0012NV, RCM-0012NW, RCM-0012NX, RCM-0012NY, RCM-0012NZ, RCM-0012OA, RCM-0012OB, RCM-0012OC, RCM-0012OD, RCM-0012OE, RCM-0012OF, RCM	

CERTIFICATE OF CONFORMITY

	
<h2 style="margin: 0;">CERTIFICATE</h2> <h3 style="margin: 0;">of Conformity</h3> <p style="margin: 0;">(OPTIONAL) Declaration of Conformity</p> <p style="margin: 0;">Reference No.: UL1004100818</p>	
<p>When tested as specified, the submitted sample complies with the requirements of <i>Commission Decision of 27 July 2011 amending Directive 2011/65/EU</i>.</p>	
Applicant:	Shenzhen Pictorial Technology Development Co., Ltd.
Address:	3F 3F 34 West Longgang Road, Longhua New District, Shenzhen, China
Trade Mark:	Pictorial
Product:	Monitor D20K
Model(s):	NCM-INDUSTRIAL, NCM-INDUSTRIAL, NCM-INDUSTRIAL, NCM-INDUSTRIAL, NCM-INDUSTRIAL, NCM-INDUSTRIAL, NCM-INDUSTRIAL, NCM-INDUSTRIAL, NCM-INDUSTRIAL, NCM-INDUSTRIAL
<p>The test report is issued on the Applicant's behalf in its General Conditions of Service printed on each certificate. Attention is drawn to the limitations of liability, indemnification and arbitration clause within the report. The results shown in this test report refer only to the sample(s) tested under defined test conditions. This Report cannot be reproduced, copied or full, without your written permission of the Company.</p>	
<p>Other relevant documents have to be obtained.</p>	
<h1 style="margin: 0;">RoHS</h1>	
 <p style="margin: 0;"><i>John Lee</i> Manager</p> <p style="margin: 0;">April 16, 2013</p>	
<p>Shenzhen UL100 Compliance Testing Laboratory Ltd. 20/F, Hing Fong Industrial Park, Tsinghua Road, Nanshan Dist., Nanshan District, Shenzhen, Guangdong, China Tel: +86-(0)755-82591100 http://www.ul100.com.cn</p>	
<p style="text-align: right;">Fax: +86-(0)755-82591101 E-mail: ulshenzhen@ul100.com</p>	

company and factory



Richmor

OEM & ODM Service

Brasil World Cup Supplier



Exhibition:

Richmor

CPSE2012 in Shenzhen



CPSE2013

10.29-10.31

4 Booth we have

Welcome you !!!



CPSE2012-- Guangdong TV Report-Shenzhen Richmor



Other kinds of products

Product Introduction

We are Professional mobile dvr manufacturer !!

TOP SALE ---4ch AHD SD CARD MOBILE DVR & 4ch AHD HDD mobile dvr



If u r interested in our dvr, pls contact Amily: [whatsapp--18929314790](https://www.whatsapp.com/channel/0029918929314790)

系统配套产品

VEHICLE CAMERA PARAMETER

车载红外半球摄像机 Vehicle Dome IR Camera



RCM-D342S/IR	1/3" SONY CCD 420TVL 0.5LUX	24 units ≤ 5 LED or 10 Units ≤ 8 LED	3.6mm/6mm
RCM-D442A/IR	1/4" Sharp CCD 420TVL 0.5LUX	24 Units ≤ 5 LED or 10 units ≤ 8 LED	2.8mm/3.6mm
RCM-D348S/IR	1/3" SONY CCD 480TVL 0.1LUX	24 Units ≤ 5 LED or 10 units ≤ 8 LED	3.6mm/6mm
RCM-D354S/IR	1/3" SONY CCD 540TVL 0.1LUX	24 Units ≤ 5 LED or 10 Units ≤ 8 LED	3.6mm/6mm
RCM-D360S/IR	1/3" SONY CCD 600TVL 0.1LUX	24 Units ≤ 5 LED or 10 Units ≤ 8 LED	3.6mm/6mm
RCM-D370S/IR	1/3" SONY CCD 700TVL 0.1LUX	24 Units ≤ 5 LED or 10 Units ≤ 8 LED	3.6mm/6mm

车载红外防水摄像机 Vehicle IR Waterproof Camera



RCM-CM442A/IR	1/4" Sharp CCD 420TVL 0.5LUX	20 Units ≤ 5 LED (Work Under water)	3.6mm/6mm
RCM-CM342S/IR	1/3" SONY CCD 420TVL 0.1LUX	20 Units ≤ 5 LED (Work under Water)	3.6mm/6mm
RCM-CM348S/IR	1/3" SONY CCD 480TVL 0.1LUX	20 Units ≤ 5 LED (Work Under Water)	3.6mm/6mm
RCM-CM360S/IR	1/3" SONY CCD 600TVL 0.1LUX	20 Units ≤ 5 LED (Work Under Water)	3.6mm/6mm



Best Regards
Amily Zhang

HAND US YOUR TRUST, OFFER YOU OUR BEST!!!

Shenzhen Richmor Technology Development Co.,LTD

Email: overseasales-2@rcmcctv.com

Skype: rcmcctvsales2

QQ: 2355778097

MB/Whatsapp: +86 18929314790

Website: <http://www.richmor.net/>

ADD: 6th Floor, F Building, Xinzhi Industrial Park, Yangmei,Bantian,Longgang, Shenzhen

