

**4ch 1080p/720p mobile dvr mdvr support
intercom with platform use 3g/4g also with gps
track**





功能特点 Features



实时监控, GPS定位
Real-time monitoring,
GPS positioning

身份验证, 人数统计
Two-factor authentication




语音功能 Voice features



行车记录, 驾驶行为管理
Driving behavior management



短信提醒
Assured SMS alerts



偏航报警
Yaw alarm

采用高压压缩比, 图像清晰的H.264编码格式, 支持开机录像、定时录像及报警录像, 支持ACC熄火延时录像。内置GPS全球定位系统, 可通过3G网络远程查看实时视频, 车辆位置, 回放历史录像。支持手机远程监控。Adopting H.264 Video compression with high resolution, ACC on/off, Timer Recording, ACC Delay Recording Mode supported, Built-in GPS Tracking system, Real time video stream, Vehicle Position, Video Replay can be viewed through 3G Network, Support Mobile Phone remote Monitor.

可连接刷卡器验证身份, 统计数据, 避免人工统计时出现失误。提供每个停靠站点实时的上下学生人数, 避免漏接学生, 以及把学生遗留在车内, 造成事故。Combine with Card Equipment for authenticate information and counting, avoid artificial statistical mistake, offer the students get on/off real time number at each station, avoid the accident caused by missing students or leaving students in the carriage.

可进行语音电话, 网络对讲, 声音广播。实现管理中心和车辆即时通讯。Support VOIP, 3G Intercom, Broadcast realize Center office communicate with Driver in real time.

对司机的不良行为进行监管, 比如经常超速、急加速、急减速、急刹车等容易对车内学生造成危险的行为; 并对其进行评测, 预防安全隐患发生。Supervise driver's bad behavior, such as: over-speed, acceleration, decelerateurgently, brakes etc dangerous behavior for students, Driver's Performance evidence.

车载智能系统会根据需要向家长发送孩子上下车短信, 包括什么时间、在哪里上车及下车, 让家长及时、快捷的了解学生安全状况, 有利学生接送时间的精确控制。Intelligent vehicle system, students get on/off bus information sent to parents by SMS including When and where on/off, convenient for parents to know students status and easily for picking up students.

预先设定校车的固定行驶路线, 当校车未按照预定的驾驶路线行驶时, 中心上会自动发出语音报警, 中心可与车载终端通过语音对讲进行通讯。Geo Fence Alarm, preset driving route, when out off the line it will sound alarm automatically at center office, center can talk with the driver for the information.

product specification:

Item		parameter
Operating System		Linux
Language		English/chinese/customized
Video Compression		H.264 Compression
OSD		overlays information such as date time and vehicle ID
GUI	Graphical user interface	setup system parameters with the remote control

Video Record System	video input	4CH 960P/720P AHD input,aviation connector, 1.0Vp-p, 75Ω
	video output	1 CVBS, 1.0Vp-p, 75Ω,Aviation,Support 1CH Full Screen,4CH Screen view
	preview	Support 1 channel and 4 channels preview., Support Manual/Alarm Trigger full screen preview
	resolution	720P/D1/HD1/CIF, MAX:4 channels of 720P and 4 channels of D1
	image quality	1-4 levels, 1 is the highest level.
	video standard	PAL: 100f/s , CCIR625 line,50field; NTSC: 120f/s, CCIR525 line,60field; CIF: 256Kbps ~ 1.5Mbps, 8 level video quality optional; HD1: 600Kbps ~ 2.5Mbps, 8 level video quality optional; D1: 800Kbps ~ 3Mbps, 8 level video quality optional; 720P: 4Mbps-6Mbps, multi level video quality optional
	record mode	The default setting is auto recording after power on. Timed recording, alarm trigger recording and manual recording are supported.
Audio	audio input	4CH Aviation Plug Input
	audio output	2CH,headphone connect at front panel, BNC Connect on Back panel
	compression	G.726 compression, 8KB/s speed
Alarm Input		7CH Alarm Input,1CH AD Input,impulse speed input,Alarm Linkage
Alarm Output		2CH Alarm Output,Support Light/Sound alarm sensor,Oil/Power cut off
Interface		3CH RS232, POS/Fuel Sensor/LED Advertisement Connection
		1CH 485 Interface,Connect PTZ Camera
Wireless Transmission		Support Built in 3G transmission,, WCDMA, CDMA2000,GPRS, EDGE; Built in 4G module optional, TDD-LTE, FDD-LTE
GPS Position		Support Built GPS/BD Module
Storage	HDD	Max 2.5" 1TB HDD
	SD Card	Max 128GB SD Card Mirror Recording Keep Data Safety
	update	Support USB Updating, SD Card Updating,OTA Remote Updating
	file format	H.264
	file system	Special FAT32 File System
	USB	USB Interface on Front Panel for data back up by U Disk,Hard Disk
Record Replay	video search	Search By Record Time/Record Type etc
	playback	Max support 4CH Replay /Stop/Fast/Slow at same time Support forward and backward play at the speed of: x 2,x4,x8,x16.
Security		User/Admin 2 Level Different Password
Optional Functions	voice call	Support voice call each other
	TTS Voice broadcast	Support TTS voice broadcast function.
	serial expand	Support LED Advertisement Panel,Oil Sensor, POS,Bus Station Broadcaster,Car OBD,ect.external device
Voltage & Power	Power Management	Wide Voltage.Support Timed/Delay off
	Input Voltage	DC:+6V - +36V
	Output Voltage	+12V~1.5A,+5V~1.5A
	Power	Working<5W
Working Environment	Temperature	-20℃ - +70℃
	Humidity	20% - 80%
Others	Size	200 (D)* 187(W)* 62(H) mm
	Weight	1.90Kg

Product Show:





AV Input & Output Cables



Power Cable



IO Cables



Remote Control



3G Antenna



WIFI Antenna




CD (Manual & Software Inside)



7000 HDD Mobile DVR


Product Introduction

Device Series



15

Product Advantage



Client User Graph Interface

The interface is titled "移动视频监控平台" (Mobile Video Monitoring Platform). It features a top navigation bar with tabs for "欢迎登录, RCMTEST", "系统", "实时预览", "电子地图", "回放管理", "信息管理", and "系统设置".

On the left, there is a sidebar with a tree view showing the hierarchy of monitored vehicles. Below this is a table with columns for "状态", "云台", "色彩", and "语音".

The main area displays four video feeds labeled 1 through 4, each showing a different camera angle from a vehicle (贵C A6446). Below the feeds is a table with columns for "终端", "GPS时间", "位置", "速度", and "报警".

On the right, there is a map showing the location of the vehicle (贵C A6446) and a search bar. Below the map is a table with columns for "终端", "GPS时间", "位置", "速度", and "报警".

At the bottom, there is a status bar showing "运行时长: 00:01:04", "在线数: 3 / 定损数: 1 / 欠费: 0 / 总数: 11", "在线率: 27.27% / 定损率: 9.09%".

用户登录

用户名: RCMTEST
密码: *****
服务器: 113.108.120.47
☒ 记住密码 ☐ 自动登录
登录 退出

移动视频监控平台

欢迎登录, RCMTEST 系统

终端列表 轮询列表 我的地图

监控中心(3/11)
贵州(1/1)
贵C A6446
CH1
CH2
CH3
CH4
桂KY7507
桂KY7569
80024
80119
D82868
子NPS001
桂KY7586
桂KY7599
贵B93017
贵C87762

状态 云台 色彩 语音

设备类型	MDVR
终端名称	贵C A6446
终端ID	80109
公司	通运集团金融公司
所属分组	贵州
状态	在线
GPS时间	2016-03-14 09:50:09
位置	贵州省遵义市习水县G4215(蓉遵高速公路)
速度	74.10 km/h(南)
费用	正常

1 贵C A6446 - CH1 - 0 KB/S
2 贵C A6446 - CH2 - 24 KB/S
3 贵C A6446 - CH3 - 0 KB/S
4 贵C A6446 - CH4 - 0 KB/S

GPS时间: 2016-03-14 09:50:09
位置: 贵州省遵义市习水县G4215(蓉遵高速公路)
速度: 74.10 km/h(南)
报警: 0

终端: 贵C A6446
GPS时间: 2016-03-14 09:50:09
位置: 贵州省遵义市习水县G4215(蓉遵高速公路)
速度: 74.10 km/h(南)
报警: 0

终端: 桂KY7507
GPS时间: 2016-03-14 09:50:17
位置: 广西壮族自治区玉林市博白县人民中路38号
速度: 11.00 km/h(北)
报警: 0

终端: 桂KY7569
GPS时间: 2016-03-14 09:50:38
位置: 广西壮族自治区玉林市博白县X403
速度: 27.00 km/h(西北)
报警: 0

终端: 桂KY7599
GPS时间: 2016-03-14 09:49:03
位置: 广西壮族自治区玉林市博白县S216
速度: 0.00 km/h(东)
报警: 0







GPS监控 报警信息 系统事件 抓拍图片

运行时长: 00:01:04 在线数: 3 / 定损数: 1 / 欠费: 0 / 总数: 11 在线率: 27.27% / 定损率: 9.09%




our mdvr support mobile Client monitoring like PC, mobile phone etc.

[Anasayfa](#)[İndir](#)[Soru](#)[Language](#)

İstemci İndirme

 Windows İndir  Version: 7.4.0.15 Güncelle: 20151123	 İndir  Version: 7.0.3 Güncelle: 20150523	 İndir  Version: 7.0.0.10 Güncelle: 20150801
--	--	---

Uygun Program İndir

		
---	---	---

Appliacion

FUNCTIONS

- Video& Audio real-time monitoring
- Online Vehicle Status
- Satellite Map
- GPS
- Video Storage
- Tracking Display
- Intercom
- Fuel Sensor
- G-Sensor
- Temperature-Sensor

Richmor

OEM & ODM Service

Brasil World Cup Supplier
www.rcmcctv.com



Truck
Coach



School Bus
Bus



Police Car
Taxi



Support
All Vehicles

certificate

[illegible][illegible]

CERTIFICATE OF CONFORMITY

[illegible]

CERTIFICATE OF CONFORMITY

CERTIFICATE

of Conformity
 001/0001 Accreditation of Recourse Evidence

Reference No.: 100149000078

When tested as specified, the specimen sample complies with the requirements of Commission Decision of 17 July 2007 amending Decision 2004/686/EC.

Applicant	Shenzhen Electronic Technology Development Co., LTD.
Address	17 World Wind Longgang Road, Longgang New District, Shenzhen, China
Trade Mark	Redragon
Product	Mouse
Model(s)	ROM-0101, ROM-0102, ROM-0103, ROM-0104, ROM-0105, ROM-0106, ROM-0107, ROM-0108, ROM-0109, ROM-0110, ROM-0111, ROM-0112, ROM-0113, ROM-0114, ROM-0115, ROM-0116, ROM-0117, ROM-0118, ROM-0119, ROM-0120, ROM-0121, ROM-0122, ROM-0123, ROM-0124, ROM-0125, ROM-0126, ROM-0127, ROM-0128, ROM-0129, ROM-0130, ROM-0131, ROM-0132, ROM-0133, ROM-0134, ROM-0135, ROM-0136, ROM-0137, ROM-0138, ROM-0139, ROM-0140, ROM-0141, ROM-0142, ROM-0143, ROM-0144, ROM-0145, ROM-0146, ROM-0147, ROM-0148, ROM-0149, ROM-0150, ROM-0151, ROM-0152, ROM-0153, ROM-0154, ROM-0155, ROM-0156, ROM-0157, ROM-0158, ROM-0159, ROM-0160, ROM-0161, ROM-0162, ROM-0163, ROM-0164, ROM-0165, ROM-0166, ROM-0167, ROM-0168, ROM-0169, ROM-0170, ROM-0171, ROM-0172, ROM-0173, ROM-0174, ROM-0175, ROM-0176, ROM-0177, ROM-0178, ROM-0179, ROM-0180, ROM-0181, ROM-0182, ROM-0183, ROM-0184, ROM-0185, ROM-0186, ROM-0187, ROM-0188, ROM-0189, ROM-0190, ROM-0191, ROM-0192, ROM-0193, ROM-0194, ROM-0195, ROM-0196, ROM-0197, ROM-0198, ROM-0199, ROM-0200, ROM-0201, ROM-0202, ROM-0203, ROM-0204, ROM-0205, ROM-0206, ROM-0207, ROM-0208, ROM-0209, ROM-0210, ROM-0211, ROM-0212, ROM-0213, ROM-0214, ROM-0215, ROM-0216, ROM-0217, ROM-0218, ROM-0219, ROM-0220, ROM-0221, ROM-0222, ROM-0223, ROM-0224, ROM-0225, ROM-0226, ROM-0227, ROM-0228, ROM-0229, ROM-0230, ROM-0231, ROM-0232, ROM-0233, ROM-0234, ROM-0235, ROM-0236, ROM-0237, ROM-0238, ROM-0239, ROM-0240, ROM-0241, ROM-0242, ROM-0243, ROM-0244, ROM-0245, ROM-0246, ROM-0247, ROM-0248, ROM-0249, ROM-0250, ROM-0251, ROM-0252, ROM-0253, ROM-0254, ROM-0255, ROM-0256, ROM-0257, ROM-0258, ROM-0259, ROM-0260, ROM-0261, ROM-0262, ROM-0263, ROM-0264, ROM-0265, ROM-0266, ROM-0267, ROM-0268, ROM-0269, ROM-0270, ROM-0271, ROM-0272, ROM-0273, ROM-0274, ROM-0275, ROM-0276, ROM-0277, ROM-0278, ROM-0279, ROM-0280, ROM-0281, ROM-0282, ROM-0283, ROM-0284, ROM-0285, ROM-0286, ROM-0287, ROM-0288, ROM-0289, ROM-0290, ROM-0291, ROM-0292, ROM-0293, ROM-0294, ROM-0295, ROM-0296, ROM-0297, ROM-0298, ROM-0299, ROM-0300, ROM-0301, ROM-0302, ROM-0303, ROM-0304, ROM-0305, ROM-0306, ROM-0307, ROM-0308, ROM-0309, ROM-0310, ROM-0311, ROM-0312, ROM-0313, ROM-0314, ROM-0315, ROM-0316, ROM-0317, ROM-0318, ROM-0319, ROM-0320, ROM-0321, ROM-0322, ROM-0323, ROM-0324, ROM-0325, ROM-0326, ROM-0327, ROM-0328, ROM-0329, ROM-0330, ROM-0331, ROM-0332, ROM-0333, ROM-0334, ROM-0335, ROM-0336, ROM-0337, ROM-0338, ROM-0339, ROM-0340, ROM-0341, ROM-0342, ROM-0343, ROM-0344, ROM-0345, ROM-0346, ROM-0347, ROM-0348, ROM-0349, ROM-0350, ROM-0351, ROM-0352, ROM-0353, ROM-0354, ROM-0355, ROM-0356, ROM-0357, ROM-0358, ROM-0359, ROM-0360, ROM-0361, ROM-0362, ROM-0363, ROM-0364, ROM-0365, ROM-0366, ROM-0367, ROM-0368, ROM-0369, ROM-0370, ROM-0371, ROM-0372, ROM-0373, ROM-0374, ROM-0375, ROM-0376, ROM-0377, ROM-0378, ROM-0379, ROM-0380, ROM-0381, ROM-0382, ROM-0383, ROM-0384, ROM-0385, ROM-0386, ROM-0387, ROM-0388, ROM-0389, ROM-0390, ROM-0391, ROM-0392, ROM-0393, ROM-0394, ROM-0395, ROM-0396, ROM-0397, ROM-0398, ROM-0399, ROM-0400, ROM-0401, ROM-0402, ROM-0403, ROM-0404, ROM-0405, ROM-0406, ROM-0407, ROM-0408, ROM-0409, ROM-0410, ROM-0411, ROM-0412, ROM-0413, ROM-0414, ROM-0415, ROM-0416, ROM-0417, ROM-0418, ROM-0419, ROM-0420, ROM-0421, ROM-0422, ROM-0423, ROM-0424, ROM-0425, ROM-0426, ROM-0427, ROM-0428, ROM-0429, ROM-0430, ROM-0431, ROM-0432, ROM-0433, ROM-0434, ROM-0435, ROM-0436, ROM-0437, ROM-0438, ROM-0439, ROM-0440, ROM-0441, ROM-0442, ROM-0443, ROM-0444, ROM-0445, ROM-0446, ROM-0447, ROM-0448, ROM-0449, ROM-0450, ROM-0451, ROM-0452, ROM-0453, ROM-0454, ROM-0455, ROM-0456, ROM-0457, ROM-0458, ROM-0459, ROM-0460, ROM-0461, ROM-0462, ROM-0463, ROM-0464, ROM-0465, ROM-0466, ROM-0467, ROM-0468, ROM-0469, ROM-0470, ROM-0471, ROM-0472, ROM-0473, ROM-0474, ROM-0475, ROM-0476, ROM-0477, ROM-0478, ROM-0479, ROM-0480, ROM-0481, ROM-0482, ROM-0483, ROM-0484, ROM-0485, ROM-0486, ROM-0487, ROM-0488, ROM-0489, ROM-0490, ROM-0491, ROM-0492, ROM-0493, ROM-0494, ROM-0495, ROM-0496, ROM-0497, ROM-0498, ROM-0499, ROM-0500, ROM-0501, ROM-0502, ROM-0503, ROM-0504, ROM-0505, ROM-0506, ROM-0507, ROM-0508, ROM-0509, ROM-0510, ROM-0511, ROM-0512, ROM-0513, ROM-0514, ROM-0515, ROM-0516, ROM-0517, ROM-0518, ROM-0519, ROM-0520, ROM-0521, ROM-0522, ROM-0523, ROM-0524, ROM-0525, ROM-0526, ROM-0527, ROM-0528, ROM-0529, ROM-0530, ROM-0531, ROM-0532, ROM-0533, ROM-0534, ROM-0535, ROM-0536, ROM-0537, ROM-0538, ROM-0539, ROM-0540, ROM-0541, ROM-0542, ROM-0543, ROM-0544, ROM-0545, ROM-0546, ROM-0547, ROM-0548, ROM-0549, ROM-0550, ROM-0551, ROM-0552, ROM-0553, ROM-0554, ROM-0555, ROM-0556, ROM-0557, ROM-0558, ROM-0559, ROM-0560, ROM-0561, ROM-0562, ROM-0563, ROM-0564, ROM-0565, ROM-0566, ROM-0567, ROM-0568, ROM-0569, ROM-0570, ROM-0571, ROM-0572, ROM-0573, ROM-0574, ROM-0575, ROM-0576, ROM-0577, ROM-0578, ROM-0579, ROM-0580, ROM-0581, ROM-0582, ROM-0583, ROM-0584, ROM-0585, ROM-0586, ROM-0587, ROM-0588, ROM-0589, ROM-0590, ROM-0591, ROM-0592, ROM-0593, ROM-0594, ROM-0595, ROM-0596, ROM-0597, ROM-0598, ROM-0599, ROM-0600, ROM-0601, ROM-0602, ROM-0603, ROM-0604, ROM-0605, ROM-0606, ROM-0607, ROM-0608, ROM-0609, ROM-0610, ROM-0611, ROM-0612, ROM-0613, ROM-0614, ROM-0615, ROM-0616, ROM-0617

CERTIFICATE OF CONFORMITY	 CERTIFICATE of Conformity <u>ISSUED IN ACCORDANCE WITH THE REQUIREMENTS OF THE ROHS DIRECTIVE</u>									
	Reference No.: L1310041000128									
	When issued on behalf of the customer sample conforms with the requirements of Commission Directive of 21 July 2002 amending (Directive 2002/95/EC).									
	<table border="0"> <tr> <td style="vertical-align: top;">Applicant:</td> <td>Shenzhen Ruitong Technology Development Co., Ltd.</td> </tr> <tr> <td style="vertical-align: top;">Address:</td> <td>#F 3rd Floor Longgang Road, Longhua New District, Shenzhen, China</td> </tr> <tr> <td style="vertical-align: top;">Trade Mark:</td> <td>Ruitong</td> </tr> <tr> <td style="vertical-align: top;">Product:</td> <td>Mobile phone</td> </tr> <tr> <td style="vertical-align: top;">Material:</td> <td>PCB MATERIAL, PCW MATERIAL, PWB MATERIAL, PCB MATERIAL, PCW MATERIAL, PCB SPRING, PCB SPRING</td> </tr> </table>	Applicant:	Shenzhen Ruitong Technology Development Co., Ltd.	Address:	#F 3rd Floor Longgang Road, Longhua New District, Shenzhen, China	Trade Mark:	Ruitong	Product:	Mobile phone	Material:
Applicant:	Shenzhen Ruitong Technology Development Co., Ltd.									
Address:	#F 3rd Floor Longgang Road, Longhua New District, Shenzhen, China									
Trade Mark:	Ruitong									
Product:	Mobile phone									
Material:	PCB MATERIAL, PCW MATERIAL, PWB MATERIAL, PCB MATERIAL, PCW MATERIAL, PCB SPRING, PCB SPRING									

The test report is issued to the Company subject to its General Conditions of Service which contain detailed information as to the limitations of liability, immaterialized and fundamental non-asserted claims. The results shown in this test report may only be the averaged, tested under certain circumstances. This Test Report cannot be reproduced, copied or full without your written permission of the Company.

Other relevant documents have to be obtained.


 Representative
 April 10, 2012

RoHS



Shenzhen LIT Electronics Testing Laboratory, Ltd.
 12 Jingshi Industrial Park, Tanggou Street, Baoan District, Shenzhen,
 Guangdong, China
<http://www.lit-test.com>
info@lit-test.com
<http://www.lit-test.com>

company and factory



Richmor

OEM & ODM Service

Brasil World Cup Supplier



Exhibition:

Richmor

CPSE2012 in Shenzhen



CPSE2013

10.29-10.31

4 Booth we have

Welcome you !!!



CPSE2012-- Guangdong TV Report-Shenzhen Richmor



Best Regards
Amily Zhang

HAND US YOUR TRUST, OFFER YOU OUR BEST!!!

Shenzhen Richmor Technology Development Co.,LTD

Email: overseasales-2@rcmcctv.com

Skype: rcmcctvsales2

QQ: 2355778097

MB/Whatsapp: +86 18929314790

Website: <http://www.richmor.net/>

ADD: 6th Floor, F Building, Xinzhi Industrial Park, Yangmei,Bantian,Longgang, Shenzhen



MAX 4ch 1080P ahd input camera for gps 3g monitor mobile dvr application support fuel sensor
RFID