## 4ch 720p Dual SD Card Mobile DVR For All Kinds Of Cars

(RCM-MDR210 Series)

### **Product features**

#### 4ch 720P 3G 4G Mobile DVR

1. H.264 Compression Mode, support 4CH realtime 720P Mega Pixel AHD input and Analog Standard Definition camera input;

2. Exclusive pre-

allocate DVR Special File Systerm Technology, solving repeatedly wipe cause file fragmentation, solvi ng SD Card file system collapse, data loss and cannot find SD CARD and file garbled, ensure the integr ity of the data.

3. 10-36V Adaptive Wide Voltage input, Super low Power Consumption Design;

4. SD card storage (2SD cards, Each maximum support 128GB) It can be completely resist car Vibrati on. Dust and others cause data corruption;

5. Support GPS/BD/G-Sensor; High Reliability Aviation Connectors.

6. High Cost Performance with reliable stability, simple and clear operation menu.

| RCM-MDR 210 Series |  |
|--------------------|--|
| Model NO.          | Function                                       |
| RCM-MDR210XXXI     | Basic Recording,G-Sensor, Single SD card slot  |
| RCM-MDR210XGXX     | GPS, G-Sensor, Single SD card slot             |
| RCM-MDR210WGSX     | 3G, GPS, G-Sensor, Dual SD card slot           |
| RCM-MDR210FGSX     | 3G, 4G, GPS, G-Sensor, Dual SD card slot       |
| RCM-MDR210WGDX     | 3G, WIFI, GPS, G-Sensor, Dual SD card slot     |
| RCM-MDR210FGDX     | 3G, 4G, WIFI, GPS, G-Sensor, Dual SD card slot |

### **Detail pictures**



4ch 720P 3G 4G Mobile DVR



#### 4ch 720P 3G 4G Mobile DVR

### **LED Indicators**



#### 4ch 720P 3G 4G Mobile DVR

# **Back Panel**



# **RCM-MDR210** Parameter Sheet

| Item                |                          | Parameter   |  |  |  |  |  |  |
|---------------------|--------------------------|---|--|--|--|--|--|--|
|                     |                          | Linux   |  |  |  |  |  |  |
|                     |                          | Chinese/English/Customized  |  |  |  |  |  |  |
|                     |                          | H.264   |  |  |  |  |  |  |
| OSD (               |                          | Overlays information such as date time and vehicle ID   |  |  |  |  |  |  |
| GUI                 | Graphical User Interface | Setup system parameters with the remote control.  |  |  |  |  |  |  |
| Video Record System | Video Input              | 4CH 720P AHD input/SD input/mixed video input,<br>aviation connector, 1.0Vp-p, 75Ω  |  |  |  |  |  |  |
|                     | Video Output             | 1CH CVBS+1CH VGA output, 1.0Vp-p,<br>75Ω,Aviation,Support 1CH Full Screen,4CH Screen  |  |  |  |  |  |  |
|                     | Preview                  | Support 1 channel and 4 channels preview.<br>Support Manual/Alarm Trigger full screen preview   |  |  |  |  |  |  |
|                     | Resolution               | 720P/D1/HD1/CIF, MAX:4 channels 720P  |  |  |  |  |  |  |
|                     | Video Quality            | 0-7 levels, 0 is the highest level.   |  |  |  |  |  |  |
|                     | Video Standard           | PAL: 100f/s , CCIR625 line,50field;<br>NTSC: 120f/s, CCIR525 line,60field;<br>CIF: 256Kbps ~ 1.5Mbps, 8 level video quality optional;<br>HD1: 600Kbps ~ 2.5Mbps, 8 level video quality optional;<br>D1: 800Kbps ~ 3Mbps, 8 level video quality optional;<br>720P: 4Mbps-6Mbps, multi level video quality optional |  |  |  |  |  |  |
|                     | Record Mode              | The default setting is auto recording after power on.<br>Timed recording, alarm trigger recording and<br>manual recording are supported.  |  |  |  |  |  |  |
|                     | Audio Input              | 4CH ,Aviation Plug  |  |  |  |  |  |  |
|                     | Audio Output             | 1CH,Aviation Plug   |  |  |  |  |  |  |
|                     | Compression              | G.726 compression, 8KB/s speed  |  |  |  |  |  |  |
| Alarm Input         |                          | 4Ch Alarm Input, kinds of alarm linkage support   |  |  |  |  |  |  |
| Alarm Output        |                          | 1CH Alarm Output  |  |  |  |  |  |  |

| Communication interface |                   | 1CH RS232 or 1CH RS485 for optional   |  |  |  |  |  |
|-------------------------|-------------------|---|--|--|--|--|--|
| Position                |                   | Support Built GPS/BD Module, built in G-sensor, can replay and analyse vehicle driven route.          |  |  |  |  |  |
| wireless transmission   |                   | Support Built-in 3G/4G wireless transmission function,<br>WCDMA, CDMA2000, TDD-LTE, FDD-LTE           |  |  |  |  |  |
| Motion Detection        |                   | Support motion detection alarm.<br>(Can set the video recording duration time after alarm on platform |  |  |  |  |  |
| G-Sensor                |                   | Support G-sensor  |  |  |  |  |  |
| Storage                 | SD                | Dual SD Card, each max 128GB SD Card loop recording   |  |  |  |  |  |
|                         | Upgrade           | Support SD Card remote updating   |  |  |  |  |  |
|                         | File Format       | H.264   |  |  |  |  |  |
|                         | File System       | Special FAT32 File System   |  |  |  |  |  |
| Video Playback          | Video Search      | Search By Record Time/Record Type etc   |  |  |  |  |  |
|                         | Playback          | Max support 4CH Replay /Stop/Fast/Slow at same time   |  |  |  |  |  |
|                         |                   | Support forward and backward play at the speed of: x 2,x4,x8,x16                                      |  |  |  |  |  |
| Voltage & Power         | Power Management  | Wide Voltage.Support Timed/Delay off  |  |  |  |  |  |
|                         | Voltage Input     | DC:+8V ~ +36V   |  |  |  |  |  |
|                         | Power Consumption | Normal Working []14W , Stand-by status < 0.5W   |  |  |  |  |  |
|                         | Temperature       | -20℃ to +70℃  |  |  |  |  |  |
| Working Environment     | Humidity          | 20% to 80%  |  |  |  |  |  |
|                         | Password          | User/Admin 2 Level Different Password   |  |  |  |  |  |
| Security                | Size              | 112(W) x36(H) x138(D) mm  |  |  |  |  |  |
| others Net Weight       |                   | 360g  |  |  |  |  |  |

# **Richmor surveillance GUI**


The main menu includes: Search, System setup, Rec setup, Network setup, Alarm setup, Peripheral setup, System Tools, System Information, as below:



### **Richmor Mobile DVR Mileage Summary**


|                      | and the second second | TAULUR D           |                   |                     | _                |                          |                     | -                |
|----------------------|-----------------------|--------------------|-------------------|---------------------|------------------|--------------------------|---------------------|------------------|
|                      | Report                | Device             | User              |                     |                  |                          |                     |                  |
| 61                   |                       | age Summary        |                   |                     |                  |                          |                     |                  |
| Lepert               | Begin Time            | 2016-01-08 00:00.0 | 0 📃 to: 2016-01-0 | 8 16:27 09          |                  |                          |                     |                  |
| Quick Report         | Jurice: All           | Devices +          | Select levice     | Query Expert        | To Eacel Expe    | rt To Can Expert Te Péf  |                     |                  |
| Hilesge Summry       | Eilenge S             | ana ser            |                   |                     |                  |                          |                     |                  |
| Nilougo Duily        | Inder                 | Yekicle            | Total Wilsage(DM) | Begin Time          | Start Mileage(M) | Start Pesition           | Ind Taxe            | Ind Wileage (38) |
| Irack Detail         | 1                     | 考20104             | 174.08            | 2016-01-06 06:03:32 | 22.95            | 22. 534294, 114. 008444  | 2016-01-08 18:25:41 | 157.83           |
| Speed Report (       | 2                     | <b>\$</b> £3130    | 202.07            | 2016-01-06 07:33:17 | 18.1             | 22, 664249, 112, 692542  | 2016-01-08 16:25:28 | 171.57           |
| Online Summery       | 3                     | 24012              | 277.42            | 2018-00-08 07:09:55 | 23.41            | 21. 369562, 116, 675227  | 2016-01-08 14:57:24 | 300.63           |
| IO Alura Report (    | 4                     | XATE248            | 97.4              | 2016-01-08 00:00:25 | 299.97           | 41 575493, 118 788295    | 2016-01-08 08:42:39 | 41.09            |
| Uara Report (        | 5                     | 24023              | Q                 | 2016-01-08 00:00:07 | 15.25            | 37, 199799, 120, 731 127 | 2016-01-08 16:19:07 | 15.25            |
|                      | 6                     | <b>\$</b> 0/5387   | 416.36            | 2016-01-08 08:09:54 | 96.66            | 35 40102,00 60755        | 2016-01-08 18:20:11 | 92.60            |
| Storage Report (     | 7                     | <b>\$</b> ,781712  | 120.98            | 2016-01-08 04:48:40 | 28.51            | 35, 676478, 117, 681,941 | 2016-01-08 14:25:07 | 144.92           |
| Upgrade Report (     | 8                     | ₹608250            | 45.6E             | 2018-01-08 00:00:00 | 139.13           | 22.854394, 112.498583    | 2016-01-00 16:15:15 | 115.62           |
| Fuel Report (        | 9                     | 805153             | 40.61             | 2016-01-08 00:00:27 | R                | SE, 654107, 112, 407665  | 2016-01-00 16:11:29 | 13.12            |
| fark Report (        | 10                    | 83C208             | 111.72            | 2018-00-00 00:00:15 | 145.61           | 22 65(021,112 (69645     | 2018-01-08 18:24:48 | 93.9             |
| Ges Feacing Bepart ( | 11                    | <b>8</b> ,875010   | 52.02             | 2016-01-08-00:00:10 | 93.24            | 22, 654234, 112, 497195  | 2016-01-08 16:15:55 | 57.82            |
| 36 Fler Report       | 12                    | 843683             | 855.08            | 2016-00-06 00:00:29 | 354.36           | 36.950643; 117.959703    | 2016-01-08 16:24:44 | 1009.74          |
|                      | 13                    | 24058              | 224.42            | 2016-01-08 07:00:58 | 44.57            | 37.949788, 118.844070    | 2016-03-08 16:17:34 | 60.4             |
| Extend Report (      | 14                    | 28999              | 2.36              | 2018-01-08 13:11:09 | 17.6             | 28 134420, 121 238947    | 2016-01-08 13:57:27 | 19.EL            |
| Dispatch Report ( ,  | 15                    | 00568              | 369.29            | 2016-01-08 00:00:54 | 51.04            | 35 133305, 115, 668921   | 2016-01-06 16:00.58 | 420.33           |

# **Player software interface**



Romote Viewing Surveillance 3G 4G Mobile DVR School bus solution









### **Richmor actual case**

| Richmor mem  |   |  | 移动   | i 指控管理                | 11平台                                     |                 |   |                      |  |                                      |
|--|---|--|--|-----------------------|--|-----------------|---|----------------------|--|--------------------------------------|
|  | Breese Hand   |  |  |                       |  |                 |   |                      |  |                                      |
|  | Rentenziieer  | 七田 在一起   | 四十 黑   | 主要ない                  | INTST                                    | Théta           | 8                                       | U                    |  | 1.0000                               |
| -  | E   | 山田干切   | 河吃支  | 作月主义"                 | 1.1.11                                   | 7180            | 51-140                                  | 19.5                 | -  | 82                                   |
| 100203   | The start is a set  | Carl All All   | N CALL   | A 12                  | Contraction of the                       | and the second  |   | S                    |  | E 22                                 |
|  | 53345-3314 TS   |  | 14.7   | CALLS                 |  | · · · · · ·     | 100 / AM                                | 1 12                 |  |                                      |
|  | The second  | of the second  | 14.60  | 2.11                  |  | 1000            |   | 1                    |  | dest.                                |
| 12.30  | COLORS C  | STATIST'   | Contraction of the local distance of the loc | 34                    |  |                 |   | T                    |  |                                      |
| <ul> <li>Resident</li> </ul>   | 10000 Million 4   | S-FRANKINS -   | 11.56.462  | 677 - D               |  | 1000            | 32-                                     |                      |  |                                      |
| ==   | 25  | Service and the service of the servi | 10.251   | 28                    |  | - R -           | The Street Street                       |                      |  |                                      |
|  |   | La constanta   |  | W                     | 14                                       |                 | was-by year                             | 3                    | 64.7   |                                      |
|  | Alexandra (197  | THE REAL PROPERTY.   | 196 B - 1  | R.                    |  | and the second  | 22.0                                    |                      | 1.1  |                                      |
| C Data Sector  | (Virtel   |  |  |                       |  | A CONTRACTOR OF | States I St                             |                      |  |                                      |
| ==   | - Indexed   | 1.1.2.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1  | 1.10   | 1.0                   |  | The second      | A                                       |                      |  |                                      |
|  | E   | 但在14月1日的10月  |  |                       | Real Property lies                       |                 | THE STREET                              |                      |  |                                      |
| 12 2.02  |   | and the second   | P in the   | 10.54                 | 1  |                 |   | 10                   |  |                                      |
| and a second   | -COT-7-88,49614   | ALLOW THE DOLLARS  |  |                       | _  |                 | 1 - A - A - A - A - A - A - A - A - A - |                      |  |                                      |
| 22   |   |  |  | 1.000                 | _  |                 |   |                      |  | 1.00000                              |
| a Res Print  | * #770-04   | CONTRACTOR OF THE OWNER OWNE | 87,712   | 01.9481               | 100                                      | and the second  | CARLON AND                              |                      | 100000   | Antes Antes                          |
| 1000   | AND A DESCRIPTION OF A | ALC DESCRIPTION  | 1000   | 1000                  | - D                                      |                 | and the second second                   | 1 100 m              | B248.  |                                      |
|  | We an   | 10 日日本   | 100  | AL ADDR               | 2 B                                      | and the second  | C. STILL                                | 0.00                 |  | A STORES                             |
| 2 - 5974 H   | 23.8.   | 1889 A.J. 1  | 10 A 10  | -                     | See 1                                    | -               | Contractor and                          |                      |  |                                      |
| a de la constante de la consta | A DESCRIPTION OF TAXABLE PARTY.   | ALC: NO  | 1.1  |                       | Section 1                                | 10018-1         | ALL ALLONG                              | 10.00                | tel of at  | AN MA                                |
|  | Distance in the local | The second se  | 21   | 7                     | 1  |                 | ALC: NO.                                | 4.2                  | SARC 1   | maried We                            |
|  | and the second second   |  | THE OWNER OF   | 1920                  | 4  |                 | 1 mm                                    |                      | 1000   |                                      |
| 14 AV AL   | 44532264547   |  |  |                       |  |                 |   |                      | Partici  |                                      |
| +872 978   | MAR TAD AND SHE AD  | Linkship Links artist  |  |                       |  |                 | CONTRACTOR OF                           |                      | BARRE TH   | and warren                           |
| Akile Brons  | R8 1468 0   |  | 42   | 68                    | 100                                      | 5.8             | FRM                                     | 2.                   |  | 12222                                |
| 4 St. 264  |   | NATE OF THE OWNER AND A DESCRIPTION OF THE OWNER AND A DESCRIP | Distantia Contraction  |                       | CARLES OF THE OWNER OF                   | 11/6/14         | NAME OF TRACT                           | ting the second      | And in the local division of the local divis | Cont.                                |
| 2836 B0FO  | BURN PORTS AND B  | 8  | 1.0 6 6 10   |                       | (10)()()()()()()()()()()()()()()()()()() | 1000            | SAURT, 5-107881/                        | 100-1 20-07          | Calves   | 1 .                                  |
| Pa bil<br>Saint Abititate  | MINER SALES AND B   | READ ADDRESS   | Internet and   |                       | SOUTH A                                  | 15-445          | 15.5% CONTRACT                          | KHR .                | anatan 1   | Aves:                                |
| ER ANDORESIGNES  | BORD SALAR B  | AND REAL MARKAGES AND ADDRESS  | A D MARTIN MARTIN  |                       | 100-0180.0                               | LAND W          | NA AND DANTED O                         | 8074                 | -  |                                      |
| 85 Th  | Brith, Barris real Br   | Age Page Range and   | CONTRACTOR DEC   |                       | A REPORTED IN                            | PUTR.           | STATISTIC CONTRACT                      | 844 · · · · · · · ·  | 1 No. 1  | ACCR0.                               |
| and the second se  | <ol> <li>64620 (0000) 21/94</li> </ol>  | CALINER /  |  | and the second second | And a second of some                     |                 |   | Participation of the | That, the Property   | Contract Date: No. of Contract, Name |
| and the state of the state   | I President   | THE R. LEWIS CO., LANSING, MICH.   |  |                       |  |                 |   |                      | Contractor of the local division of the  | -                                    |
| All the second second  | 1 6   |  |  |                       |  |                 |   | .01                  |  | 2044.8                               |

### **Application**

Widely used in passenger car, bus, taxi, school bus, lorry, dangerous vehicle, personal car and ship etc.



Travelling Bus



Taxi



Road Police Car

Escort Vehicle



Public Bus



Truck



Border Car

**Anbul** ance





Dangerous chemical car



School Bus



Traffic Inspection Car



Fixed place monitor



Tobacco Logistics



Express Logistics



Civil Vork Vehicle



Ship Ionitor

### **Buying Guides**

Packaging

1 unit with all standard accessories such as AV Cables/IO Cable/Power Cable/Key etc

Neutral paper box or Color paper box with Logo Richmor printed, also welcome customized package.



**Richmor Brand Package** 

Standard Package

### **Cooperation Terms**

### **Shipping Info**

#### **Estimated Shipping Time**

- a. 3-5 working days after payment cleared for sample order.
- b. 5-10 working days after payment cleared depends on order quantity for bulk order.

#### **Remarks:**

- 1.Order will be dispatched before next 2 working day after full payment is done,48 hours aging time;
- 2.Related documents will be sent after order is dispatched, please check mail;
- 3.All parcels will be shipped by DHL/TNT/UPS/EMS/FedEx/Air etc according your option;

### **Payment Info**

- 1.T/T;Western Union;Paypal optional;
- 2.30% deposit, balance be paid before delivery

#### **Remarks:**

Please sent bank slip when payment done, according this we will arrange the production

### Warranty Info

#### **Free Replacement:**

Mobile DVR Recorder can replace free under conditions within 15 days after sale, in the precondition of our quality problem, non-artificial damage

### **Supplier Warranty:**

We offer ONE YEAR warranty on Vehicle Mobile DVR Recorder, if your item has any warranty issue plea se contact us for a satisfying solution

#### **Remark:**

All qualified returns/replacement must be guided by us,we may not accept your return without informi ng us in advance

### Service

- 1. Well Trained Sales Team and strong engineers for fast and professional support.
- 2. OEM/ODM Service



#### CUSTOMER SATISFACTION

- · Excellent Aftersale service
- 12 months warranty
- 24 hours customer service
- · We understand the importance of our customers


### Certifications



### **Exhibition**

# Richmor

# CPSE2012 in Shenzhen



Welcome you !!!



CPSE2012-- Guangdong TV Report-Shenzhen Richmor



About us & Customers:







### What is our expectation

Being your helpful and long term partner meeting your requirement. Any question about your vehicle project, contact our representative Vicky. Mob/Whatsapp:+86 18929318475 Skype: rcmcctvsales7