

4-way mobile dvr, VGA video output, 1080P HD input, 2017 selling, RCM-MDR7204 series

校车监控解决方案 SCHOOL BUS SOLUTION



功能特点 Features



实时监控, GPS定位
Real-time monitoring,
GPS positioning

身份验证, 人数统计
Two-factor authentication




语音功能 Voice features



行车记录, 驾驶行为管理
Driving behavior management



短信提醒
Assured SMS alerts



偏航报警
Yaw alarm

采用高压缩比, 图像清晰的H.264编码格式, 支持开机录像、定时录像及报警录像, 支持ACC熄火延时录像。内置GPS全球定位系统, 可通过3G网络远程查看实时视频, 车辆位置, 回放历史录像。支持手机远程监控。Adopting H.264 Video compression with high resolution, ACC on/off, Timer Recording, ACC Delay Recording Mode supported, Built-in GPS Tracking system, Real time video stream, Vehicle Position, Video Replay can be viewed through 3G Network, Support Mobile Phone remote Monitor.

可连接刷卡器验证身份, 统计数据, 避免人工统计时出现失误。提供每个停靠站点实时的上下学生人数, 避免漏接学生, 以及把学生遗留在车内, 造成事故。Combine with Card Equipment for authenticate information and counting, avoid artificial statistical mistake, offer the students get on/off real time number at each station, avoid the accident caused by missing students or leaving students in the carriage.

可进行语音电话, 网络对讲, 声音广播。实现管理中心和车辆即时通讯。Support VOIP, 3G Intercom, Broadcast realize Center office communicate with Driver in real time.

对司机的不良行为进行监管, 比如经常超速、急加速、急减速、急刹车等容易对车内学生造成危险的行为; 并对其进行评测, 预防安全隐患发生。Supervise driver's bad behavior, such as: over-speed, acceleration, decelerate urgently, brakes etc dangerous behavior for students, Driver's Performance evidence.

车载智能系统会根据需要向家长发送孩子上下车短信, 包括什么时间、在哪里上车及下车, 让家长及时、快捷的了解学生安全状况, 有利学生接送时间的精确控制。Intelligent vehicle system, students get on/off bus information sent to parents by SMS including When and where on/off, convenient for parents to know students status and easily for picking up students.

预先设定校车的固定行驶路线, 当校车未按照预定的驾驶路线行驶时, 中心上会自动发出语音报警, 中心可与车载终端通过语音对讲进行通讯。Geo Fence Alarm, preset driving route, when out off the line it will sound alarm automatically at center office, center can talk with the driver for the information.

Product Specifications:

project		parameter
operating system		Linux
Language		English / Chinese / custom
Video compression		H.264 compression
OSD		Overlying date and time and vehicle ID and other information
GUI	GUI	Set the system parameters with the remote control
Video recording system	Video input	4CH 960P / 720P AHD Input, Aviation Connectors, 1.0Vp-p, 75Ω
	Video output	1 CVBS, 1.0Vp-p, 75Ω, aviation, support 1CH full screen, 4CH screen view
	Preview	Supports preview of 1 channel and 4 channels. Support manual / alarm trigger full-screen preview
	Resolution	720P / D1 / HD1 / CIF, MAX: 4 720P and 4 D1
	Picture quality	Level 1-4, Level 1 is the highest level.
	Video standard	PAL: 100f / s, CCIR625 line, 50field; NTSC: 120f / s, CCIR525 line, 60 fields; CIF: 256Kbps ~ 1.5Mbps, 8-level video quality optional; HD1: 600Kbps ~ 2.5Mbps, 8-level video quality optional; D1: 800Kbps ~ 3Mbps, 8-level video quality optional; 720P: 4Mbps-6Mbps, multi-level video quality optional
	Recording mode	After power on the default setting for automatic recording. Support timer recording, alarm trigger recording and manual recording.
Audio	Audio input	4CH aviation plug input
	Audio output	2CH, the front panel connects to the headphones, the rear panel connects to the BNC
	compression	G.726 compression, 8KB / s speed
Alarm input		7CH alarm input, 1CH AD input, pulse speed input, alarm linkage
Alarm Output		2 alarm output, support for light / sound alarm sensor, oil / power off
interface		3CH RS232, POS / Fuel Sensor / LED Advertising Connection 1CH 485 interface, connect the PTZ camera
Wireless transmission		Support built-in 3G transmission, WCDMA, CDMA2000, GPRS, EDGE; Built-in 4G module optional, TDD-LTE, FDD-LTE
GPS location		Support built-in GPS / BD module
storage	hard disk	Maximum 2.5 "1TB hard drive
	SD card	Maximum 128GB SD card image record keeping data safe
	Updated	Support USB update, SD card update, OTA remote update
	file format	H.264
	File system	Special FAT32 file system
	USB	USB interface on the front panel data backup U disk, hard disk
Record replay	Video search	Search by recording time / record type, etc.
	Playback	Max also supports 4CH Replay / Stop / Fast / Slow Support for x 2, x 4, x 8, x 16 forward and backward playback.
Safety		User / Administrator 2 different passwords
Optional features	Voice calls	Support each other voice calls
	TTS voice broadcast	Support TTS voice playback.
	Serial extension	Support LED advertising screen, oil level sensor, POS, bus station broadcasting, car OBD and other external equipment

Voltage & Power	Energy management	Wide voltage. Support timing / delay off
	Input voltage	DC: + 6V - + 36V
	The output voltage power	+ 12V ~ 1.5A, + 5V ~ 1.5A Working & It; 5W
working environment	temperature	-20 °C - +70 °C
	humidity	20% - 80%
other	size	200 (D) * 187 (W) * 62 (H) mm
	weight	1.90 kg

Products:





AV Input & Output Cables



Power Cable



IO Cables



Remote Control



3G Antenna



WiFi Antenna



CD (Manual & Software Inside)



7000 HDD Mobile DVR

Product Introduction

Device Series



Product Advantage



Client user graphical interface

The interface features a top navigation bar with icons for home, location, and user. The main dashboard includes several functional tiles: 视频监听 (Video Monitoring), 卫星定位 (Satellite Positioning), 系统调试 (System Debugging), 远程报警 (Remote Alarm), 设备管理 (Device Management), 监听对讲 (Monitoring Intercom), 驾乘管理 (Driver/Passenger Management), and 数据报表 (Data Reports). A user login panel on the right contains fields for 用户名 (Username: RCMTEST), 密码 (Password: *****), and 服务器 (Server: 113.108.120.47), along with checkboxes for 记住密码 (Remember Password) and 自动登录 (Auto Login), and buttons for 登录 (Login) and 退出 (Logout).

The main monitoring area is titled "移动视频监控平台" (Mobile Video Monitoring Platform) and includes a top menu with options like 实时预览 (Real-time Preview), 电子地图 (Electronic Map), 回放管理 (Playback Management), 信息管理 (Information Management), and 系统设置 (System Settings). The left sidebar shows a tree view of the monitoring center (3/11) and a list of devices, including 贵C A6446 (CH1-CH4) and others. Below this is a detailed information panel for the selected device, showing its status, location, and other parameters.

The central part of the interface displays four video feeds: 1. 贵C A6446 - CH1 - 0 KB/S (Driver's view), 2. 贵C A6446 - CH2 - 24 KB/S (Passenger view), 3. 贵C A6446 - CH3 - 0 KB/S (Passenger view), and 4. 贵C A6446 - CH4 - 0 KB/S (Road view). Below the feeds is a control bar with playback and zoom options, and a table of real-time monitoring data.

终端	GPS时间	位置	速度	报警
贵C A6446	2016-03-14 09:50:09	贵州省遵义市习水县G4215(蓉遵高速公路)	74.10 km/h(南)	
桂KY7507	2016-03-14 09:50:17	广西壮族自治区玉林市博白县人民中路38号	11.00 km/h(北)	
桂KY7569	2016-03-14 09:50:38	广西壮族自治区玉林市博白县X403	27.00 km/h(西北)	
桂KY7599	2016-03-14 09:49:03	广西壮族自治区玉林市博白县S216	0.00 km/h(东)	

The right side of the interface features a map showing the current location of the vehicle (贵C A6446) on a road network. A search bar and a list of nearby locations are also present.

At the bottom, a status bar displays system information: 运行时长: 00:01:04, 在线数: 3 / 定损数: 1 / 欠费: 0 / 总数: 11, 在线率: 27.27% / 定损率: 9.09%.

Our mdvr supports PC, mobile phone and other mobile client monitoring.

İstemci İndirme



Windows

İndir



Version: 7.4.0.15
Güncelle: 20151123



İndir



Version: 7.0.3
Güncelle: 20150523

- Çince
- İngilizce
- Geleneksel
- Türkiye
- Taylandlı
- Portugues
- Arapça
- İspanya
- Bulgar
- Russian

Uygun Program İndir



Application

FUNCTIONS

- Video & Audio real-time monitoring
- Online Vehicle Status
- Satellite Map
- GPS
- Video Storage
- Tracking Display
- Intercom
- Fuel Sensor
- G-Sensor
- Temperature-Sensor

Richmor

OEM & ODM Service

Brasil World Cup Supplier
www.rcmctv.com



Truck
Coach



School Bus
Bus



Police Car
Taxi



Support
All Vehicles

certificate



Richmor

OEM & ODM Service

Brasil World Cup Supplier



exhibition:

Richmor

CPSE2012 in Shenzhen



CPSE2013

10.29-10.31

4 Booth we have

Welcome you !!!



CPSE2012-- Guangdong TV Report-Shenzhen Richmor



Best Regards
Amily Zhang

HAND US YOUR TRUST, OFFER YOU OUR BEST!!!

Shenzhen Richmor Technology Development Co.,LTD

Email: overseasales-2@rcmcctv.com

Skype: rcmcctvsales2

QQ: 2355778097

MB/Whatsapp: +86 18929314790

Website: <http://www.richmor.net/>

ADD: 6th Floor, F Building, Xinzhi Industrial Park, Yangmei,Bantian,Longgang, Shenzhen

