

# 4ch sd card mobile dvr,4ch/8ch hdd mobile dvr,gps 3g 4g wifi mobile dvr

Shenzhen Richmor Science&Technologies Development Co.,Ltd



WE PUT FORWARD THE IDEAL OF "4M" IN ENTERPRISE MANAGEMENT:

- More enhancements of product quality everyday.
- More progress of services and sales everyday,
- More widely the effect of our brand expands everyday,
- More smiles to each of us everyday.

**Richmor**

## product specification:

Item		parameter
Operating System		Linux
Language		English/chinese/customized
Video Compression		H.264 Compression
OSD		overlays information such as date time and vehicle ID
GUI	Graphical user interface	setup system parameters with the remote control
Video Record System	video input	4CH 960P/720P AHD input,aviation connector, 1.0Vp-p, 75Ω
	video output	1 CVBS, 1.0Vp-p, 75Ω,Aviation,Support 1CH Full Screen,4CH Screen view
	preview	Support 1 channel and 4 channels preview., Support Manual/Alarm Trigger full screen preview
	resolution	720P/D1/HD1/CIF, MAX:4 channels of 720P and 4 channels of D1
	image quality	1-4 levels, 1 is the highest level.
	video standard	PAL: 100f/s , CCIR625 line,50field; NTSC: 120f/s, CCIR525 line,60field; CIF: 256Kbps ~ 1.5Mbps, 8 level video quality optional; HD1: 600Kbps ~ 2.5Mbps, 8 level video quality optional; D1: 800Kbps ~ 3Mbps, 8 level video quality optional; 720P: 4Mbps-6Mbps, multi level video quality optional
Audio	record mode	The default setting is auto recording after power on. Timed recording, alarm trigger recording and manual recording are supported.
	audio input	4CH Aviation Plug Input
	audio output	2CH,headphone connect at front panel, BNC Connect on Back panel
compression		G.726 compression, 8KB/s speed
Alarm Input		7CH Alarm Input,1CH AD Input,impulse speed input,Alarm Linkage
Alarm Output		2CH Alarm Output,Support Light/Sound alarm sensor,Oil/Power cut off

Interface		3CH RS232, POS/Fuel Sensor/LED Advertisement Connection 1CH 485 Interface,Connect PTZ Camera
Wireless Transmission		Support Built in 3G transmission,, WCDMA, CDMA2000,GPRS, EDGE; Built in 4G module optional, TDD-LTE, FDD-LTE
GPS Position		Support Built GPS/BD Module
Storage	HDD	Max 2.5" 1TB HDD
	SD Card	Max 128GB SD Card Mirror Recording Keep Data Safety
	update	Support USB Updating, SD Card Updating,OTA Remote Updating
	file format	H.264
	file system	Special FAT32 File System
	USB	USB Interface on Front Panel for data back up by U Disk,Hard Disk
Record Replay	video search	Search By Record Time/Record Type etc
	playback	Max support 4CH Replay /Stop/Fast/Slow at same time Support forward and backward play at the speed of: x 2,x4,x8,x16.
Security		User/Admin 2 Level Different Password
Optional Functions	voice call	Support voice call each other
	TTS Voice broadcast	Support TTS voice broadcast function.
	serial expand	Support LED Advertisement Panel,Oil Sensor, POS,Bus Station Broadcaster,Car OBD,ect.external device
Voltage & Power	Power Management	Wide Voltage.Support Timed/Delay off
	Input Voltage	DC:+6V - +36V
	Output Voltage	+12V~1.5A,+5V~1.5A
	Power	Working<5W
Working Environment	Temperature	-20℃ - +70℃
	Humidity	20% - 80%
Others	Size	200 (D)* 187(W)* 62(H) mm
	Weight	1.90Kg

## Product Show:





AV Input & Output Cables



Power Cable



IO Cables



Remote Control



3G Antenna



WIFI Antenna




CD ( Manual & Software Inside)



7000 HDD Mobile DVR


## Product Introduction

### Device Series



15

## Product Advantage





# Client User Graph Interface

The interface is titled "移动视频监控平台" (Mobile Video Monitoring Platform). It features a top navigation bar with tabs for "欢迎登录, RCMTEST", "系统", "实时预览", "电子地图", "回放管理", "信息管理", and "系统设置".

On the left, there is a sidebar with a tree view showing the hierarchy of monitored vehicles. Below this is a table with columns for "状态", "云台", "色彩", and "语音".

The main area displays four video feeds labeled 1 through 4, each showing a different camera view from a vehicle (e.g., driver's perspective, passenger area, rear view). Below the feeds is a table with columns for "终端", "GPS时间", "位置", "速度", and "报警".

On the right, there is a map showing the location of the monitored vehicles. The map includes a search bar and a list of nearby locations.

At the bottom, there is a status bar showing "运行时长: 00:01:04", "在线数: 3 / 定损数: 1 / 欠费: 0 / 总数: 11", "在线率: 27.27% / 定损率: 9.09%".

**用户登录**

用户名: RCMTEST  
密码: \*\*\*\*\*  
服务器: 113.108.120.47  
☒ 记住密码 ☐ 自动登录  
登录 退出

**移动视频监控平台**

欢迎登录, RCMTEST 系统

终端列表 轮询列表 我的地图

监控中心(3/11)  
贵州(1/1)  
贵C A6446  
CH1  
CH2  
CH3  
CH4  
桂KY7507  
桂KY7569  
80024  
80119  
D82868  
子NPS001  
桂KY7586  
桂KY7599  
贵B93017  
贵C87762

状态 云台 色彩 语音

设备类型	MDVR
终端名称	贵C A6446
终端ID	80109
公司	通运集团金融公司
所属分组	贵州
状态	在线
GPS时间	2016-03-14 09:50:09
位置	贵州省遵义市习水县G4215(蓉遵高速公路)
速度	74.10 km/h(南)
费用	正常

1 贵C A6446 - CH1 - 0 KB/S  
2 贵C A6446 - CH2 - 24 KB/S  
3 贵C A6446 - CH3 - 0 KB/S  
4 贵C A6446 - CH4 - 0 KB/S

GPS时间: 2016-03-14 09:50:09  
位置: 贵州省遵义市习水县G4215(蓉遵高速公路)  
速度: 74.10 km/h(南)  
报警: 0

终端: 贵C A6446  
GPS时间: 2016-03-14 09:50:09  
位置: 贵州省遵义市习水县G4215(蓉遵高速公路)  
速度: 74.10 km/h(南)  
报警: 0

终端: 桂KY7507  
GPS时间: 2016-03-14 09:50:17  
位置: 广西壮族自治区玉林市博白县人民中路38号  
速度: 11.00 km/h(北)  
报警: 0

终端: 桂KY7569  
GPS时间: 2016-03-14 09:50:38  
位置: 广西壮族自治区玉林市博白县X403  
速度: 27.00 km/h(西北)  
报警: 0

终端: 桂KY7599  
GPS时间: 2016-03-14 09:49:03  
位置: 广西壮族自治区玉林市博白县S216  
速度: 0.00 km/h(东)  
报警: 0







GPS监控 报警信息 系统事件 抓拍图片

运行时长: 00:01:04 在线数: 3 / 定损数: 1 / 欠费: 0 / 总数: 11 在线率: 27.27% / 定损率: 9.09%




our mdvr support mobile Client monitoring like PC, mobile phone etc.

[Anasayfa](#)[İndir](#)[Soru](#)[Language](#)

### İstemci İndirme

 <b>Windows</b>  <a href="#">İndir</a>   Version: 7.4.0.15 Güncelle: 20151123	  <a href="#">İndir</a>   Version: 7.0.3 Güncelle: 20150523	  <a href="#">İndir</a>   Version: 7.0.0.10 Güncelle: 20150801
--	--	---

### Uygun Program İndir

		
---	---	---

Appliacion

## FUNCTIONS

- Video& Audio real-time monitoring
- Online Vehicle Status
- Satellite Map
- GPS
- Video Storage
- Tracking Display
- Intercom
- Fuel Sensor
- G-Sensor
- Temperature-Sensor

**Richmor**

OEM & ODM Service

Brasil World Cup Supplier  
[www.rcmcctv.com](http://www.rcmcctv.com)



Truck  
Coach



School Bus  
Bus




Police Car  
Taxi




Support  
All Vehicles


certificate



 <b>Verification of Conformity</b> <small>Reference No.: L/C-0100000170</small>	
<b>Responsible Party</b>	Shenzhen Richour Technology Development Co., LTD.
<b>Address</b>	3F of A1 West Longgang Road, Longgang New District, Shenzhen, China
<b>Product</b>	Camera
<b>Model No.</b>	RCM-PC01N, RCM-PC01S, RCM-PC01M, RCM-PC01A, RCM-AP01N, RCM-AP01M, RCM-AP01S, RCM-AP01A, RCM-AP01L, RCM-AP01S, RCM-AP01M, RCM-AP01A, RCM-AP01L, RCM-DC001N, RCM-DC001M, RCM-DC001S
<b>Trade Mark</b>	Richour
<b>Standards</b>	1. IEC 62361-01 Part 1 or Subject No. 3011, Annex D1A & D1B

**Important note:**  
 This document is in compliance with Part 11 of the EMC Rules and Regulations for safety bearings.  
 Declaration of the product is subject to the following key conditions:  
 (1) this device can be subject to EMC Rules and Regulations; and (2) the device shall accept any mechanical material, including but not limited to, any other external equipment.  
 We warrant to conform to the applicable EMC Rules and Regulations. The method of testing was in accordance to the most appropriate measurement standards practice, and that all necessary steps have been performed to ensure that all manufacturer units of the same equipment will continue to comply with the Technical Commission's Commission to Requirements.

  
 Manager  
 April 10, 2012



Shenzhen LCS Compliance Testing Service Ltd.  
 1/Airport Express Park, Yunglong Road, Bao'an Dist., Shenzhen  
 Guangdong, China  
 Tel: 86(0)755-23291000  
 Fax: 86(0)755-23291001  
 Email: info@lcs.com.cn  
 Web: www.lcs.com.cn

(For 2012-01-01)  
 Email: info@lcs.com.cn  
 Web: www.lcs.com.cn

	
<h2>Verification of Conformity</h2> <p>Reference No.: LCB-2018070179</p>	
Responsible Party	Shenzhen Xichuan Technology Development Co., LTD.
Address	3F, No. 44 West Longgang Road, Longgang New District, Shenzhen, China
Product	Mobile OMR
Model No.	XCW-4000000, XCW-4000001, XCW-4000002, XCW-4000003, XCW-4000004, XCW-4000005, XCW-4000006, XCW-4000007, XCW-4000008
Trade Mark	Shichuan
Standards	CCC (CNS 4701 PART 1) on August 31, 2014, GB4793.1-2008
<p><b>Important notes</b></p> <p>This document is in accordance with Part 10 of the FCC Rules and Regulations for radio frequency devices. Operation of the product is subject to the following two conditions:</p> <p>(1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.</p> <p>This device is conform to the applicable FCC Rules and Regulations. The method of testing was in accordance to the most accurate measurement capability possible, and that all necessary steps have been taken to ensure that all production units of the same equipment will continue to comply with the Federal Communications Commission's requirements.</p>	
	
<p>Manager _____</p> <p>April 10, 2017</p>	
<p>Shenzhen LCB Compliance Testing Laboratory Ltd.          3/F, Xingnan Industrial Park, Xingnan Road, Ren'ai District, Shenzhen,          Guangdong, China          Tel: 86-755-8393-1000          Http://www.LCB-test.com</p>	
<p>Fax: 86-755-8393-0191          Email: shenzhen@LCB-test.com</p>	

CERTIFICATE OF CONFORMITY

CERTIFICATE OF CONFORMITY

**CERTIFICATE OF CONFORMITY**



## CERTIFICATE

of Conformity

(2017/01) Association of Singapore Standards

Reference No.: **CEE-000000078**

When issued as specified, the certificate complies strictly with the requirements of Commission Decision 2012/187, and 2012/187 amending Decision 2012/187/EEC.

<b>Applicant</b>	Shenzhen Ectec Technology Development Co., LTD.
<b>Address</b>	11/14 West Coast Express Road, Longhua New District, Shenzhen, China
<b>Trade Mark</b>	Ectecmark
<b>Product</b>	Camera
<b>Model(s)</b>	HOM-010A, HOM-010B, HOM-010C, HOM-010D, HOM-010E, HOM-010F, HOM-010G, HOM-010H, HOM-010I, HOM-010J, HOM-010K, HOM-010L, HOM-010M, HOM-010N, HOM-010O, HOM-010P, HOM-010Q, HOM-010R, HOM-010S, HOM-010T, HOM-010U, HOM-010V, HOM-010W, HOM-010X, HOM-010Y, HOM-010Z, HOM-010AA, HOM-010AB, HOM-010AC, HOM-010AD, HOM-010AE, HOM-010AF, HOM-010AG, HOM-010AH, HOM-010AI, HOM-010AJ, HOM-010AK, HOM-010AL, HOM-010AM, HOM-010AN, HOM-010AO, HOM-010AP, HOM-010AQ, HOM-010AR, HOM-010AS, HOM-010AT, HOM-010AU, HOM-010AV, HOM-010AW, HOM-010AX, HOM-010AY, HOM-010AZ, HOM-010BA, HOM-010BB, HOM-010BC, HOM-010BD, HOM-010BE, HOM-010BF, HOM-010BG, HOM-010BH, HOM-010BI, HOM-010BJ, HOM-010BK, HOM-010BL, HOM-010BM, HOM-010BN, HOM-010BO, HOM-010BP, HOM-010BQ, HOM-010BR, HOM-010BS, HOM-010BT, HOM-010BU, HOM-010BV, HOM-010BW, HOM-010BX, HOM-010BY, HOM-010BZ, HOM-010CA, HOM-010CB, HOM-010CC, HOM-010CD, HOM-010CE, HOM-010CF, HOM-010CG, HOM-010CH, HOM-010CI, HOM-010CJ, HOM-010CK, HOM-010CL, HOM-010CM, HOM-010CN, HOM-010CO, HOM-010CP, HOM-010CQ, HOM-010CR, HOM-010CS, HOM-010CT, HOM-010CU, HOM-010CV, HOM-010CW, HOM-010CX, HOM-010CY, HOM-010CZ, HOM-010DA, HOM-010DB, HOM-010DC, HOM-010DD, HOM-010DE, HOM-010DF, HOM-010DG, HOM-010DH, HOM-010DI, HOM-010DJ, HOM-010DK, HOM-010DL, HOM-010DM, HOM-010DN, HOM-010DO, HOM-010DP, HOM-010DQ, HOM-010DR, HOM-010DS, HOM-010DT, HOM-010DU, HOM-010DV, HOM-010DW, HOM-010DX, HOM-010DY, HOM-010DZ, HOM-010EA, HOM-010EB, HOM-010EC, HOM-010ED, HOM-010EE, HOM-010EF, HOM-010EG, HOM-010EH, HOM-010EI, HOM-010EJ, HOM-010EK, HOM-010EL, HOM-010EM, HOM-010EN, HOM-010EO, HOM-010EP, HOM-010EQ, HOM-010ER, HOM-010ES, HOM-010ET, HOM-010EU, HOM-010EV, HOM-010EW, HOM-010EX, HOM-010EY, HOM-010EZ, HOM-010FA, HOM-010FB, HOM-010FC, HOM-010FD, HOM-010FE, HOM-010FF, HOM-010FG, HOM-010FH, HOM-010FI, HOM-010FJ, HOM-010FK, HOM-010FL, HOM-010FM, HOM-010FN, HOM-010FO, HOM-010FP, HOM-010FQ, HOM-010FR, HOM-010FS, HOM-010FT, HOM-010FU, HOM-010FV, HOM-010FW, HOM-010FX, HOM-010FY, HOM-010FZ, HOM-010GA, HOM-010GB, HOM-010GC, HOM-010GD, HOM-010GE, HOM-010GF, HOM-010GG, HOM-010GH, HOM-010GI, HOM-010GJ, HOM-010GK, HOM-010GL, HOM-010GM, HOM-010GN, HOM-010GO, HOM-010GP, HOM-010GQ, HOM-010GR, HOM-010GS, HOM-010GT, HOM-010GU, HOM-010GV, HOM-010GW, HOM-010GX, HOM-010GY, HOM-010GZ, HOM-010HA, HOM-010HB, HOM-010HC, HOM-010HD, HOM-010HE, HOM-010HF, HOM-010HG, HOM-010HH, HOM-010HI, HOM-010HJ, HOM-010HK, HOM-010HL, HOM-010HM, HOM-010HN, HOM-010HO, HOM-010HP, HOM-010HQ, HOM-010HR, HOM-010HS, HOM-010HT, HOM-010HU, HOM-010HV, HOM-010HW, HOM-010HX, HOM-010HY, HOM-010HZ, HOM-010IA, HOM-010IB, HOM-010IC, HOM-010ID, HOM-010IE, HOM-010IF, HOM-010IG, HOM-010IH, HOM-010II, HOM-010IJ, HOM-010IK, HOM-010IL, HOM-010IM, HOM-010IN, HOM-010IO, HOM-010IP, HOM-010IQ, HOM-010IR, HOM-010IS, HOM-010IT, HOM-010IU, HOM-010IV, HOM-010IW, HOM-010IX, HOM-010IY, HOM-010IZ, HOM-010JA, HOM-010JB, HOM-010JC, HOM-010JD, HOM-010JE, HOM-010JF, HOM-010JG, HOM-010JH, HOM-010JI, HOM-010JJ, HOM-010JK, HOM-010JL, HOM-010JM, HOM-010JN, HOM-010JO, HOM-010JP, HOM-010JQ, HOM-010JR, HOM-010JS, HOM-010JT, HOM-010JU, HOM-010JV, HOM-010JW, HOM-010JX, HOM-010JY, HOM-010JZ, HOM-010KA, HOM-010KB, HOM-010KC, HOM-010KD, HOM-010KE, HOM-010KF, HOM-010KG, HOM-010KH, HOM-010KI, HOM-010KJ, HOM-010KK, HOM-010KL, HOM-010KM, HOM-010KN, HOM-010KO, HOM-010KP, HOM-010KQ, HOM-010KR, HOM-010KS, HOM-010KT, HOM-010KU, HOM-010KV, HOM-010KW, HOM-010KX, HOM-010KY, HOM-010KZ, HOM-010LA, HOM-010LB, HOM-010LC, HOM-010LD, HOM-010LE, HOM-010LF, HOM-010LG, HOM-010LH, HOM-010LI, HOM-010LJ, HOM-010LK, HOM-010LL, HOM-010LM, HOM-010LN, HOM-010LO, HOM-010LP, HOM-010LQ, HOM-010LR, HOM-010LS, HOM-010LT, HOM-010LU, HOM-010LV, HOM-010LW, HOM-010LX, HOM-010LY, HOM-010LZ, HOM-010MA, HOM-010MB, HOM-010MC, HOM-010MD, HOM-010ME, HOM-010MF, HOM-010MG, HOM-010MH, HOM-010MI, HOM-010MJ, HOM-010MK, HOM-010ML, HOM-010MM, HOM-010MN, HOM-010MO, HOM-010MP, HOM-010MQ, HOM-010MR, HOM-010MS, HOM-010MT, HOM-010MU, HOM-010MV, HOM-010MW, HOM-010MX, HOM-010MY, HOM-010MZ, HOM-010NA, HOM-010NB, HOM-010NC, HOM-010ND, HOM-010NE, HOM-010NF, HOM-010NG, HOM-010NH, HOM-010NI, HOM-010NJ, HOM-010NK, HOM-010NL, HOM-010NM, HOM-010NN, HOM-010NO, HOM-010NP, HOM-010NQ, HOM-010NR, HOM-010NS, HOM-010NT, HOM-010NU, HOM-010NV, HOM-010NW, HOM-010NX, HOM-010NY, HOM-010NZ, HOM-010OA, HOM-010OB, HOM-010OC, HOM-010OD, HOM-010OE, HOM-010OF, HOM-010OG, HOM-010OH, HOM-010OI, HOM-010OJ, HOM-010OK, HOM-010OL, HOM-010OM, HOM-010ON, HOM-010OO, HOM-010OP, HOM-010OQ, HOM-010OR, HOM-010OS, HOM-010OT, HOM-010OU, HOM-010OV, HOM-010OW, HOM-010OX, HOM-010OY, HOM-010OZ, HOM-010PA, HOM-010PB, HOM-010PC, HOM-010PD, HOM-010PE, HOM-010PF, HOM-010PG, HOM-010PH, HOM-010PI, HOM-010PJ, HOM-010PK, HOM-010PL, HOM-010PM, HOM-010PN, HOM-010PO, HOM-010PP, HOM-010PQ, HOM-010PR, HOM-010PS, HOM-010PT, HOM-010PU, HOM-010PV, HOM-010PW, HOM-010PX, HOM-010PY, HOM-010PZ, HOM-010QA, HOM-010QB, HOM-010QC, HOM-010QD, HOM-010QE, HOM-010QF, HOM-010QG, HOM-010QH, HOM-010QI, HOM-010QJ, HOM-010QK, HOM-010QL, HOM-010QM, HOM-010QN, HOM-010QO, HOM-010QP, HOM-010QQ, HOM-010QR, HOM-010QS, HOM-010QT, HOM-010QU, HOM-010QV, HOM-010QW, HOM-010QX, HOM-010QY, HOM-010QZ, HOM-010RA, HOM-010RB, HOM-010RC, HOM-010RD, HOM-010RE, HOM-010RF, HOM-010RG, HOM-010RH, HOM-010RI, HOM-010RJ, HOM-010RK, HOM-010RL, HOM-010RM, HOM-010RN, HOM-010RO, HOM-010RP, HOM-010RQ, HOM-010RR, HOM-010RS, HOM-010RT, HOM-010RU, HOM-010RV, HOM-010RW, HOM-010RX, HOM-010RY, HOM-010RZ, HOM-010SA, HOM-010

<b>CERTIFICATE OF CONFORMITY</b>	 <b>CERTIFICATE</b> of Conformity ISSUED IN ACCORDANCE WITH ISO 9001:2015	
	Reference No. <b>13101041000128</b>	
	When issued on receipt, the supplier hereby certifies with the requirements of Commission Decision of 21 July 2011 amending (Directive 2002/95/EC).	
	Applicant	<b>Shenzhen Ruitong Technology Development Co., Ltd.</b>
	Address	<b>3F No. 44 West Longgang Road, Longgang New District, Shenzhen, China</b>
Trade Mark	<b>Ruitong</b>	
Product	<b>Mobile phone</b>	
Version	<b>NEW MODEL, NEW MODEL, NEW MODEL, NEW MODEL, NEW MODEL, NEW MODEL, NEW MODEL, NEW MODEL</b>	
The test report is issued to the Company subject to its General Conditions of Service and/or standard conditions in force at the time of testing, standardized and published under contract number. The results shown in this test report only refer to the samples tested under contract number. This Test Report cannot be reproduced, copied in full, without your written permission of the Company.		
Other relevant documents have to be obtained.		
 <b>RoHS</b>		
 Signed: _____ Date: <b>April 10, 2012</b>		
Shenzhen: 1310 Shenzhen Testing Laboratory, Ltd. 12, Guangming Industrial Park, Tanggou Road, Baoan District, Shenzhen, Guangdong, China Tel: 86755 26611555 <a href="http://www.1310.com.cn">http://www.1310.com.cn</a>		
Beijing: 1310 Beijing Testing Laboratory, Ltd. 100000 Beijing, China Tel: 8610 63701155 Email: <a href="mailto:shenzhen@1310.com.cn">shenzhen@1310.com.cn</a>		

## company and factory





**Richmor**

**OEM & ODM Service**

**Brasil World Cup Supplier**



Exhibition:



**Richmor**

CPSE2012 in Shenzhen



CPSE2013

10.29-10.31

4 Booth we have

Welcome you !!!



CPSE2012-- Guangdong TV Report-Shenzhen Richmor



**Other kinds of products**

## Product Introduction

We are Professional mobile dvr manufacturer !!

TOP SALE ---4ch AHD SD CARD MOBILE DVR & 4ch AHD HDD mobile dvr



If u r interested in our dvr, pls contact Amily: [whatsapp--18929314790](https://www.whatsapp.com/channel/0029918929314790)

## 系统配套产品

## VEHICLE CAMERA PARAMETER

## 车载红外半球摄像机 Vehicle Dome IR Camera



RCM-D342S/IR	1/3" SONY CCD 420TVL 0.5LUX	24 units ≤ 5 LED or 10 Units ≤ 8 LED	3.6mm/6mm
RCM-D442A/IR	1/4" Sharp CCD 420TVL 0.5LUX	24 Units ≤ 5 LED or 10 units ≤ 8 LED	2.8mm/3.6mm
RCM-D348S/IR	1/3" SONY CCD 480TVL 0.1LUX	24 Units ≤ 5 LED or 10 units ≤ 8 LED	3.6mm/6mm
RCM-D354S/IR	1/3" SONY CCD 540TVL 0.1LUX	24 Units ≤ 5 LED or 10 Units ≤ 8 LED	3.6mm/6mm
RCM-D360S/IR	1/3" SONY CCD 600TVL 0.1LUX	24 Units ≤ 5 LED or 10 Units ≤ 8 LED	3.6mm/6mm
RCM-D370S/IR	1/3" SONY CCD 700TVL 0.1LUX	24 Units ≤ 5 LED or 10 Units ≤ 8 LED	3.6mm/6mm

## 车载红外防水摄像机 Vehicle IR Waterproof Camera



RCM-CM442A/IR	1/4" Sharp CCD 420TVL 0.5LUX	20 Units ≤ 5 LED ( Work Under water )	3.6mm/6mm
RCM-CM342S/IR	1/3" SONY CCD 420TVL 0.1LUX	20 Units ≤ 5 LED ( Work under Water )	3.6mm/6mm
RCM-CM348S/IR	1/3" SONY CCD 480TVL 0.1LUX	20 Units ≤ 5 LED ( Work Under Water )	3.6mm/6mm
RCM-CM360S/IR	1/3" SONY CCD 600TVL 0.1LUX	20 Units ≤ 5 LED ( Work Under Water )	3.6mm/6mm





Best Regards  
Amily Zhang

**HAND US YOUR TRUST, OFFER YOU OUR BEST!!!**

**Shenzhen Richmor Technology Development Co.,LTD**

Email: [overseasales-2@rcmcctv.com](mailto:overseasales-2@rcmcctv.com)

Skype: rcmcctvsales2

QQ: 2355778097

MB/Whatsapp: +86 18929314790

Website: <http://www.richmor.net/>

ADD: 6th Floor, F Building, Xinzhi Industrial Park, Yangmei,Bantian,Longgang, Shenzhen

