
LCD Car Monitor's Character:

- 1. Display: 7inch TFT LCD panel, 16:9
- 2. Resolution: 234 x 480pixels
- 3. Power supply: DC 12V ,Power consumption:≤7W
- 4. Multi-purpose LCD monitor for VCD/DVD/TV/GPS
- 5. Blue screen appears with the disappearance of video signal
- 6. Connecting wire can go through the tube in car seat
- 7. Using high quality cable and high brightness backlight to improve clearness and last long
- 8. Color available: Black

LCD Car Monitor's Pictures:





LCD Car Monitor's Parameter:

7inch lcd monitor with BNC input,220V Adapter

7 inch TFT LCD monitor Resolution:480*RGB*234

Display Mode: 16:9 Brightness:300cd/m2 System:NTSC/PAL

video:two way video input (BNC connector)

audio:1 audio input

Analog LCD panl OSD menu language:English/Chinese

Rear watching:image can be changed left and right,up and down

Power supply: DC12V

Comes with 220V-12V adapter

Power Consumption: 7W

Operation temperature: -20~ 80 degree Celsius

Operating Humidity: 20% ~ 85%

Full function remote control ,Blue screen when no signal With Stand alone bracket ,Headrest mount frame



7Inch LCD Car Monitor's Certification:





Besides Products For Vehicle **7 Inch LCD Car Monitor For Vehicle**, Richmor have <u>P2P IP Camera</u>.

7Inch LCD Car Monitor For Vehicle's Packing:



7Inch LCD Car Monitor For Vehicle's Shipping Item:

- 1. FedEx/DHL/UPS/TNT for samples, Door-to-Door;
- 2. Delivery Time: 3-7 days for samples; negoniation for batch goods.

Payment Terms:

- 1. Payment: T/T, Western Union, PayPal; 30% deposits; 70% balance before delivery.
- 2. MOQ: 1pcs
- 3. Warranty: 1 years
- 4. Package Informations: 1 pcs per box, brand packing, netural packing and customized packing

Why Choosing Us?

- 1.We are Alibaba Assessed 3 years Gold Supplier.
- 2. We are a factory manufacturing, best production capability , best quality control, Best Service .
- 3.Inspected by the Inspection Institution of Bureau Veritas Certification.
- 4.100% QC inspection Before Shippment.
- 5. CE/RoHS/FCC listed, competitve price.