

RICHMOR PRODUCTS FEATURES

- 1. Power failure protection.**
 - 2. Wide voltage.**
 - 3. OTA function support. (Upgrading DVR software automatically, better after-sales service for you, ONLY WE CAN ACHIEVE IT IN CHINA FOR NOW.)**
 - 4. A SMS can get DVR situation feedback from DVR.(ONLY WE CAN ACHIEVE IT IN CHINA FOR NOW.)**
 - 5. Industrial level design. (More professional and better quality.)**
 - 6. Modular design. (To prevent a module error while affecting the entire product.)**
 - 7. Encrypt video format. (To prevent data loss)**
 - 8. Current and voltage over protection.**
 - 9. Wide working temperature. (-25°C- +75°C).**
 - 10. Data redundancy technology. (To prevent data loss)**
 - 11. Excellent vibration protection.**
-



SMS Device configure
OTA Remote Updating
AHD 720P/960P
Motion Detection

Richmor





RCM-MDR210 Parameter Sheet

Item	Parameter
OS	Linux
Language	Chinese/English/Customized
Video Compression	H.264
OSD	Overlays information such as date time and vehicle ID
GUI	Graphical User Interface Setup system parameters with the remote control.
Video Record System	4CH 720P AHD input,aviation connector, 1.0Vp-p, 75Ω
Video Output	1 CVBS, 1.0Vp-p, 75Ω,Aviation,Support 1CH Full Screen,4CH Screen
Preview	Support 1 channel and 4 channels preview.,Support Manual/Alarm Trigger full screen preview
Resolution	720P/D1/HD1/CIF, MAX:4 channels of 720P and 4 channels of D1
Video Quality	1-4 levels, 1 is the highest level.
Video Standard	PAL: 100f/s , CCIR625 line,50field; NTSC: 120f/s, CCIR525 line,60field; CIF: 256Kbps ~ 1.5Mbps, 8 level video quality optional; HD1: 600Kbps ~ 2.5Mbps, 8 level video quality optional; D1: 800Kbps ~ 3Mbps, 8 level video quality optional; 720P: 4Mbps-6Mbps, multi level video quality optional
Audio	Record Mode The default setting is auto recording after power on. Timed recording, alarm trigger recording and manual recording are supported.
Audio Input	4CH ,Aviation Plug
Audio Output	1CH,Aviation Plug
Compression	G.726 compression, 8KB/s speed
Alarm Input	3Ch Alarm Input, kinds of alarm linkage support
Alarm Output	1CH Alarm Output
Position	Support Built GPS/BD Module
G-Sensor	Support G-sensor
Storage	SD Dual SD Card,each max 128GB SD Card loop recording
Upgrade	Support SD Card updating
File Format	.H264
File System	Special FAT32 File System

Video Playback	Video Search Playback	Search By Record Time/Record Type etc Max support 4CH Replay /Stop/Fast/Slow at same time Support forward and backward play at the speed of: x 2,x4,x8,x16.
Voltage & Power	Power Management Voltage Input Voltage Output Power Consumption	Wide Voltage.Support Timed/Delay off DC:+10V ~ +36V +12V~2.5A,+5V~2.5A Normal Working <5W
Working Environment	Temperature Humidity	-20°C to +70°C 20% to 80%
Security others	Password Size Net Weight	User/Admin 2 Level Different Password 112(W) x36(H) x138(D) mm 360g

Player software interface



Application

Widely used in passenger car,bus,taxi,school bus,lorry,dangerous vehicle, personal car and ship etc.



PART OF THE CASE



Buying Guides

Packaging

1 unit with all standard accessories such as AV Cables/IO Cable/Power Cable/Key etc

Neutral paper box or Color paper box with Logo Richmor printed,also welcome customized package.





Richmor Brand Package



Standard Package

Shipping

Strong cooperated with DHL/UPS Etc for fast and safety delivery.

- a. 2-5 days after payment cleared for sample order.
- b. 5-10 days after payment cleared depends on order quantity for bulk order.

Payment



MoneyGram



HSBC



Service

1. Well Trained Sales team and engineers for fast and professional support

2. OEM/ODM Service



CUSTOMER SATISFACTION

- Excellent Aftersale service
- 12 months warranty
- 24 hours customer service
- We understand the importance of our customers

Certifications

	
<h2>Verification of Conformity</h2> <p>Reference No.: LC0304000019</p>	
Responsible Party	Shenzhen Richstar Technology Development Co., LTD.
Address	3F No.48 West Longgang Road, Longgang New District, Shenzhen, China
Product	Camera
Model No.	RCM-P02H, RCM-P02H, RCM-U02H, RCM-U02H, RCM-B02H, RCM-B02H, RCM-A02, RCM-A02, RCM-A02, RCM-A02, RCM-A02, RCM-A02, RCM-A02, RCM-A02, RCM-B02H, RCM-B02H, RCM-B02H, RCM-B02H
Trade Mark	Richstar
Standards	CCC-CM-47 PART 18 Subpart B, 2011, ABB-CM-A-2008
<p>Important note: This device is in compliance with Part 18 of the FCC Rules and Regulations for radio frequency emission. Description of the product is subject to the following key conditions: (1) this device will not cause harmful interference, and (2) this device must accept any interference received, including interference from radio-wave licensed operations. We intend to conform to the applicable FCC Rules and Regulations. This method of testing was in accordance to the most accurate measurement standards available, and that all necessary steps have been followed to assure that all production units of the same equipment will continue to comply with the Federal Communications Commission's requirements.</p>	
	
 Manager April 19, 2012	
Shenzhen LCS Compliance Testing Laboratory Ltd 2, Angang Road, Xixiang, Tangguo Road, Xixiang, Baoan District, Shenzhen, Guangdong, China Tel: 86-755-40091120 Fax: 86-755-40091120 E-mail: shenzhenlcs@163.com http://www.lcs-test.com	

	
<h2>Verification of Conformity</h2> <p>Reference No.: L201304000109</p>	
Responsible Party	Shenzhen Xinyuan Technology Development Co., LTD.
Address	3F Yu Ai West Lianjiang Road, Longhua New District, Shenzhen, China
Product	Mobile DMR
Model No.	RCM-8600000, RCM-8600001, RCM-8600002, RCM-8600003, RCM-8600004, RCM-8600005, RCM-8600006, RCM-8600007, RCM-8600008, RCM-8600009, RCM-8600010, RCM-8600011, RCM-8600012, RCM-8600013, RCM-8600014, RCM-8600015, RCM-8600016, RCM-8600017, RCM-8600018, RCM-8600019, RCM-8600020, RCM-8600021, RCM-8600022, RCM-8600023, RCM-8600024, RCM-8600025, RCM-8600026, RCM-8600027, RCM-8600028, RCM-8600029, RCM-8600030, RCM-8600031, RCM-8600032, RCM-8600033, RCM-8600034, RCM-8600035, RCM-8600036, RCM-8600037, RCM-8600038, RCM-8600039, RCM-8600040, RCM-8600041, RCM-8600042, RCM-8600043, RCM-8600044, RCM-8600045, RCM-8600046, RCM-8600047, RCM-8600048, RCM-8600049, RCM-8600050, RCM-8600051, RCM-8600052, RCM-8600053, RCM-8600054, RCM-8600055, RCM-8600056, RCM-8600057, RCM-8600058, RCM-8600059, RCM-8600060, RCM-8600061, RCM-8600062, RCM-8600063, RCM-8600064, RCM-8600065, RCM-8600066, RCM-8600067, RCM-8600068, RCM-8600069, RCM-8600070, RCM-8600071, RCM-8600072, RCM-8600073, RCM-8600074, RCM-8600075, RCM-8600076, RCM-8600077, RCM-8600078, RCM-8600079, RCM-8600080, RCM-8600081, RCM-8600082, RCM-8600083, RCM-8600084, RCM-8600085, RCM-8600086, RCM-8600087, RCM-8600088, RCM-8600089, RCM-8600090, RCM-8600091, RCM-8600092, RCM-8600093, RCM-8600094, RCM-8600095, RCM-8600096, RCM-8600097, RCM-8600098, RCM-8600099, RCM-8600100, RCM-8600101, RCM-8600102, RCM-8600103, RCM-8600104, RCM-8600105, RCM-8600106, RCM-8600107, RCM-8600108, RCM-8600109, RCM-8600110, RCM-8600111, RCM-8600112, RCM-8600113, RCM-8600114, RCM-8600115, RCM-8600116, RCM-8600117, RCM-8600118, RCM-8600119, RCM-8600120, RCM-8600121, RCM-8600122, RCM-8600123, RCM-8600124, RCM-8600125, RCM-8600126, RCM-8600127, RCM-8600128, RCM-8600129, RCM-8600130, RCM-8600131, RCM-8600132, RCM-8600133, RCM-8600134, RCM-8600135, RCM-8600136, RCM-8600137, RCM-8600138, RCM-8600139, RCM-8600140, RCM-8600141, RCM-8600142, RCM-8600143, RCM-8600144, RCM-8600145, RCM-8600146, RCM-8600147, RCM-8600148, RCM-8600149, RCM-8600150, RCM-8600151, RCM-8600152, RCM-8600153, RCM-8600154, RCM-8600155, RCM-8600156, RCM-8600157, RCM-8600158, RCM-8600159, RCM-8600160, RCM-8600161, RCM-8600162, RCM-8600163, RCM-8600164, RCM-8600165, RCM-8600166, RCM-8600167, RCM-8600168, RCM-8600169, RCM-8600170, RCM-8600171, RCM-8600172, RCM-8600173, RCM-8600174, RCM-8600175, RCM-8600176, RCM-8600177, RCM-8600178, RCM-8600179, RCM-8600180, RCM-8600181, RCM-8600182, RCM-8600183, RCM-8600184, RCM-8600185, RCM-8600186, RCM-8600187, RCM-8600188, RCM-8600189, RCM-8600190, RCM-8600191, RCM-8600192, RCM-8600193, RCM-8600194, RCM-8600195, RCM-8600196, RCM-8600197, RCM-8600198, RCM-8600199, RCM-8600200, RCM-8600201, RCM-8600202, RCM-8600203, RCM-8600204, RCM-8600205, RCM-8600206, RCM-8600207, RCM-8600208, RCM-8600209, RCM-8600210, RCM-8600211, RCM-8600212, RCM-8600213, RCM-8600214, RCM-8600215, RCM-8600216, RCM-8600217, RCM-8600218, RCM-8600219, RCM-8600220, RCM-8600221, RCM-8600222, RCM-8600223, RCM-8600224, RCM-8600225, RCM-8600226, RCM-8600227, RCM-8600228, RCM-8600229, RCM-8600230, RCM-8600231, RCM-8600232, RCM-8600233, RCM-8600234, RCM-8600235, RCM-8600236, RCM-8600237, RCM-8600238, RCM-8600239, RCM-8600240, RCM-8600241, RCM-8600242, RCM-8600243, RCM-8600244, RCM-8600245, RCM-8600246, RCM-8600247, RCM-8600248, RCM-8600249, RCM-8600250, RCM-8600251, RCM-8600252, RCM-8600253, RCM-8600254, RCM-8600255, RCM-8600256, RCM-8600257, RCM-8600258, RCM-8600259, RCM-8600260, RCM-8600261, RCM-8600262, RCM-8600263, RCM-8600264, RCM-8600265, RCM-8600266, RCM-8600267, RCM-8600268, RCM-8600269, RCM-8600270, RCM-8600271, RCM-8600272, RCM-8600273, RCM-8600274, RCM-8600275, RCM-8600276, RCM-8600277, RCM-8600278, RCM-8600279, RCM-8600280, RCM-8600281, RCM-8600282, RCM-8600283, RCM-8600284, RCM-8600285, RCM-8600286, RCM-8600287, RCM-8600288, RCM-8600289, RCM-8600290, RCM-8600291, RCM-8600292, RCM-8600293, RCM-8600294, RCM-8600295, RCM-8600296, RCM-8600297, RCM-8600298, RCM-8600299, RCM-8600300, RCM-8600301, RCM-8600302, RCM-8600303, RCM-8600304, RCM-8600305, RCM-8600306, RCM-8600307, RCM-8600308, RCM-8600309, RCM-8600310, RCM-8600311, RCM-8600312, RCM-8600313, RCM-8600314, RCM-8600315, RCM-8600316, RCM-8600317, RCM-8600318, RCM-8600319, RCM-8600320, RCM-8600321, RCM-8600322, RCM-8600323, RCM-8600324, RCM-8600325, RCM-8600326, RCM-8600327, RCM-8600328, RCM-8600329, RCM-8600330, RCM-8600331, RCM-8600332, RCM-8600333, RCM-8600334, RCM-8600335, RCM-8600336, RCM-8600337, RCM-8600338, RCM-8600339, RCM-8600340, RCM-8600341, RCM-8600342, RCM-8600343, RCM-8600344, RCM-8600345, RCM-8600346, RCM-8600347, RCM-8600348, RCM-860034

	
	CERTIFICATE of Conformity Reference No.: LS1701030475
	Applicant : Shanghai Shimo Technology Development Co., LTD.
	Address : #F No.88 West Longyuan Road Longyuan New District, Shanghai, China
	Product : Mobile DVR
Model(s) : PCIM-ME000A, PCIM-ME000B, PCIM-ME000C, PCIM-ME000D, PCIM-ME000E, PCIM-ME000F, PCIM-ME000G, PCIM-ME000H	
Trade Mark : Shimoan	
<p>The submitted products have been tested by us with the listed standards and found in compliance with the following European Directives:</p> <p>The EMC Directive 2004/108/EC</p> <p>EN 55022: 2007, EN 55024: 2007</p> <p>The tests were performed in normal operating mode. The test results apply only to the particular sample tested and to the specific test carried out. This certificate applies specifically to the sample investigated in our test reference number only.</p> <p>The CE marking as shown below can be affixed on the product after preparation of necessary technical documentation.</p> <p>Other relevant Directives have to be checked.</p>	
	 Manager April 15, 2015
Shanghai SGS Compliance Testing Laboratory Ltd. #1, Jingyuan Industrial Park, Fuyang Road, Baoshan District, Shanghai Municipality, China Tel: +86(21)60741122 Fax: +86(21)60741123 Email: shanghai@sgs-test.com http://www.lsgs.com.cn	

<h1 style="writing-mode: vertical-rl; transform: rotate(180deg);">CERTIFICATE OF CONFORMITY</h1>		
	<h2>CERTIFICATE of Conformity</h2> <p>Reference No: 1-01-04-100872</p>	
	Applicant	Shenzhen Rimonix Technology Development Co., LTD.
	Address	3F No.43 West Longgang Road, Longgang New District, Shenzhen, China
	Product	1. Tablets
Model(s)	RCM-IP3720, RCM-IP3721, RCM-IP3722, RCM-IP3723, RCM-IP3724, RCM-IP3725, RCM-IP3726, RCM-IP3727, RCM-IP3728, RCM-IP3729, RCM-IP3730, RCM-IP3731, RCM-IP3732, RCM-IP3733, RCM-IP3734, RCM-IP3735, RCM-IP3736, RCM-IP3737, RCM-IP3738, RCM-IP3739, RCM-IP3740	
Drawn Mark	1. Ribbon	
<p>The submitted products have been tested by us with the latest standards and found in compliance with the following European Directives:</p> <p>The EMC Directive 2004/108/EC</p> <p>(EN 60603, EN 61010, EN 60950, EN 60335)</p> <p>The tests were performed in normal operation mode. The test results apply only to the particular sample tested and to the specific tests carried out. This certificate applies specifically to the sample investigated in our test reference number only.</p> <p>The CE markings on or/and below can be affixed on the product after presentation of necessary technical documentation.</p> <p>Other relevant Directives have to be observed.</p>		
		 <p>April 10, 2013</p>
<p>Shenzhen CCB Consumer Testing Laboratory Ltd. 3/F, Kingwood Industrial Park, Tongda Road, Bao'an Dist., Shenzhen, Guangdong, China Tel: 86-755-26581551 http://www.ccb-test.com</p> <p>Fax: 86-755-26581552 Email: info@www.ccb-test.com</p>		

CERTIFICATE OF CONFORMITY	 CERTIFICATE of Conformity (01/0001) Recognition of Hazardous Substance	
	Reference No.: L01-001000716	
	When tested as reported, the submitted sample complies with the requirements of Commission Decision of 21 July 2007 amending Directive 2002/95/EC.	
	Applicant:	Shenzhen Huichen Technology Development Co., LTD.
Address:	W Huihai West Longgang Road, Longhua New District, Shenzhen, China	
Trade Mark:	Huichen	
Model(s):	ROM-IP21H, ROM-IP21H, ROM-AP21H, ROM-AP21H, ROM-SERVO, ROM-IGM, ROM-HLS, ROM-HLS, ROM-HLS, ROM-IGM, ROM-IGM, ROM-IGM, ROM-DIGI, ROM-DIGI, ROM-DIGI, ROM-DIGI, ROM-DIGI, ROM-DIGI, ROM-DIGI, ROM-DIGI, ROM-DIGI, ROM-DIGI	
This test report is issued by the Company subject to its General Conditions of Service printed hereon. Information is given to the limitations of liability, confidentiality and intellectual rights outlined therein. The results shown in this test report refer only to the samples tested under laboratory control. This Test Report cannot be reproduced, except in full, without prior written permission of the Company.		
Other relevant directives apply to be observed:		
<h1>RoHS</h1> <div style="text-align: right;">  <i>[Signature]</i> April 08, 2011 </div>		
Shenzhen CCS Compliance Testing Laboratory Ltd. 17 Jingnong Industrial Park, Xingda Road, Bao'an Dist., Shenzhen City, Guangdong, China Tel: 0086-755-8298-1000 Fax: 0086-755-8298-1001 http://www.ccs-test.com		
Fax: 0086-755-8298-1001 enquiry@ccs-test.com		

CERTIFICATE OF CONFORMITY



CERTIFICATE

of Conformity

(3rd/10th) Inspection of Imported Devices

Reference No.: US010045000103

When tested as specified, the identified sample complies with the requirements of **Chinese** Edition of 21 July 2011 amending Directive 2011/65/EU.

Applicant:	Shenzhen Richman Technology Development Co., LTD.
Address:	3F No.84 West Longgang Road, Longgang New District, Shenzhen, China.
Trade Mark:	Richman
Product:	Monitor DWR
Model(s):	RCM-M0900A, RCM-M0900B, RCM-M0900C, RCM-M0900D, RCM-M0900E, RCM-M0900F, RCM-M0900G, RCM-M0900H, RCM-M0900I, RCM-M0900J

The test report is issued to the Company stated in its General Conditions of Service provided written intention is shown to the Inspectors of Lating, Identification and preproduction model control system. The results shown in this test report only refer to the subject(s) listed unless otherwise stated. This Test Report cannot be reproduced except in full, without prior written permission of the Company.

Other relevant directives have to be observed.

RoHS




 Manager
 April 16, 2013

Shenzhen UL3 Compliance Testing Laboratory Ltd

10th Floor, Zhongguo Building, Pinghu Road, Bantian District, Shenzhen, Guangdong, China

Tel: 86-755-8309-4000 Fax: 86-755-8309-4001

http://www.ul3.com.cn

www.ul3.com.cn

E-mail: admin@ul3.com.cn

Richmor

CPSE2012 in Shenzhen



CPSE2013

10.29-10.31

4 Booth we have

Welcome you !!!



CPSE2012-- Guangdong TV Report-Shenzhen Richmor



About us&Customers:



Inner Training after study from Alibaba in July



Technical Training For Fast Response to Customer **Richmor 锐驰**



lecturer for Execution



South Africa



Argentina



Czech Republic



Brazil



Russia



India



Turkey



Mexico



Saudi Arabia

Skype: rcmcctvsales2