China DVR manufacturer 3g sim card mobile dvr with gps tracker 5 channel cctv car dvr camera

(RCM-MDR 7105 Series)

The most outstanding feature for this series DVR is:

-----5CH Million Pixels video recording which means

(4CH real-time 720p Analog HD input + 1CH 1080P network IP Camera input)

Product features

Remote Viewing Surveillance 5ch GPS WIFI 3G 4G HDD Mobile DVR/ NVR with 1 CH IPC

H.264 Compression Mode, Max support 5CH Million pixels HD video surveillance/
recording/ playback (4CH real-time 720P Million Pixels AHD input or 4CH Analog
Standard Definition camera input, or 2CH HD input+2CH SD input) + 1CH 1080P IP
Camera input; Exclusive pre-allocate DVR Special File System Technology, Solving
repeatedly wipe cause file fragmentation, solving SD card file system collapse, data loss
and cannot find SD card and file garbled, ensure the integrity of the data. 8-36V Adaptive
Wide Voltage input, Super Low Power Consumption Design; HDD+SD card storage
(maximum support 2TB 2.5" hard disk and 128GB SD card.) It can be completely resist
car Vibration, Dust and others cause data corruption; Support GPS/BD/G-SENSOR; High
Reliability Aviation Connectors, High Cost Performance with reliable stability, simple and
clear operation menu.

RCM-MDR 7105 Series		
Model NO.	Function	
RCM-MDR7105WGXX	3G, GPS, G-Sensor, IPC	
RCM-MDR7105FGXX	3G, 4G, GPS, G-Sensor, IPC	
RCM-MDR7105WGWX	3G, WIFI, GPS, G-Sensor, IPC	
RCM-MDR7105FGWX	3G, 4G, WIFI, GPS, G-Sensor, IPC	



Remote Viewing Surveillance 5ch GPS WIFI 3G 4G HDD Mobile DVR/ NVR with 1 CH IPC




Remote Viewing Surveillance 5ch GPS WIFI 3G 4G HDD Mobile DVR/ NVR with 1 CH IPC

Fron LED Indicators



Back Panel IO Indicators



Richmor surveillance GUI

The main menu includes: Search, System setup, Rec setup, Network setup, Alarm setup, Peripheral setup, System Tools, System Information, as below:



RCM-MDR7105 Parameter Sheet

Item		Parameter		
		Linux		
Language		English/Chinese/Customized		
Video Compression		H.264 Compression		
OSD		Overlays information such as date time and vehicle ID		
GUI	Graphical User Interface	Setup system parameters with the remote control.		
Video Record System	-	4CH real-time 720p million pixels Analog HD input / 4CH analog standard definition input/2CH analog input 2CH HD mixed input+ 1CH 1080P network camera input aviation connector, 1.0Vp-p, 75Ω		
	Video Output	2CH CVBS output+1CH VGA output for optional,1.0Vp- ₁ 75Ω,Support 1CH Full Screen,4CH Screen view		
	Preview	Support 1 channel and 4 channels preview, 5 channels splice preview Support Manual/ Alarm Trigger full screen preview		
	Resolution	1080P/720P/D1/HD1/CIF, MAX:4 channels of 720P + 1080P / 4 channels of D1		
	Image Quality	1-4 levels, 1 is the highest level.		
	Video Standard	PAL: 100f/s, CCIR625 line,50field; NTSC: 120f/s, CCIR525 line,60field; CIF: 256Kbps ~ 1.5Mbps, 8 level video quality optional; HD1: 600Kbps ~ 2.5Mbps, 8 level video quality optional; D1: 800Kbps ~ 3Mbps, 8 level video quality optional; 720P: 4Mbps-6Mbps, multilevel video quality optional		
	Record Mode	The default setting is auto recording after power on. Timed recording, alarm trigger recording and manual recording are supported.		
Audio	Audio Input	4CH Aviation Plug Input		
	Audio Output	2CH,headphone connect at front panel, BNC Connect on Back panel		
	Compression	G.726 compression, 8KB/s speed		
Alarm Input		7CH Alarm Input,1CH AD Input, impulse speed input,Alarm Linkage		
Alarm Output		2CH Alarm Output,Support Light/ Sound alarm sensor,Oil/Power cut off		
		3CH RS232, POS/Fuel Sensor/ LED Advertisement Connection		
		2CH 485 Interface,Connect PTZ Camera		
Wireless Transmission		Support Built in 3G transmission,WCDMA, CDMA2000,GPRS, EDGE∏ Built in 4G module optional, TDD-LTE, FDD-LTE		
GPS Position		Support Built GPS/BD Module		
HDD		Max 2.5" HDD		

Storage	SD Card	Max 128GB SD Card Mirror Recording Keep Data Safety		
	Update	Support USB Updating, SD Card Updating,		
		OTA Remote Updating		
	File Format	H.264		
File System		Special FAT32 File System		
	USB	USB Interface on Front Panel for		
		data back up by U Disk,Hard Disk		
Record Replay	Video Search	Search By Record Time/Record Type etc		
	Playback	Max support 4CH Replay /Stop/		
		Fast/Slow at same time		
		Support forward and backward		
		play at the speed of: x 2,x4,x8,x16.		
Security		User/Admin 2 Level Different Password		
Optional Functions	Voice Call	Support voice call each other		
	TTS Voice Broadcast	Support TTS voice broadcast function.		
	Serial Expand	Support LED Advertisement Panel□		
		Oil Sensor□POS□Bus Station Broadcaster□		
		Car OBD,etc. external device		
Voltage & Power	Power Management	Wide Voltage.Support Timed/Delay off/		
		over-load/Reversing connection/voltage shortage/ short circuit etc.		
		Short circuit etc.		
	Input Voltage	DC:+6V - +36V		
	Power	Working □5W		
Working Environment	Temperature	-20°C - +70°C		
	Humidity	20% - 80%		
Others	Size	200 [D[* 187[W[* 62[H] mm		
	Weight	1.90 Kg		

Detail Features

1. Support 5CH video input, video recording and playback (4CH real-time 720p mega pixels Analog HD input /4CH analog standard definition input/2CH high definition & 2CH analog standard definition mixed input+1CH 1080P network camera input)

- $2.\ 3 \text{CH video output (2CH CVBS video output, Support front and rear output; 1CH VGA output for optional)}\\$

3. Exclusive pre-allocate DVR Special File System Technology, Solving repeatedly wipe cause file fragmentation, solving storage file system crash, data loss and cannot find storage media and file garbled, ensure the integr ity of the data.

- 4. 8-36V wide voltage with low power consumption. Support Reverse Protection[over-voltage/over-current protection.Output max to 10Amps current, support 12V & 5V peripheral equipment power supply. Ultra low power design;
- 5. Unique UPS Technology ensures the integrity of record when power failure occurs, even can last for 8-10s.
- 6. HDD+SD Card Storage (Support 2.5"HDD, max 128G SD Card) protect from Shock & Dust damage; support USB port data backup and device update;
- 7. Support 2 USB ports, data backup and equipment upgrades.
- 8. Support 9CH alarm input (1CH Analog input + 8CH IO alarm input),2CH Independent alarm output.

- 9. Support 2 CAN interface.
- 10. Support HDD heating functions, can work in harsh environment.
- 11. Support GPS/BD/G-Sensor Extension module;
- 12. Realize real-time monitor through 3G/4G;
- 13. Support Broadcast/Intercom/Text sent etc;can add oil sensor/temperature sensor/POS/LED Advertisement Panel;
- 14. Support OTG device upgrade automatically, , device can automatically upgrade version update, maintenance is more convenient
- 15. Support IOS/Android Phone Remote monitor
- 16. High reliability aviation connectors, high cost performance, stable and reliable.


Accessory Million Pixels HD Vehicle IP camera



IP Camera Features

1/2.86°2.36MP Panasonic progressive scan CMOS, Support H.264 compression, Color 0.01 Lux @ 30IRE, F1.4 black and white 0.005Lux @ 30IRE, F1.4, Max resolution:1920*1080@25/30fps; Three stream: 1 080p+Full D1+CIF, Support distortion image correction, wide dynamic, 3D filter and digital noise reduction; BNC, builtin audio MIC collection, 10/100M network port, DC12V interface, 2.8 lens. Working temperature: -20-- 60 °C.

Player software interface (CMSV6 In PC)




CMSV6 In Mobile Phone.

Have all in the palm of your hand


Real-time monitoring via Mobile Phone --Support iPhone, Android, iPad system







Richmor Mobile DVR Mileage Summary



Remote Viewing Surveillance 3G 4G WIFI GPS Mobile DVR Police car solution



➡ 功能特点 Features



3G车载终绕采用专业的訪直设计,设备内置GPS模块、可实时上传移动视频信息和地理位置信息。支持语言功能,可以进行实时语言对并,通话;并可查询车辆历史轨迹;紧急情况可能发技被报警,指挥中心可及时弹出视频,音额并进行记录。配合车载监控云台。可360°全方位无死角监控,实现监控视频与GIS电子信息地图应用的整合,提升对应急事件的反应处理能力。3G Vehicle DVR adopt professional Shockproof design,with built-in GPS Module,can realize Upload Real time video stream and Vehicle GPS Location,support Intercom for real time talk—back function;searching historical Vehicle Path; Emergency button for alarming, a special alarm window will show and auto Recording with Audio & Video at center office. Combine with PTZ Camera for 360 degree monitor, realize intergrating Video With CIS Map for promoting the urgent accident reaction ability.

体积小巧。功能强大,灵活方便。警员现场取证,返逻、应急指挥时可将现场影音录像的同时可实时上传到指挥中心。同时可以进行语言对讲通话,指挥中心可以实时检查出勤人员的位置、时间、状态等信息及能场监控期面,方便及时详细了解或场情况、下达相关指令。Small Size but powerful function flexoble using convenient for policeman recording and uploading the video to center office while Scene Evidence Obtaining Patrol, Emergency Command, can talk with the office man at same time; Officer can check the attendance personnel Position, Time, etc information also the Real time video for convenient commanding.

的管理平台。思于管理维护,并支持手机远程监控。可统一管理前组 各个分数独立的执法车辆和执法人员,实现远程集中监控、调度控制、录 音录像、语音对讲,短信通知等、形成多功能、交互式的综合指挥调度平 台。完整无缝的覆盖整个执法现场过程的监控。

哲・元安大班的産業整个形式を均立程的温度。 Unity Management Piatform easily manage and maintain also can support Cellphone Remote View.Can manage each Law Enforcement Vehicles and policemen through the platform,realize Real time video view.Command control,Video & Audio Recording,Talk Back, Message Notification etc at same time,set a powerful and interactive command platform,monitoring of the process of law enforcement all corner.

通过3G网络实时上传音视频信息到监控指挥中心或移动指挥车、对于暴力 抗法,群体性事件等相关行为及时取证,解决执行过程取证困难问题,保 障了执行干额的人身安全,也可监督和纠正不规范、不合理的执法过程。 可以有效迅速的应对突发性的应急事件和群体事件,提高了执法效率,高

By uploading the real time video information to center office or Co By uploading the real time video information to center office or Command. Vehicle through 36, For illegal violent, mass incidents and related behavior timely forensics, solve the evidence issue, ensure the policeman personal security, meantime, also can supervision and correction the unreasonable process, can effective control the emergency thing and mass incidents, improve the law enforcement efficiency.

the mobile dvr

Seeing the inside the vehicle seeing the cab and driver 武装押运 seeing the front of the vehicle seeing the back of the

Richmor Actual Case



Application

Widely used in passenger car, bus, taxi, school bus, lorry, dangerous vehicle, personal car and ship etc.







Ambulance



Fixed place monitor



Ship Monitor

Buying Guides

Packaging





Richmor Brand Package

Standard Package

Shipping Info

Estimated Shipping Time

a	3-5 working days	after navment	cleared for	sample order

b. 5-10 working days after payment cleared depends on order quantity for bulk order.

Remarks:

- $1. Order \ will \ be \ dispatched \ before \ next \ 2 \ working \ day \ after \ full \ payment \ is \ done, 48 \ hours \ aging \ time;$
- 2.Related documents will be sent after order is dispatched, please check mail;
- 3.All parcels will be shipped by DHL/TNT/UPS/EMS/FedEx/Air etc according your option;

Payment Info

- 1.T/T;Western Union;Paypal optional;
- 2.30% deposit, balance be paid before delivery

Remarks:

Please sent bank slip when payment done, according this we will arrange the production

Warranty Info

Free Replacement:

Mobile DVR Recorder can replace free under conditions within 15 days after sale, in the precondition of our quality problem, non-artificial damage

Supplier Warranty:

We offer ONE YEAR warranty on Vehicle Mobile DVR Recorder, if your item has any warranty issue please contact us for a satisfying solution

Remark:

All qualified returns/replacement must be guided by us, we may not accept your return without informing us in advance

Service

- 1. Well Trained Sales Team and strong engineers for fast and professional support.
- 2. OEM/ODM Service



CUSTOMER SATISFACTION

- · Excellent Aftersale service
- · 12 months warranty
- · 24 hours customer service
- · We understand the importance of our customers

Cert


ifications



Exhibition

Richmor

CPSE2012 in Shenzhen



CPSE2012-- Guangdong TV Report-Shenzhen Richmor



About us&Customers:



















What is our expectation

Being your helpful and long term partner meeting your requirement.

Any question about your vehicle project, contact our representative Vicky.

Email: overseasales-7@rcmcctv.com Skype: rcmcctvsales7