

D1/720P/1080P vehicle mobile dvr,4/5/8CH Sd card/hdd mdvr with gps 3g/4g/wifi for choose

Shenzhen Richmor Science&Technologies Development Co.,Ltd



WE PUT FORWARD THE IDEAL OF "4M" IN ENTERPRISE MANAGEMENT:

- More enhancements of product quality everyday.
- More progress of services and sales everyday,
- More widely the effect of our brand expands everyday,
- More smiles to each of us everyday.

Richmor

product specification:

Item		parameter
Operating System		Linux
Language		English/chinese/customized
Video Compression		H.264 Compression
OSD		overlays information such as date time and vehicle ID
GUI	Graphical user interface	setup system parameters with the remote control
Video Record System	video input	4CH 960P/720P AHD input,aviation connector, 1.0Vp-p, 75Ω
	video output	1 CVBS, 1.0Vp-p, 75Ω,Aviation,Support 1CH Full Screen,4CH Screen view
	preview	Support 1 channel and 4 channels preview., Support Manual/Alarm Trigger full screen preview
	resolution	720P/D1/HD1/CIF, MAX:4 channels of 720P and 4 channels of D1
	image quality	1-4 levels, 1 is the highest level.
	video standard	PAL: 100f/s , CCIR625 line,50field; NTSC: 120f/s, CCIR525 line,60field; CIF: 256Kbps ~ 1.5Mbps, 8 level video quality optional; HD1: 600Kbps ~ 2.5Mbps, 8 level video quality optional; D1: 800Kbps ~ 3Mbps, 8 level video quality optional; 720P: 4Mbps-6Mbps, multi level video quality optional
Audio	record mode	The default setting is auto recording after power on. Timed recording, alarm trigger recording and manual recording are supported.
	audio input	4CH Aviation Plug Input
	audio output	2CH,headphone connect at front panel, BNC Connect on Back panel
compression		G.726 compression, 8KB/s speed
Alarm Input		7CH Alarm Input,1CH AD Input,impulse speed input,Alarm Linkage
Alarm Output		2CH Alarm Output,Support Light/Sound alarm sensor,Oil/Power cut off

Interface		3CH RS232, POS/Fuel Sensor/LED Advertisement Connection 1CH 485 Interface,Connect PTZ Camera
Wireless Transmission		Support Built in 3G transmission,, WCDMA, CDMA2000,GPRS, EDGE; Built in 4G module optional, TDD-LTE, FDD-LTE
GPS Position		Support Built GPS/BD Module
Storage	HDD	Max 2.5" 1TB HDD
	SD Card	Max 128GB SD Card Mirror Recording Keep Data Safety
	update	Support USB Updating, SD Card Updating,OTA Remote Updating
	file format	H.264
	file system	Special FAT32 File System
	USB	USB Interface on Front Panel for data back up by U Disk,Hard Disk
Record Replay	video search	Search By Record Time/Record Type etc
	playback	Max support 4CH Replay /Stop/Fast/Slow at same time Support forward and backward play at the speed of: x 2,x4,x8,x16.
Security		User/Admin 2 Level Different Password
Optional Functions	voice call	Support voice call each other
	TTS Voice broadcast	Support TTS voice broadcast function.
	serial expand	Support LED Advertisement Panel,Oil Sensor, POS,Bus Station Broadcaster,Car OBD,ect.external device
Voltage & Power	Power Management	Wide Voltage.Support Timed/Delay off
	Input Voltage	DC:+6V - +36V
	Output Voltage	+12V~1.5A,+5V~1.5A
	Power	Working<5W
Working Environment	Temperature	-20℃ - +70℃
	Humidity	20% - 80%
Others	Size	200 (D)* 187(W)* 62(H) mm
	Weight	1.90Kg

Product Show:





AV Input & Output Cables



Power Cable



IO Cables



Remote Control



3G Antenna



WIFI Antenna




CD (Manual & Software Inside)



7000 HDD Mobile DVR


Product Introduction

Device Series



15

Product Advantage



Client User Graph Interface

The interface is titled "移动视频监控平台" (Mobile Video Monitoring Platform). It features a top navigation bar with tabs for "欢迎登录, RCMTEST", "系统", "实时预览", "电子地图", "回放管理", "信息管理", and "系统设置".

On the left, there is a "终端列表" (Terminal List) showing a hierarchy of devices under "监控中心(3/11)" and "贵州(1/1)". Below this is a table with columns for "状态", "云台", "色彩", and "语音".

The main area displays four video feeds labeled "贵C A6446 - CH1 - 0 KB/S", "贵C A6446 - CH2 - 24 KB/S", "贵C A6446 - CH3 - 0 KB/S", and "贵C A6446 - CH4 - 0 KB/S".

On the right, there is a "地址" (Address) search bar and a map showing the location of the vehicle. Below the map, there is a table with columns for "终端", "GPS时间", "位置", "速度", and "报警".

At the bottom, there is a status bar showing "运行时长: 00:01:04", "在线数: 3 / 定损数: 1 / 欠费: 0 / 总数: 11", "在线率: 27.27% / 定损率: 9.09%".

用户登录 (User Login) Form:

- 用户名: RCMTEST
- 密码: *****
- 服务器: 113.108.120.47
- ☒ 记住密码 ☐ 自动登录
- Buttons: 登录, 退出







GPS Data Table:

终端	GPS时间	位置	速度	报警
贵C A6446	2016-03-14 09:50:09	贵州省遵义市习水县G4215(蓉遵高速公路)	74.10 km/h(南)	
桂KY7507	2016-03-14 09:50:17	广西壮族自治区玉林市博白县人民中路38号	11.00 km/h(北)	
桂KY7569	2016-03-14 09:50:38	广西壮族自治区玉林市博白县X403	27.00 km/h(西北)	
桂KY7599	2016-03-14 09:49:03	广西壮族自治区玉林市博白县S216	0.00 km/h(东)	




our mdvr support mobile Client monitoring like PC, mobile phone etc.

[Anasayfa](#)[İndir](#)[Soru](#)[Language](#)

İstemci İndirme

 Windows İndir  Version: 7.4.0.15 Güncelle: 20151123	 İndir  Version: 7.0.3 Güncelle: 20150523	 İndir  Version: 7.0.0.10 Güncelle: 20150801
--	--	---

Uygun Program İndir

		
---	---	---

Appliacion

FUNCTIONS

- Video& Audio real-time monitoring
- Online Vehicle Status
- Satellite Map
- GPS
- Video Storage
- Tracking Display
- Intercom
- Fuel Sensor
- G-Sensor
- Temperature-Sensor

Richmor

OEM & ODM Service

Brasil World Cup Supplier
www.rcmcctv.com



Truck
Coach



School Bus
Bus



Police Car
Taxi



Support
All Vehicles

certificate

[illegible]

Verification of Conformity
Reference No.: LCB-0000000174

Responsible Party :	Shenzhen Weichuan Technology Development Co., LTD.
Address :	#F 4th Fl West Longgang Road, Longhua New District, Shenzhen, China
Product :	Battery Charger
Model No.:	WCH-M000000, WCH-M000001, WCH-M000002, WCH-M000003, WCH-M000004, WCH-M000005, WCH-M000006
Type Mark :	Reductor
Standards :	FCC ID# AT PABT 19 Subject to FCC, EMC CEM4 2006

Important notes:
This document is in accordance with Part 15 of the FCC Rules and Regulations for radio frequency devices. Operation of the product is subject to the following two conditions:
(1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation.
We warrant to conform to the applicable FCC Rules and Regulations. The national labeling was in accordance to the most accurate measurement capabilities available, and that all necessary steps have been exhausted to ensure that all production units of the same equipment will continue to comply with the Federal Communications Commission's requirements.


 Date: April 15, 2013


Shenzhen LCB Compliance Testing Laboratory Ltd.
No. 1, Jingdong Industrial Park, Songhu Road, Bao'an District, Shenzhen,
Guangdong, China
Tel: 86-(0)755-2604-1000
http://www.lcb-test.com

Fax: 86-(0)755-2604-1001
Email: info@lcbtest.com / lcb@lcb.com

CERTIFICATE OF CONFORMITY

CERTIFICATE OF CONFORMITY

CERTIFICATE OF CONFORMITY

RoHS

CERTIFICATE OF CONFORMITY

CERTIFICATE

of Conformity
 2011/0051 Recast of European Directive

Reference No.: **100140000078**

When tested as specified, the specimen sample complies with the requirements of Commission Decision of 18 July 2005 amending Decision 2002/465/EC.

Applicant	Shenzhen Electronic Technology Development Co., Ltd.
Address	17 World Wind Longgang Road, Longgang New District, Shenzhen, China
Trade Mark	Redragon
Model	Various
Product	ROM-PC16, ROM-PC17A, ROM-PC18, ROM-PC19, ROM-PC20, ROM-PC21, ROM-PC22, ROM-PC23, ROM-PC24, ROM-PC25, ROM-PC26, ROM-PC27, ROM-PC28, ROM-PC29, ROM-PC30, ROM-PC31, ROM-PC32, ROM-PC33, ROM-PC34, ROM-PC35, ROM-PC36, ROM-PC37, ROM-PC38, ROM-PC39, ROM-PC40, ROM-PC41, ROM-PC42, ROM-PC43, ROM-PC44, ROM-PC45, ROM-PC46, ROM-PC47, ROM-PC48, ROM-PC49, ROM-PC50, ROM-PC51, ROM-PC52, ROM-PC53, ROM-PC54, ROM-PC55, ROM-PC56, ROM-PC57, ROM-PC58, ROM-PC59, ROM-PC60, ROM-PC61, ROM-PC62, ROM-PC63, ROM-PC64, ROM-PC65, ROM-PC66, ROM-PC67, ROM-PC68, ROM-PC69, ROM-PC70, ROM-PC71, ROM-PC72, ROM-PC73, ROM-PC74, ROM-PC75, ROM-PC76, ROM-PC77, ROM-PC78, ROM-PC79, ROM-PC80, ROM-PC81, ROM-PC82, ROM-PC83, ROM-PC84, ROM-PC85, ROM-PC86, ROM-PC87, ROM-PC88, ROM-PC89, ROM-PC90, ROM-PC91, ROM-PC92, ROM-PC93, ROM-PC94, ROM-PC95, ROM-PC96, ROM-PC97, ROM-PC98, ROM-PC99, ROM-PC100, ROM-PC101, ROM-PC102, ROM-PC103, ROM-PC104, ROM-PC105, ROM-PC106, ROM-PC107, ROM-PC108, ROM-PC109, ROM-PC110, ROM-PC111, ROM-PC112, ROM-PC113, ROM-PC114, ROM-PC115, ROM-PC116, ROM-PC117, ROM-PC118, ROM-PC119, ROM-PC120, ROM-PC121, ROM-PC122, ROM-PC123, ROM-PC124, ROM-PC125, ROM-PC126, ROM-PC127, ROM-PC128, ROM-PC129, ROM-PC130, ROM-PC131, ROM-PC132, ROM-PC133, ROM-PC134, ROM-PC135, ROM-PC136, ROM-PC137, ROM-PC138, ROM-PC139, ROM-PC140, ROM-PC141, ROM-PC142, ROM-PC143, ROM-PC144, ROM-PC145, ROM-PC146, ROM-PC147, ROM-PC148, ROM-PC149, ROM-PC150, ROM-PC151, ROM-PC152, ROM-PC153, ROM-PC154, ROM-PC155, ROM-PC156, ROM-PC157, ROM-PC158, ROM-PC159, ROM-PC160, ROM-PC161, ROM-PC162, ROM-PC163, ROM-PC164, ROM-PC165, ROM-PC166, ROM-PC167, ROM-PC168, ROM-PC169, ROM-PC170, ROM-PC171, ROM-PC172, ROM-PC173, ROM-PC174, ROM-PC175, ROM-PC176, ROM-PC177, ROM-PC178, ROM-PC179, ROM-PC180, ROM-PC181, ROM-PC182, ROM-PC183, ROM-PC184, ROM-PC185, ROM-PC186, ROM-PC187, ROM-PC188, ROM-PC189, ROM-PC190, ROM-PC191, ROM-PC192, ROM-PC193, ROM-PC194, ROM-PC195, ROM-PC196, ROM-PC197, ROM-PC198, ROM-PC199, ROM-PC200, ROM-PC201, ROM-PC202, ROM-PC203, ROM-PC204, ROM-PC205, ROM-PC206, ROM-PC207, ROM-PC208, ROM-PC209, ROM-PC210, ROM-PC211, ROM-PC212, ROM-PC213, ROM-PC214, ROM-PC215, ROM-PC216, ROM-PC217, ROM-PC218, ROM-PC219, ROM-PC220, ROM-PC221, ROM-PC222, ROM-PC223, ROM-PC224, ROM-PC225, ROM-PC226, ROM-PC227, ROM-PC228, ROM-PC229, ROM-PC230, ROM-PC231, ROM-PC232, ROM-PC233, ROM-PC234, ROM-PC235, ROM-PC236, ROM-PC237, ROM-PC238, ROM-PC239, ROM-PC240, ROM-PC241, ROM-PC242, ROM-PC243, ROM-PC244, ROM-PC245, ROM-PC246, ROM-PC247, ROM-PC248, ROM-PC249, ROM-PC250, ROM-PC251, ROM-PC252, ROM-PC253, ROM-PC254, ROM-PC255, ROM-PC256, ROM-PC257, ROM-PC258, ROM-PC259, ROM-PC260, ROM-PC261, ROM-PC262, ROM-PC263, ROM-PC264, ROM-PC265, ROM-PC266, ROM-PC267, ROM-PC268, ROM-PC269, ROM-PC270, ROM-PC271, ROM-PC272, ROM-PC273, ROM-PC274, ROM-PC275, ROM-PC276, ROM-PC277, ROM-PC278, ROM-PC279, ROM-PC280, ROM-PC281, ROM-PC282, ROM-PC283, ROM-PC284, ROM-PC285, ROM-PC286, ROM-PC287, ROM-PC288, ROM-PC289, ROM-PC290, ROM-PC291, ROM-PC292, ROM-PC293, ROM-PC294, ROM-PC295, ROM-PC296, ROM-PC297, ROM-PC298, ROM-PC299, ROM-PC300, ROM-PC301, ROM-PC302, ROM-PC303, ROM-PC304, ROM-PC305, ROM-PC306, ROM-PC307, ROM-PC308, ROM-PC309, ROM-PC310, ROM-PC311, ROM-PC312, ROM-PC313, ROM-PC314, ROM-PC315, ROM-PC316, ROM-PC317, ROM-PC318, ROM-PC319, ROM-PC320, ROM-PC321, ROM-PC322, ROM-PC323, ROM-PC324, ROM-PC325, ROM-PC326, ROM-PC327, ROM-PC328, ROM-PC329, ROM-PC330, ROM-PC331, ROM-PC332, ROM-PC333, ROM-PC334, ROM-PC335, ROM-PC336, ROM-PC337, ROM-PC338, ROM-PC339, ROM-PC340, ROM-PC341, ROM-PC342, ROM-PC343, ROM-PC344, ROM-PC345, ROM-PC346, ROM-PC347, ROM-PC348, ROM-PC349, ROM-PC350, ROM-PC351, ROM-PC352, ROM-PC353, ROM-PC354, ROM-PC355, ROM-PC356, ROM-PC357, ROM-PC358, ROM-PC359, ROM-PC360, ROM-PC361, ROM-PC362, ROM-PC363, ROM-PC364, ROM-PC365, ROM-PC366, ROM-PC367, ROM-PC368, ROM-PC369, ROM-PC370, ROM-PC371, ROM-PC372, ROM-PC373, ROM-PC374, ROM-PC375, ROM-PC376, ROM-PC377, ROM-PC378, ROM-PC379, ROM-PC380, ROM-PC381, ROM-PC382, ROM-PC383, ROM-PC384, ROM-PC385, ROM-PC386, ROM-PC387, ROM-PC388, ROM-PC389, ROM-PC390, ROM-PC391, ROM-PC392, ROM-PC393, ROM-PC394, ROM-PC395, ROM-PC396, ROM-PC397, ROM-PC398, ROM-PC399, ROM-PC400, ROM-PC401, ROM-PC402, ROM-PC403, ROM-PC404, ROM-PC405, ROM-PC406, ROM-PC407, ROM-PC408, ROM-PC409, ROM-PC410, ROM-PC411, ROM-PC412, ROM-PC413, ROM-PC414, ROM-PC415, ROM-PC416, ROM-PC417, ROM-PC418, ROM-PC419, ROM-PC420, ROM-PC421, ROM-PC422, ROM-PC423, ROM-PC424, ROM-PC425, ROM-PC426, ROM-PC427, ROM-PC428, ROM-PC429, ROM-PC430, ROM-PC431, ROM-PC432, ROM-PC433, ROM-PC434, ROM-PC435, ROM-PC436, ROM-PC437, ROM-PC438, ROM-PC439, ROM-PC440, ROM-PC441, ROM-PC442, ROM-PC443, ROM-PC444, ROM-PC445, ROM-PC446, ROM-PC447, ROM-PC448, ROM-PC449, ROM-PC450, ROM-PC451, ROM-PC452, ROM-PC453, ROM-PC454, ROM-PC455, ROM-PC456, ROM-PC457, ROM-PC458, ROM-PC459, ROM-PC460, ROM-PC461, ROM-PC462, ROM-PC463, ROM-PC464, ROM-PC465, ROM-PC466, ROM-PC467, ROM-PC468, ROM-PC469, ROM-PC470, ROM-PC471, ROM-PC472, ROM-PC473, ROM-PC474, ROM-PC475, ROM-PC476, ROM-PC477, ROM-PC478, ROM-PC479, ROM-PC480, ROM-PC481, ROM-PC482, ROM-PC483, ROM-PC484, ROM-PC485, ROM-PC486, ROM-PC487, ROM-PC488, ROM-PC489, ROM-PC490, ROM-PC491, ROM-PC492, ROM-PC493, ROM-PC494, ROM-PC495, ROM-PC496, ROM-PC497, ROM-PC498, ROM-PC499, ROM-PC500, ROM-PC501, ROM-PC502, ROM-PC503, ROM-PC504, ROM-PC505, ROM-PC506, ROM-PC507, ROM-PC508, ROM-PC509, ROM-PC510, ROM-PC511, ROM-PC512, ROM-PC513, ROM-PC514, ROM-PC515, ROM-PC516, ROM-PC517, ROM-PC518, ROM-PC519, ROM-PC520, ROM-PC521, ROM-PC522, ROM-PC523, ROM-PC524, ROM-PC525, ROM-PC526, ROM-PC527, ROM-PC528, ROM-PC529, ROM-PC

CERTIFICATE OF CONFORMITY		
	CERTIFICATE of Conformity ISSUED IN ACCORDANCE WITH THE REQUIREMENTS OF THE REGULATIONS OF THE SHANGHAI MUNICIPAL GOVERNMENT	
	Reference No. 13101040100018	
	When issued on receipt of the submitted sample conforming with the requirements of the Commission Declaration of 21 July 2011 (amending Decision 2011/0010)	
Applicant	Shanghai Roshen Technology Development Co., Ltd.	
Address	3F No. 44 West Longyuan Road, Longyuan New District, Shanghai, China	
Trade Mark	Roshen	
Product	Shenhe (pink)	
Version	NEW MODEL, NEW MODEL, NEW MODEL, NEW MODEL, NEW MODEL, NEW MODEL, NEW MODEL, NEW MODEL	
The test report is issued to the Company subject to the General Conditions of Service annexed hereto. Attention is drawn to the limitations of liability, manufacturer's and purchaser's responsibilities defined therein. The results shown in this test report may only be the subject of a limited number of subsequent claims. This Test Report cannot be reproduced, copied in full, without your written permission of the Company.		
Other relevant documents have to be obtained.		
RoHS		
		
Shanghai - 1310 Shanghai Testing Laboratory, Ltd. 12, Jingyuan Industrial Park, Jingyuan Road, Songjiang District, Shanghai, Shanghai, China Tel: 021-51681150 http://www.1310.com.cn		
Date: 2012.04.10 Signed:  2012.04.10		

company and factory



Richmor

OEM & ODM Service

Brasil World Cup Supplier



Exhibition:

Richmor

CPSE2012 in Shenzhen



CPSE2013

10.29-10.31

4 Booth we have

Welcome you !!!



CPSE2012-- Guangdong TV Report-Shenzhen Richmor



Other kinds of products

Product Introduction

We are Professional mobile dvr manufacturer !!

TOP SALE ---4ch AHD SD CARD MOBILE DVR & 4ch AHD HDD mobile dvr



If u r interested in our dvr, pls contact Amily: [whatsapp--18929314790](https://www.whatsapp.com/channel/0029113929314790)

系统配套产品

VEHICLE CAMERA PARAMETER

车载红外半球摄像机 Vehicle Dome IR Camera



RCM-D342S/IR	1/3" SONY CCD 420TVL 0.5LUX	24 units ≤ 5 LED or 10 Units ≤ 8 LED	3.6mm/6mm
RCM-D442A/IR	1/4" Sharp CCD 420TVL 0.5LUX	24 Units ≤ 5 LED or 10 units ≤ 8 LED	2.8mm/3.6mm
RCM-D348S/IR	1/3" SONY CCD 480TVL 0.1LUX	24 Units ≤ 5 LED or 10 units ≤ 8 LED	3.6mm/6mm
RCM-D354S/IR	1/3" SONY CCD 540TVL 0.1LUX	24 Units ≤ 5 LED or 10 Units ≤ 8 LED	3.6mm/6mm
RCM-D360S/IR	1/3" SONY CCD 600TVL 0.1LUX	24 Units ≤ 5 LED or 10 Units ≤ 8 LED	3.6mm/6mm
RCM-D370S/IR	1/3" SONY CCD 700TVL 0.1LUX	24 Units ≤ 5 LED or 10 Units ≤ 8 LED	3.6mm/6mm

车载红外防水摄像机 Vehicle IR Waterproof Camera



RCM-CM442A/IR	1/4" Sharp CCD 420TVL 0.5LUX	20 Units ≤ 5 LED (Work Under water)	3.6mm/6mm
RCM-CM342S/IR	1/3" SONY CCD 420TVL 0.1LUX	20 Units ≤ 5 LED (Work under Water)	3.6mm/6mm
RCM-CM348S/IR	1/3" SONY CCD 480TVL 0.1LUX	20 Units ≤ 5 LED (Work Under Water)	3.6mm/6mm
RCM-CM360S/IR	1/3" SONY CCD 600TVL 0.1LUX	20 Units ≤ 5 LED (Work Under Water)	3.6mm/6mm



Best Regards
Amily Zhang

HAND US YOUR TRUST, OFFER YOU OUR BEST!!!

Shenzhen Richmor Technology Development Co.,LTD

Email: overseasales-2@rcmcctv.com

Skype: rcmcctvsales2

QQ: 2355778097

MB/Whatsapp: +86 18929314790

Website: <http://www.richmor.net/>

ADD: 6th Floor, F Building, Xinzhi Industrial Park, Yangmei,Bantian,Longgang, Shenzhen

