

D1/720P/1080P vehicle mobile dvr,4/5/8CH Sd card/hdd mdvr with gps 3g/4g/wifi for choose

Shenzhen Richmor Science&Technologies Development Co.,Ltd



WE PUT FORWARD THE IDEAL OF "4M" IN ENTERPRISE MANAGEMENT:

- More enhancements of product quality everyday.
- More progress of services and sales everyday,
- More widely the effect of our brand expands everyday,
- More smiles to each of us everyday.

Richmor

product specification:

Item	parameter	
Operating System	Linux	
Language	English/chinese/customized	
Video Compression	H.264 Compression	
OSD	overlays information such as date time and vehicle ID	
GUI	Graphical user interface	setup system parameters with the remote control
Video Record System	video input	4CH 960P/720P AHD input,aviation connector, 1.0Vp-p, 75Ω
	video output	1 CVBS, 1.0Vp-p, 75Ω,Aviation,Support 1CH Full Screen,4CH Screen view
	preview	Support 1 channel and 4 channels preview., Support Manual/Alarm Trigger full screen preview
	resolution	720P/D1/HD1/CIF, MAX:4 channels of 720P and 4 channels of D1
	image quality	1-4 levels, 1 is the highest level.
	video standard	PAL: 100f/s , CCIR625 line,50field; NTSC: 120f/s, CCIR525 line,60field; CIF: 256Kbps ~ 1.5Mbps, 8 level video quality optional; HD1: 600Kbps ~ 2.5Mbps, 8 level video quality optional; D1: 800Kbps ~ 3Mbps, 8 level video quality optional; 720P: 4Mbps-6Mbps, multi level video quality optional
	record mode	The default setting is auto recording after power on. Timed recording, alarm trigger recording and manual recording are supported.
Audio	audio input	4CH Aviation Plug Input
	audio output	2CH,headphone connect at front panel, BNC Connect on Back panel
	compression	G.726 compression, 8KB/s speed
Alarm Input	7CH Alarm Input,1CH AD Input,impulse speed input,Alarm Linkage	
Alarm Output	2CH Alarm Output,Support Light/Sound alarm sensor,Oil/Power cut off	

Interface		3CH RS232, POS/Fuel Sensor/LED Advertisement Connection 1CH 485 Interface,Connect PTZ Camera
Wireless Transmission		Support Built in 3G transmission,, WCDMA, CDMA2000,GPRS, EDGE; Built in 4G module optional, TDD-LTE, FDD-LTE
GPS Position		Support Built GPS/BD Module
Storage	HDD	Max 2.5" 1TB HDD
	SD Card	Max 128GB SD Card Mirror Recording Keep Data Safety
	update	Support USB Updating, SD Card Updating,OTA Remote Updating
	file format	H.264
	file system	Special FAT32 File System
Record Replay	USB	USB Interface on Front Panel for data back up by U Disk,Hard Disk
	video search	Search By Record Time/Record Type etc
Record Replay	playback	Max support 4CH Replay /Stop/Fast/Slow at same time Support forward and backward play at the speed of: x 2,x4,x8,x16.
	Security	User/Admin 2 Level Different Password
Optional Functions	voice call	Support voice call each other
	TTS Voice broadcast	Support TTS voice broadcast function.
	serial expand	Support LED Advertisement Panel,Oil Sensor, POS,Bus Station Broadcaster,Car OBD,ect.external device
Voltage & Power	Power Management	Wide Voltage.Support Timed/Delay off
	Input Voltage	DC:+6V - +36V
	Output Voltage	+12V~1.5A,+5V~1.5A
	Power	Working<5W
Working Environment	Temperature	-20°C - +70°C
	Humidity	20% - 80%
Others	Size	200 (D)* 187(W)* 62(H) mm
	Weight	1.90Kg

Product Show:





AV Input & Output Cables



Power Cable



IO Cables



Remote Control



3G Antenna



WIFI Antenna




CD (Manual & Software Inside)




7000 HDD Mobile DVR

Product Introduction

Device Series



Product Advantage



Client User Graph Interface

The interface is titled "移动视频监控平台" (Mobile Video Monitoring Platform). It features a top navigation bar with icons for system, real-time preview, electronic map, return management, information management, and system settings. The main dashboard includes tiles for "视频监听" (Video Listening), "卫星定位" (Satellite Positioning), "系统调试" (System Debugging), "远程报警" (Remote Alarm), "设备管理" (Device Management), "监听对讲" (Listening and Intercom), "驾乘管理" (Driver/Passenger Management), and "数据报表" (Data Report).

A "用户登录" (User Login) panel is visible on the right, with fields for "用户名" (Username: RCMTEST), "密码" (Password: *****), and "服务器" (Server: 113.108.120.47). It also includes checkboxes for "记住密码" (Remember Password) and "自动登录" (Auto Login), along with "登录" (Login) and "退出" (Logout) buttons.

The main monitoring view displays four video feeds for vehicle "贵C A6446":

- 1. 贵C A6446 - CH1 - 0 KB/S: Driver's perspective.
- 2. 贵C A6446 - CH2 - 24 KB/S: Interior view of passengers.
- 3. 贵C A6446 - CH3 - 0 KB/S: Another interior view.
- 4. 贵C A6446 - CH4 - 0 KB/S: External view of the road.

Below the video feeds is a table showing real-time monitoring data:

终端	GPS时间	位置	速度	报警
贵C A6446	2016-03-14 09:50:09	贵州省遵义市习水县G4215(遵遵高速公路)	74.10 km/h(南)	
桂KY7507	2016-03-14 09:50:17	广西壮族自治区玉林市博白县人民中路38号	11.00 km/h(北)	
桂KY7569	2016-03-14 09:50:38	广西壮族自治区玉林市博白县X403	27.00 km/h(西北)	
桂KY7599	2016-03-14 09:49:03	广西壮族自治区玉林市博白县S216	0.00 km/h(东)	

Additional information includes a "GPS监控" (GPS Monitoring) status bar showing "在线:3" (Online: 3) and "报警:1" (Alarm: 1). A sidebar on the left shows a tree view of the monitoring center and a list of devices with their status (e.g., "在线" - Online).

our mdvr support mobile Client monitoring like PC,mobile phone etc.

İstemci İndirme



Windows

İndir



Version: 7.4.0.15
Güncelle: 20151123



İndir



Version: 7.0.3
Güncelle: 20150523

- Çince
- İngilizce
- Geleneksel
- Türkiye
- Taylandlı
- Portugues
- Arapça
- İspanya
- Bulgar
- Russian

Uygun Program İndir



Application

FUNCTIONS

- Video & Audio real-time monitoring
- Online Vehicle Status
- Satellite Map
- GPS
- Video Storage
- Tracking Display
- Intercom
- Fuel Sensor
- G-Sensor
- Temperature-Sensor

Richmor

OEM & ODM Service

Brasil World Cup Supplier
www.rcmctv.com



Truck
Coach



School Bus
Bus



Police Car
Taxi



Support
All Vehicles

certificate

VERIFICATION OF CONFORMITY

Verification of Conformity
Reference No. L16134-000171

Responsible Party: Shenzhen Reaktor Technology Development Co., LTD.
Address: 27 No.44 West Longgang Road, Longgang New District, Shenzhen, China
Product: Camera
Model No.: RCM-IPC2A, RCM-IPC2L, RCM-LPC2H, RCM-IPC1A, RCM-IPC1B, RCM-IPC1C, RCM-IPC1D, RCM-IPC1E, RCM-IPC1F, RCM-IPC1G, RCM-IPC1H, RCM-IPC1I, RCM-IPC1J, RCM-IPC1K, RCM-IPC1L, RCM-IPC1M, RCM-IPC1N, RCM-IPC1O, RCM-IPC1P, RCM-IPC1Q, RCM-IPC1R, RCM-IPC1S, RCM-IPC1T, RCM-IPC1U, RCM-IPC1V, RCM-IPC1W, RCM-IPC1X, RCM-IPC1Y, RCM-IPC1Z, RCM-IPC2A, RCM-IPC2B, RCM-IPC2C, RCM-IPC2D, RCM-IPC2E, RCM-IPC2F, RCM-IPC2G, RCM-IPC2H, RCM-IPC2I, RCM-IPC2J, RCM-IPC2K, RCM-IPC2L, RCM-IPC2M, RCM-IPC2N, RCM-IPC2O, RCM-IPC2P, RCM-IPC2Q, RCM-IPC2R, RCM-IPC2S, RCM-IPC2T, RCM-IPC2U, RCM-IPC2V, RCM-IPC2W, RCM-IPC2X, RCM-IPC2Y, RCM-IPC2Z
Trade Mark: Reaktor
Standard: FCC CFR 47 PART 15 Subpart B, 2011, ANSI C63.4-2008

Important note:
This device is in compliance with Part 15 of the FCC Rules and Regulations for radio frequency devices. Operation of the product is subject to the following two conditions:
(1) The device may not cause harmful interference, and (2) the device must accept any interference received, including interference that may cause undesired operation.
The manufacturer is responsible for ensuring that the product complies with the applicable FCC Rules and Regulations. The method of testing used was in accordance with the applicable FCC Rules and Regulations. The method of testing used was in accordance with the most accurate measurement methods available, and that all necessary steps have been taken to ensure that all production units of the same equipment will continue to comply with the Federal Communications Commission's requirements.

Shenzhen LCC Compliance Testing Laboratory Ltd.
17, Kingqian Industrial Park, Tongda Road, Bao'an District, Shenzhen, Guangdong, China
Tel: 86755-26291132 Fax: 86755-26291133
http://www.lcc-test.com Email: sales@lcc-test.com

Manager
April 16, 2013



VERIFICATION OF CONFORMITY

Verification of Conformity
Reference No. L16134-000171

Responsible Party: Shenzhen Reaktor Technology Development Co., LTD.
Address: 27 No.44 West Longgang Road, Longgang New District, Shenzhen, China
Product: Media DVR
Model No.: RCM-MD30A, RCM-MD30B, RCM-MD30C, RCM-MD30D, RCM-MD30E, RCM-MD30F, RCM-MD30G, RCM-MD30H, RCM-MD30I, RCM-MD30J, RCM-MD30K, RCM-MD30L, RCM-MD30M, RCM-MD30N, RCM-MD30O, RCM-MD30P, RCM-MD30Q, RCM-MD30R, RCM-MD30S, RCM-MD30T, RCM-MD30U, RCM-MD30V, RCM-MD30W, RCM-MD30X, RCM-MD30Y, RCM-MD30Z
Trade Mark: Reaktor
Standard: FCC CFR 47 PART 15 Subpart B, 2011, ANSI C63.4-2008

Important note:
This device is in compliance with Part 15 of the FCC Rules and Regulations for radio frequency devices. Operation of the product is subject to the following two conditions:
(1) The device may not cause harmful interference, and (2) the device must accept any interference received, including interference that may cause undesired operation.
The manufacturer is responsible for ensuring that the product complies with the applicable FCC Rules and Regulations. The method of testing used was in accordance with the most accurate measurement methods available, and that all necessary steps have been taken to ensure that all production units of the same equipment will continue to comply with the Federal Communications Commission's requirements.

Shenzhen LCC Compliance Testing Laboratory Ltd.
17, Kingqian Industrial Park, Tongda Road, Bao'an District, Shenzhen, Guangdong, China
Tel: 86755-26291132 Fax: 86755-26291133
http://www.lcc-test.com Email: sales@lcc-test.com

Manager
April 16, 2013



CERTIFICATE OF CONFORMITY
Reference No. L16134-000171

Applicant: Shenzhen Reaktor Technology Development Co., LTD.
Address: 27 No.44 West Longgang Road, Longgang New District, Shenzhen, China
Product: Media DVR
Model: RCM-MD30A, RCM-MD30B, RCM-MD30C, RCM-MD30D, RCM-MD30E, RCM-MD30F, RCM-MD30G, RCM-MD30H, RCM-MD30I, RCM-MD30J, RCM-MD30K, RCM-MD30L, RCM-MD30M, RCM-MD30N, RCM-MD30O, RCM-MD30P, RCM-MD30Q, RCM-MD30R, RCM-MD30S, RCM-MD30T, RCM-MD30U, RCM-MD30V, RCM-MD30W, RCM-MD30X, RCM-MD30Y, RCM-MD30Z
Trade Mark: Reaktor

The submitted products have been tested in accordance with the latest standards and found in compliance with the following European Directive:
The EMC Directive 2004/108/EC
EN 55022, EN 55024, EN 55024-2
The tests were performed in normal operation mode. The test results apply only to the particular sample tested and to the specific tests carried out. This certificate applies specifically to the sample investigated and is not a reference number only.
The CE marking as shown below can be affixed on the product after preparation of necessary technical documentation.
Other relevant Directives have to be obtained.

Shenzhen LCC Compliance Testing Laboratory Ltd.
17, Kingqian Industrial Park, Tongda Road, Bao'an District, Shenzhen, Guangdong, China
Tel: 86755-26291132 Fax: 86755-26291133
http://www.lcc-test.com Email: sales@lcc-test.com

Manager
April 16, 2013



CERTIFICATE OF CONFORMITY

CERTIFICATE of Conformity
Reference No. L16134-000171

Applicant: Shenzhen Reaktor Technology Development Co., LTD.
Address: 27 No.44 West Longgang Road, Longgang New District, Shenzhen, China
Product: Camera
Model: RCM-IPC2A, RCM-IPC2L, RCM-LPC2H, RCM-IPC1A, RCM-IPC1B, RCM-IPC1C, RCM-IPC1D, RCM-IPC1E, RCM-IPC1F, RCM-IPC1G, RCM-IPC1H, RCM-IPC1I, RCM-IPC1J, RCM-IPC1K, RCM-IPC1L, RCM-IPC1M, RCM-IPC1N, RCM-IPC1O, RCM-IPC1P, RCM-IPC1Q, RCM-IPC1R, RCM-IPC1S, RCM-IPC1T, RCM-IPC1U, RCM-IPC1V, RCM-IPC1W, RCM-IPC1X, RCM-IPC1Y, RCM-IPC1Z, RCM-IPC2A, RCM-IPC2B, RCM-IPC2C, RCM-IPC2D, RCM-IPC2E, RCM-IPC2F, RCM-IPC2G, RCM-IPC2H, RCM-IPC2I, RCM-IPC2J, RCM-IPC2K, RCM-IPC2L, RCM-IPC2M, RCM-IPC2N, RCM-IPC2O, RCM-IPC2P, RCM-IPC2Q, RCM-IPC2R, RCM-IPC2S, RCM-IPC2T, RCM-IPC2U, RCM-IPC2V, RCM-IPC2W, RCM-IPC2X, RCM-IPC2Y, RCM-IPC2Z
Trade Mark: Reaktor

The submitted products have been tested in accordance with the latest standards and found in compliance with the following European Directive:
The EMC Directive 2004/108/EC
EN 55022, EN 55024, EN 55024-2
The tests were performed in normal operation mode. The test results apply only to the particular sample tested and to the specific tests carried out. This certificate applies specifically to the sample investigated and is not a reference number only.
The CE marking as shown below can be affixed on the product after preparation of necessary technical documentation.
Other relevant Directives have to be obtained.

Shenzhen LCC Compliance Testing Laboratory Ltd.
17, Kingqian Industrial Park, Tongda Road, Bao'an District, Shenzhen, Guangdong, China
Tel: 86755-26291132 Fax: 86755-26291133
http://www.lcc-test.com Email: sales@lcc-test.com

Manager
April 16, 2013



CERTIFICATE OF CONFORMITY

CERTIFICATE of Conformity
2011/65/EC Restriction of Hazardous Substances
Reference No. L16134-000171

When tested as specified, the submitted sample complies with the requirements of Commission Decision of 27 July 2011 amending Directive 2011/65/EC.

Applicant: Shenzhen Reaktor Technology Development Co., LTD.
Address: 27 No.44 West Longgang Road, Longgang New District, Shenzhen, China
Trade Mark: Reaktor
Product: Camera
Model: RCM-IPC2A, RCM-IPC2L, RCM-LPC2H, RCM-IPC1A, RCM-IPC1B, RCM-IPC1C, RCM-IPC1D, RCM-IPC1E, RCM-IPC1F, RCM-IPC1G, RCM-IPC1H, RCM-IPC1I, RCM-IPC1J, RCM-IPC1K, RCM-IPC1L, RCM-IPC1M, RCM-IPC1N, RCM-IPC1O, RCM-IPC1P, RCM-IPC1Q, RCM-IPC1R, RCM-IPC1S, RCM-IPC1T, RCM-IPC1U, RCM-IPC1V, RCM-IPC1W, RCM-IPC1X, RCM-IPC1Y, RCM-IPC1Z, RCM-IPC2A, RCM-IPC2B, RCM-IPC2C, RCM-IPC2D, RCM-IPC2E, RCM-IPC2F, RCM-IPC2G, RCM-IPC2H, RCM-IPC2I, RCM-IPC2J, RCM-IPC2K, RCM-IPC2L, RCM-IPC2M, RCM-IPC2N, RCM-IPC2O, RCM-IPC2P, RCM-IPC2Q, RCM-IPC2R, RCM-IPC2S, RCM-IPC2T, RCM-IPC2U, RCM-IPC2V, RCM-IPC2W, RCM-IPC2X, RCM-IPC2Y, RCM-IPC2Z

The test result is issued by the Company's subject to the Technical Conditions of Service printed hereafter. Attention is drawn to the limitations of liability, indemnification and professional services without warranty. The results shown in this test report refer only to the particular tested unless otherwise stated. This Test Report cannot be reproduced in any form without prior written permission of the Company.
Other relevant Directives have to be obtained.

Shenzhen LCC Compliance Testing Laboratory Ltd.
17, Kingqian Industrial Park, Tongda Road, Bao'an District, Shenzhen, Guangdong, China
Tel: 86755-26291132 Fax: 86755-26291133
http://www.lcc-test.com Email: sales@lcc-test.com

Manager
April 16, 2013



CERTIFICATE OF CONFORMITY

CERTIFICATE of Conformity
2011/65/EC Restriction of Hazardous Substances
Reference No. L16134-000171

When tested as specified, the submitted sample complies with the requirements of Commission Decision of 27 July 2011 amending Directive 2011/65/EC.

Applicant: Shenzhen Reaktor Technology Development Co., LTD.
Address: 27 No.44 West Longgang Road, Longgang New District, Shenzhen, China
Trade Mark: Reaktor
Product: Media DVR
Model: RCM-MD30A, RCM-MD30B, RCM-MD30C, RCM-MD30D, RCM-MD30E, RCM-MD30F, RCM-MD30G, RCM-MD30H, RCM-MD30I, RCM-MD30J, RCM-MD30K, RCM-MD30L, RCM-MD30M, RCM-MD30N, RCM-MD30O, RCM-MD30P, RCM-MD30Q, RCM-MD30R, RCM-MD30S, RCM-MD30T, RCM-MD30U, RCM-MD30V, RCM-MD30W, RCM-MD30X, RCM-MD30Y, RCM-MD30Z

The test report is issued by the Company's subject to the Technical Conditions of Service printed hereafter. Attention is drawn to the limitations of liability, indemnification and professional services without warranty. The results shown in this test report refer only to the particular tested unless otherwise stated. This Test Report cannot be reproduced in any form without prior written permission of the Company.
Other relevant Directives have to be obtained.

Shenzhen LCC Compliance Testing Laboratory Ltd.
17, Kingqian Industrial Park, Tongda Road, Bao'an District, Shenzhen, Guangdong, China
Tel: 86755-26291132 Fax: 86755-26291133
http://www.lcc-test.com Email: sales@lcc-test.com

Manager
April 16, 2013



company and factory



Richmor

OEM & ODM Service

Brasil World Cup Supplier



Exhibition:

Richmor

CPSE2012 in Shenzhen



CPSE2013

10.29-10.31

4 Booth we have

Welcome you !!!



CPSE2012-- Guangdong TV Report-Shenzhen Richmor



Other kinds of products

Product Introduction

We are Professional mobile dvr manufacturer !!

TOP SALE ---4ch AHD **SD CARD** MOBILE DVR & 4ch AHD **HDD** mobile dvr

Richmor

✓ Factory Audit

- SMS Device configure
- OTA Remote Updating
- AHD 720P/960P
- Motion Detection

NEW



CE FC




Richmor

✓ Factory Audit

- SMS Device configure
- OTA Remote Updating
- AHD 720P/960P
- 2TB HDD+128GB SD Card

NEW



CE FC




If u r interested in our dvr, pls contact Amily: [whatsapp--18929314790](https://www.whatsapp.com/message/18929314790)


系统配套产品

VEHICLE CAMERA PARAMETER

车载红外半球摄像机 Vehicle Dome IR Camera

	RCM-D342S/IR	1/3"	SONY CCD 420TVL 0.5LUX	24 units ◁ 5 LED or 10 Units ◁ 8 LED	3.6mm/6mm
	RCM-D442A/IR	1/4"	Sharp CCD 420TVL 0.5LUX	24 Units ◁ 5 LED or 10 units ◁ 8 LED	2.8mm/3.6mm
	RCM-D348S/IR	1/3"	SONY CCD 480TVL 0.1LUX	24 Units ◁ 5 LED or 10 units ◁ 8 LED	3.6mm/6mm
	RCM-D354S/IR	1/3"	SONY CCD 540TVL 0.1LUX	24 Units ◁ 5 LED or 10 Units ◁ 8 LED	3.6mm/6mm
	RCM-D360S/IR	1/3"	SONY CCD 600TVL 0.1LUX	24 Units ◁ 5 LED or 10 Units ◁ 8 LED	3.6mm/6mm
	RCM-D370S/IR	1/3"	SONY CCD 700TVL 0.1LUX	24 Units ◁ 5 LED or 10 Units ◁ 8 LED	3.6mm/6mm

车载红外防水摄像机 Vehicle IR Waterproof Camera

	RCM-CM442A/IR	1/4"	Sharp CCD 420TVL 0.5LUX	20 Units ◁ 5 LED (Work Under water)	3.6mm/6mm
	RCM-CM342S/IR	1/3"	SONY CCD 420TVL 0.1LUX	20 Units ◁ 5 LED (Work under Water)	3.6mm/6mm
	RCM-CM348S/IR	1/3"	SONY CCD 480TVL 0.1LUX	20 Units ◁ 5 LED (Work Under Water)	3.6mm/6mm
	RCM-CM360S/IR	1/3"	SONY CCD 600TVL 0.1LUX	20 Units ◁ 5 LED (Work Under Water)	3.6mm/6mm



Best Regards
Amily Zhang

HAND US YOUR TRUST, OFFER YOU OUR BEST!!!

Shenzhen Richmor Technology Development Co.,LTD

Email: overseasales-2@rcmcctv.com

Skype: rcmcctvsales2

QQ: 2355778097

MB/Whatsapp: +86 18929314790

Website: <http://www.richmor.net/>

ADD: 6th Floor, F Building, Xinzhi Industrial Park, Yangmei,Bantian,Longgang, Shenzhen

