

GPS 3G 4G School bus mobile dvr Support WIFI module, 4channels mdvr with free software

Shenzhen Richmor Science&Technologies Development Co.,Ltd



WE PUT FORWARD THE IDEAL OF "4M" IN ENTERPRISE MANAGEMENT:

- More enhancements of product quality everyday.
- More progress of services and sales everyday,
- More widely the effect of our brand expands everyday,
- More smiles to each of us everyday.

Richmor

product specification:

| Item | | parameter |
|---------------------|--------------------------|---|
| Operating System | | Linux |
| Language | | English/chinese/customized |
| Video Compression | | H.264 Compression |
| OSD | | overlays information such as date time and vehicle ID |
| GUI | Graphical user interface | setup system parameters with the remote control |
| Video Record System | video input | 4CH 960P/720P AHD input,aviation connector, 1.0Vp-p, 75Ω |
| | video output | 1 CVBS, 1.0Vp-p, 75Ω,Aviation,Support 1CH Full Screen,4CH Screen view |
| | preview | Support 1 channel and 4 channels preview., Support Manual/Alarm Trigger full screen preview |
| | resolution | 720P/D1/HD1/CIF, MAX:4 channels of 720P and 4 channels of D1 |
| | image quality | 1-4 levels, 1 is the highest level. |
| | video standard | PAL: 100f/s , CCIR625 line,50field; NTSC: 120f/s, CCIR525 line,60field; CIF: 256Kbps ~ 1.5Mbps, 8 level video quality optional; HD1: 600Kbps ~ 2.5Mbps, 8 level video quality optional; D1: 800Kbps ~ 3Mbps, 8 level video quality optional; 720P: 4Mbps-6Mbps, multi level video quality optional |
| Audio | record mode | The default setting is auto recording after power on. Timed recording, alarm trigger recording and manual recording are supported. |
| | audio input | 4CH Aviation Plug Input |
| | audio output | 2CH,headphone connect at front panel, BNC Connect on Back panel |
| compression | | G.726 compression, 8KB/s speed |
| Alarm Input | | 7CH Alarm Input,1CH AD Input,impulse speed input,Alarm Linkage |
| Alarm Output | | 2CH Alarm Output,Support Light/Sound alarm sensor,Oil/Power cut off |

| | | |
|-----------------------|---------------------|--|
| Interface | | 3CH RS232, POS/Fuel Sensor/LED Advertisement Connection 1CH 485 Interface,Connect PTZ Camera |
| Wireless Transmission | | Support Built in 3G transmission,, WCDMA, CDMA2000,GPRS, EDGE; Built in 4G module optional, TDD-LTE, FDD-LTE |
| GPS Position | | Support Built GPS/BD Module |
| Storage | HDD | Max 2.5" 1TB HDD |
| | SD Card | Max 128GB SD Card Mirror Recording Keep Data Safety |
| | update | Support USB Updating, SD Card Updating,OTA Remote Updating |
| | file format | H.264 |
| | file system | Special FAT32 File System |
| | USB | USB Interface on Front Panel for data back up by U Disk,Hard Disk |
| Record Replay | video search | Search By Record Time/Record Type etc |
| | playback | Max support 4CH Replay /Stop/Fast/Slow at same time Support forward and backward play at the speed of: x 2,x4,x8,x16. |
| Security | | User/Admin 2 Level Different Password |
| Optional Functions | voice call | Support voice call each other |
| | TTS Voice broadcast | Support TTS voice broadcast function. |
| | serial expand | Support LED Advertisement Panel,Oil Sensor, POS,Bus Station Broadcaster,Car OBD,ect.external device |
| Voltage & Power | Power Management | Wide Voltage.Support Timed/Delay off |
| | Input Voltage | DC:+6V - +36V |
| | Output Voltage | +12V~1.5A,+5V~1.5A |
| | Power | Working<5W |
| Working Environment | Temperature | -20℃ - +70℃ |
| | Humidity | 20% - 80% |
| Others | Size | 200 (D)* 187(W)* 62(H) mm |
| | Weight | 1.90Kg |

Product Show:





AV Input & Output Cables



Power Cable



IO Cables



Remote Control



3G Antenna



WIFI Antenna




CD (Manual & Software Inside)



7000 HDD Mobile DVR


Product Introduction

Device Series



15

Product Advantage



Client User Graph Interface

The interface is titled "移动视频监控平台" (Mobile Video Monitoring Platform). It features a top navigation bar with tabs for "欢迎登录, RCMTEST", "系统", "实时预览", "电子地图", "回放管理", "信息管理", and "系统设置".

On the left, there is a sidebar with a tree view showing the hierarchy of monitored vehicles. Below this is a table with columns for "状态", "云台", "色彩", and "语音".

The main area displays four video feeds labeled 1 through 4, each showing a different camera angle from a vehicle (贵C A6446). Below the feeds is a table with columns for "终端", "GPS时间", "位置", "速度", and "报警".

On the right, there is a map showing the location of the vehicle (贵C A6446) and a search bar. Below the map is a table with columns for "终端", "GPS时间", "位置", "速度", and "报警".

At the bottom, there is a status bar showing "运行时长: 00:01:04", "在线数: 3 / 定损数: 1 / 欠费: 0 / 总数: 11", "在线率: 27.27% / 定损率: 9.09%".

用户登录

用户名: RCMTEST
密码: *****
服务器: 113.108.120.47
☒ 记住密码 ☐ 自动登录
登录 退出

移动视频监控平台

欢迎登录, RCMTEST 系统

终端列表 轮询列表 我的地图

监控中心(3/11)
贵州(1/1)
贵C A6446
CH1
CH2
CH3
CH4
桂KY7507
桂KY7569
80024
80119
D82868
子NPS001
桂KY7586
桂KY7599
贵B93017
贵C87762

状态 云台 色彩 语音

| 设备类型 | MDVR |
|-------|------------------------|
| 终端名称 | 贵C A6446 |
| 终端ID | 80109 |
| 公司 | 通运集团金融公司 |
| 所属分组 | 贵州 |
| 状态 | 在线 |
| GPS时间 | 2016-03-14 09:50:09 |
| 位置 | 贵州省遵义市习水县G4215(蓉遵高速公路) |
| 速度 | 74.10 km/h(南) |
| 费用 | 正常 |

1 贵C A6446 - CH1 - 0 KB/S
2 贵C A6446 - CH2 - 24 KB/S
3 贵C A6446 - CH3 - 0 KB/S
4 贵C A6446 - CH4 - 0 KB/S

GPS时间: 2016-03-14 09:50:09
位置: 贵州省遵义市习水县G4215(蓉遵高速公路)
速度: 74.10 km/h(南)
报警: 0

终端: 贵C A6446
GPS时间: 2016-03-14 09:50:09
位置: 贵州省遵义市习水县G4215(蓉遵高速公路)
速度: 74.10 km/h(南)
报警: 0

终端: 桂KY7507
GPS时间: 2016-03-14 09:50:17
位置: 广西壮族自治区玉林市博白县人民中路38号
速度: 11.00 km/h(北)
报警: 0

终端: 桂KY7569
GPS时间: 2016-03-14 09:50:38
位置: 广西壮族自治区玉林市博白县X403
速度: 27.00 km/h(西北)
报警: 0







终端: 桂KY7599
GPS时间: 2016-03-14 09:49:03
位置: 广西壮族自治区玉林市博白县S216
速度: 0.00 km/h(东)
报警: 0

运行时长: 00:01:04 在线数: 3 / 定损数: 1 / 欠费: 0 / 总数: 11 在线率: 27.27% / 定损率: 9.09%




our mdvr support mobile Client monitoring like PC,mobile phone etc.

[Anasayfa](#)[İndir](#)[Soru](#)[Language](#)

İstemci İndirme

| | | |
|--|--|---|
|  Windows İndir  Version: 7.4.0.15 Güncelle: 20151123 |  İndir  Version: 7.0.3 Güncelle: 20150523 |  İndir  Version: 7.0.0.10 Güncelle: 20150801 |
|--|--|---|

Uygun Program İndir

| | | |
|---|---|---|
|  |  |  |
|---|---|---|

Appliacation

FUNCTIONS

- Video& Audio real-time monitoring
- Online Vehicle Status
- Satellite Map
- GPS
- Video Storage
- Tracking Display
- Intercom
- Fuel Sensor
- G-Sensor
- Temperature-Sensor

Richmor

OEM & ODM Service

Brasil World Cup Supplier
www.rcmcctv.com



Truck
Coach



School Bus
Bus



Police Car
Taxi



Support
All Vehicles

certificate

| | |
|---|--|
| | |
| Verification of Conformity | |
| Reference No.: L23-030000019 | |
| Responsible Party | Shenzhen Richour Technology Development Co., LTD. China |
| Address | 3F No. 8 West Longgang Road, Longhua New District, Shenzhen, China |
| Product | Cables |
| Model No. | RCH-PVCFH, RCH-PVCFL, RCH-LPVCFL, RCH-PVCH, RCH-RHPCAL, RCH-RHPUL, RCH-GAL, RCH-GAL, RCH-JAHL, RCH-JAHB, RCH-KSHL, RCH-KSHB, RCH-BDTHL, RCH-BDTCBL, RCH-C2C200T |
| Trade Mark | Richour |
| Standards | CCC GB/T 4747 Part 14 & Part 15 of the FCC Rules and Regulations for safety Recycled electronic waste |
| <p>This device is in compliance with Part 14 of the FCC Rules and Regulations for safety Recycled electronic devices. Declaration of EMC product is subject to the following test procedures:</p> <p>(1) This device may cause harmful interference, and (2) that device must accept any interference received, including interference that may cause undesired operation.</p> <p>We intend to conform to the applicable FCC Rules and Regulations. The method of testing used is accordance to the most accurate measurement standards available, and that all necessary steps have been undertaken to ensure that all evaluating units of the same equipment are subjected to scrutiny with the Federal Communications Commission's requirements.</p> | |
| Manager April 9, 2012 | |
| Shanghai L23 Compliance Testing Laboratory Ltd. #1, Xingye Industrial Park, Tongde Road, Sabei Road, Sabei District, Shanghai China Tel: +86(21) 62929 100 http://www.l23.com | |
| Tel: +86(755) 4229 8111 E-mail: info@l23.net.cn | |

| | | |
|--|---|--|
| VERIFICATION OF CONFORMITY |  | |
| | Verification of Conformity Reference No.: LCC0104000719 | |
| | Responsible Party | Shenzhen Workforce Technology Development Co., LTD. |
| | Address | 27 No.64 West Longgang Road, Longgang New District, Shenzhen, China |
| | Product | Mobile DVR |
| | Model No. | NCM-400000, NCM-400001, NCM-400002, NCM-400003, NCM-400004, NCM-400005, NCM-400006, NCM-400007, NCM-400008, NCM-400009, NCM-400010 |
| | Track Mark | Blackmark |
| | Standards | FCC (CISR 476) Part 15 Subpart D, CISR, ANSI C63A-2005 |
| | Important notes This device is in conformance with Part 15 of the FCC Rules and Regulations for radio frequency devices. Operation of the product is subject to the following two conditions: (1) this device will not cause harmful interference, and (2) this device must accept any interference received, including interference that originates from authorized equipment. Any device in violation of the applicable FCC Rules and Regulations, the national licensing system, or in accordance to the major accessories measurement standards possible, and that all necessary steps have been performed to ensure that all production units of the same equipment will continue in conformity with the Federal Communications Commission's requirements. | |
| |  Shengye (April 16, 2017) | |
| Shanghai LCC Inspection Testing Laboratory Ltd. 3rd Floor, Shanghai Pudong New Area, Shanghai, China Shanghai, China Tel: 86-21-503261128 Fax: 86-21-503261128 E-mail: shanghai@lcc.com.cn Web: www.lcc.com.cn | | |

CERTIFICATE OF CONFORMITY

CERTIFICATE of Conformity

Reference No.: CCBP0018476

| | |
|------------|--|
| Applicant: | Shenzhen Ectonic Technology Development Co., LTD. |
| Address: | JF 30-46 Road, Longgang Road, Longgang New District, Shenzhen, China |
| Product: | Mobile 32GB |
| Model: | HC-M000000, HC-M000000, HC-M000000, HC-M000000, HC-M000000, HC-M000000, HC-M000000, HC-M000000 |

Trade Mark: Ectonic

The certified products have been tested by us with the latest procedure and found in compliance with the following European Directives:

The EMC Directive 2004/108/EC

EN 55022, EN 55024, EN 55035

The tests were performed in normal operation mode. The test results apply only to the particular sample tested and to the specific use stated on this certificate. This certificate applies specifically to the sample investigated in our test laboratory number only.

The CE marking on the product is not allowed on the product after presentation of necessary technical documentation.

(This relevant Directive has to be attached)

Manager
(April 16, 2017)

Shenzhen CCB Compliance Testing Laboratory Ltd.
17, Jingnong Industrial Park, Xixiang Street, Xixiang Street, Xixiang Street, Xixiang Street
Guangdong, China
Tel: 86-755-83211111
http://www.ccb-test.com.cn Fax: 86-755-83211111
Email: admin@ccb-test.com.cn

[illegible][illegible]

CERTIFICATE OF CONFORMITY

|  CERTIFICATE of Conformity <small>INTERNATIONAL REGISTRATION OF QUALITY</small> Reference No.: LV10104100818 | |
|---|--|
| When tested as specified, the submitted sample conforms with the requirements of <i>Commission Decision of 27 July 2011 amending Directive 2011/65/EU</i> . | |
| Applicant: | Shenzhen Rixin Technology Development Co., LTD. |
| Address: | 3F No. 24 West Longgang Road, Longhua New District, Shenzhen, China |
| Trade Mark: | Rixinstar |
| Product: | Semiconductor |
| Model(s): | N30M-INDIGOLD, N30M-INDIGOLD, N30M-INDIGOLD, N30M-INDIGOLD, N30M-INDIGOLD, N30M-INDIGOLD, N30M-INDIGOLD, N30M-INDIGOLD |
| <p>The test report is issued on the Applicant's ability to do General Conditions of Service issued according to Annex 1 to the Declaration of Intention, manufacturer and manufacturer's authorized dealer. The results shown in this test report refer only to the samples tested under reference condition. This Report cannot be reproduced, except in full, without your written permission of the Company.</p> <p>Other relevant documents have to be obtained.</p> | |
| <h1 style="margin: 0;">RoHS</h1> | |
|  <div style="text-align: right;">  April 10, 2012 </div> | |
| <div style="display: flex; justify-content: space-between;"> <div> Shenzhen LV10 Compliance Testing Laboratory Ltd. 2F, Zhongguo Education City, Zhongguo Education City, Nanhai District, Shunde City, Guangdong, China Tel: +86-755-82591256 http://www.lv10.com.cn/ </div> <div style="text-align: right;"> Fax: +86-755-82591256 E-mail: shenzhen@lv10.com.cn </div> </div> | |

company and factory



Richmor OEM & ODM Service
Brasil World Cup Supplier



Exhibition:

Richmor

CPSE2012 in Shenzhen



CPSE2013

10.29-10.31

4 Booth we have

Welcome you !!!



CPSE2012-- Guangdong TV Report-Shenzhen Richmor



Other kinds of products

Product Introduction

We are Professional mobile dvr manufacturer !!

TOP SALE ---4ch AHD SD CARD MOBILE DVR & 4ch AHD HDD mobile dvr

If u r interested in our dvr, pls contact Amily: [whatsapp--18929314790](https://www.whatsapp.com/channel/0029113929314790)

系统配套产品

VEHICLE CAMERA PARAMETER

车载红外半球摄像机 Vehicle Dome IR Camera



| | | | |
|--------------|------------------------------|--------------------------------------|-------------|
| RCM-D342S/IR | 1/3" SONY CCD 420TVL 0.5LUX | 24 units ≤ 5 LED or 10 Units ≤ 8 LED | 3.6mm/6mm |
| RCM-D442A/IR | 1/4" Sharp CCD 420TVL 0.5LUX | 24 Units ≤ 5 LED or 10 units ≤ 8 LED | 2.8mm/3.6mm |
| RCM-D348S/IR | 1/3" SONY CCD 480TVL 0.1LUX | 24 Units ≤ 5 LED or 10 units ≤ 8 LED | 3.6mm/6mm |
| RCM-D354S/IR | 1/3" SONY CCD 540TVL 0.1LUX | 24 Units ≤ 5 LED or 10 Units ≤ 8 LED | 3.6mm/6mm |
| RCM-D360S/IR | 1/3" SONY CCD 600TVL 0.1LUX | 24 Units ≤ 5 LED or 10 Units ≤ 8 LED | 3.6mm/6mm |
| RCM-D370S/IR | 1/3" SONY CCD 700TVL 0.1LUX | 24 Units ≤ 5 LED or 10 Units ≤ 8 LED | 3.6mm/6mm |

车载红外防水摄像机 Vehicle IR Waterproof Camera



| | | | |
|---------------|------------------------------|---------------------------------------|-----------|
| RCM-CM442A/IR | 1/4" Sharp CCD 420TVL 0.5LUX | 20 Units ≤ 5 LED (Work Under water) | 3.6mm/6mm |
| RCM-CM342S/IR | 1/3" SONY CCD 420TVL 0.1LUX | 20 Units ≤ 5 LED (Work under Water) | 3.6mm/6mm |
| RCM-CM348S/IR | 1/3" SONY CCD 480TVL 0.1LUX | 20 Units ≤ 5 LED (Work Under Water) | 3.6mm/6mm |
| RCM-CM360S/IR | 1/3" SONY CCD 600TVL 0.1LUX | 20 Units ≤ 5 LED (Work Under Water) | 3.6mm/6mm |



Best Regards
Amily Zhang

HAND US YOUR TRUST, OFFER YOU OUR BEST!!!

Shenzhen Richmor Technology Development Co.,LTD

Email: overseasales-2@rcmcctv.com

Skype: rcmcctvsales2

QQ: 2355778097

MB/Whatsapp: +86 18929314790

Website: <http://www.richmor.net/>

ADD: 6th Floor, F Building, Xinzhi Industrial Park, Yangmei,Bantian,Longgang, Shenzhen

