

GPS hidden security guard body worn camera 128g 3g police body worn portable dvr with cms

Main Feature:

1. Portable DVR for Personal
2. Support WIFI, 3G, GPS function
3. Support real-time surveillance
4. Supports SD overwritten by days
5. Supports backup and upgrade with SD card
6. Self recovery after power reconnected

Pictures



Specification

| Items | Device parameters | Performance index |
|----------------------------|-----------------------------|---|
| System | Operation system | Linux |
| | Separate design | Main device: work independently to realize local record Auxiliary device: GPS / 3G, backup battery |
| | Graphic operation interface | Use buttons to complete the setting of various parameters |
| | Security management | User password management |
| Video | Video input | Built-in camera lens, angle of visibility: 70°, CMOS sensor |
| | OSD | Time & date, device ID, GPS, etc. |
| | Compression | H.264. Hisilicon high performance processor is adopted. |
| | Video resolution | VGA by default, QVGA optional |
| | Video Bit rate QVGA | QVGA: 400Kbps ~ 1.5Mbps, 4 levels of bit rate optional |
| | Video Bit rate VGA | VGA: 1000kbps ~ 2Mbps, 4 levels of bit rate optional |
| | Preview function | Real time, record video preview |
| | Dual stream | Support |
| Audio | Audio input | Built-in MIC |
| | Audio output | Built-in speaker, >1W |
| | Compression | G.726 |
| Recording | Storage media | Micro-SD card, support 1G ~ 32G |
| | File format/system | ASF record file format, FAT32 file system |
| | Recording mode | Startup recording by default, support manual recording |
| | Recording search | Search recording video files by time, type, etc. |
| | Recording Playback | Support fast forward, fast backward, play, pause, support 2, 4, 8, 16 times speed fast forward or fast backward, support playback of file by time |
| USB Interface | Host Access | Can Expand One For USB Disk Backup |
| Network interface | Wireless transmission | Built-in 3G wireless transmission module, WCDMA, CDMA2000, TD-SCDMA system optional; Compatible with GPRS, EDGE; |
| Extend Interface | Intercom | Can Expand Intercom Module Inside |
| Screen parameters | Size | 2.4 inch |
| | Type | TFT |
| | Resolution | 480*234 |
| Upgrade | System upgrade | Support Micro-SD card upgrade |
| Working environment | Temperature | -20°C ~ +50°C |
| | Humidity | 20% to 80% |
| Dimension | Main device | 50(W) x90(H) x28(D) mm |
| | Auxiliary device | 70(W) x110(H) x28(D) mm |

| | | |
|---------------|------------------|---------------------------------------|
| Weight | Main device | Net weight: 95g, Gross weight: 307.5g |
| | Auxiliary device | Net weight: 238g, Gross weight: 352g |

Our CMS software for remotely viewing

**Vehicle with device for test in AC Coach
Lahore to Sadiq Abad near motorway @ 86Km/h**

| Device | Positioning Time | Position | Speed | Alarm |
|--------|---------------------|-----------------------------------|-------------------|-------|
| ALI01 | 2013-11-02 21:59:50 | Katar Bund Road, Lahore, Pakistan | 86.00 km/h(South) | |

IOS & Android OS Mobile Phone Surveillance



Certification



Payment terms: T/T, Western Union, MoneyGram, Paypal

Delivery time: Within 5 working days after confirm the payment.


Warranty: 12 months

Shipping way: DHL, UPS, FedEx, EMS, TNT etc.

After-sales Service:

1. After you receive our products, we will assist you to realize how to use it.
2. Offer you the software if you use our mobile DVR.
3. Twelve months warranty
4. During our warranty, if you have any problem, we can help you to solve it.

5. During our warranty, you can return to us to repair it.



Richmor

OEM & ODM Service

Brasil World Cup Supplier



Inner Training after study from Alibaba in July



Technical Training For Fast Response to Customer Richmor 锐驰曼



lecturer for Execution

EXCELLENT SUPPORT



What we expecting are:

Being helpful partner for your requirement and Long-term relationship of cooperation

Pls don't hesitate to contact Amily if any questions about your vehicle project.

Email: overseasales-2@rcmctv.com Skype: [rcmctvsales2](https://www.skype.com/user/rcmctvsales2)