GPS hidden security guard body worn camera 128g 3g police body worn portable dvr with cms

Main Feature:

- 1. Portable DVR for Personal
- 2. Support WIFI, 3G, GPS function
- 3. Support real-time surveillance
- 4. Supports SD overwritten by days
- 5. Supports backup and upgrade with SD card
- 6. Self recorvery after power reconnected

Pictures








Specification

| Items | Device parameters | Performance index |
|----------------------|--------------------------------|---|
| System | Operation system | Linux |
| | Separate design | Main device: work independently to realize local record Auxiliary device: GPS / 3G, backup battery |
| | Graphic operation interface | Use buttons to complete the setting of various parameters |
| | Security management | User password management |
| Video | Video input | Built-in camera lens, angle of visibility: 70°, CMOS sensor |
| | OSD | Time & date, device ID, GPS, etc. |
| | Compression | H.264. Hisilicon high performance processor is adopted. |
| | Video resolution | VGA by default, QVGA optional |
| | Video Bit rate QVGA | QVGA: 400Kbps ~ 1.5Mbps, 4 levels of bit rate optional |
| | Video Bit rate VGA | VGA: 1000kbps ~ 2Mbps, 4 levels of bit rate optional |
| | Preview function | Real time, record video preview |
| | Dual stream | Support |
| Audio | Audio input | Built-in MIC |
| | Audio output | Built-in speaker, >1W |
| | Compression | G.726 |
| Recording | Storage media | Micro-SD card, support 1G ~ 32G |
| | File format/system | ASF record file format, FAT32 file system |
| | Recording mode | Startup recording by default, support manual recording |
| | Recording search | Search recording video files by time, type, etc. |
| | Recording Playback | Support fast forward, fast backward, play, pause, support 2, 4, 8, 16 times speed fast forward or fast backward, support playback of file by time |
| USB Interface | Host Access | Can Expand One For USB Disk Backup |
| Network interface | Wireless transmission | Built-in 3G wireless transmission module, WCDMA, CDMA2000, TD-SCDMA system optional; Compatible with GPRS, EDGE; |
| Extend Interface | Intercom | Can Expand Intercom Module Inside |
| Screen parameters | Size | 2.4 inch |
| | Туре | TFT |
| | Resolution | 480*234 |
| Upgrade | System upgrade | Support Micro-SD card upgrade |
| Working | Temperature | -20°C ~ +50°C |
| environment | Humidity | 20% to 80% |
| Dimension | Main device | 50(W) x90(H) x28(D) mm |
| | Auxiliary device | 70(W) x110(H) x28(D) mm |

| Weight | Main device | Net weight: 95g, Gross weight: 307.5g |
|--------|------------------|---------------------------------------|
| | Auxiliary device | Net weight: 238g, Gross weight: 352g |

Our CMS software for remotely viewing



IOS & Android OS Mobile Phone Surveillance





Certification





Payment terms: T/T, Western Union, MoneyGram, Paypal

Delivery time: Within 5 working days after confirm the payment.


Warranty: 12 months

Shipping way: DHL, UPS, FedEx, EMS, TNT etc.

After-sales Service:

- 1. After you receive our products, we will assist you to realize how to use it.
- 2. Offer you the software if you use our mobile DVR.
- 3. Twelve months warranty
- 4. During our warranty, if you have any problem, we can help you to solve it.

5. During our warranty, you can return to us to repair it.

















OEM & ODM Service
Brasil World Cup Supplier







limer Tranning after study from Alibaba in July







Technical Training For Fast Response to Oustomer Richmor ## 3th #







lecturer for Execution

EXCELLENT SUPPORT



What we expecting are:

Being helpful partner for your requirement and Longterm relationship of cooperation

Pls don't hesitate to contact Amily if any questions about your vehicle project.

Email:overseasales-2@rcmcctv.com Skype: rcmcctvsales2