

GPS mobile dvr 1080p vehicle dvr with 3g 4g wifi optional with 4channels

Shenzhen Richmor Science&Technologies Development Co.,Ltd



WE PUT FORWARD THE IDEAL OF "4M" IN ENTERPRISE MANAGEMENT:

- More enhancements of product quality everyday.
- More progress of services and sales everyday,
- More widely the effect of our brand expands everyday,
- More smiles to each of us everyday.

Richmor

product specification:

Item		parameter
Operating System		Linux
Language		English/chinese/customized
Video Compression		H.264 Compression
OSD		overlays information such as date time and vehicle ID
GUI	Graphical user interface	setup system parameters with the remote control
Video Record System	video input	4CH 960P/720P AHD input,aviation connector, 1.0Vp-p, 75Ω
	video output	1 CVBS, 1.0Vp-p, 75Ω,Aviation,Support 1CH Full Screen,4CH Screen view
	preview	Support 1 channel and 4 channels preview., Support Manual/Alarm Trigger full screen preview
	resolution	720P/D1/HD1/CIF, MAX:4 channels of 720P and 4 channels of D1
	image quality	1-4 levels, 1 is the highest level.
	video standard	PAL: 100f/s , CCIR625 line,50field; NTSC: 120f/s, CCIR525 line,60field; CIF: 256Kbps ~ 1.5Mbps, 8 level video quality optional; HD1: 600Kbps ~ 2.5Mbps, 8 level video quality optional; D1: 800Kbps ~ 3Mbps, 8 level video quality optional; 720P: 4Mbps-6Mbps, multi level video quality optional
Audio	record mode	The default setting is auto recording after power on. Timed recording, alarm trigger recording and manual recording are supported.
	audio input	4CH Aviation Plug Input
	audio output	2CH,headphone connect at front panel, BNC Connect on Back panel
compression		G.726 compression, 8KB/s speed
Alarm Input		7CH Alarm Input,1CH AD Input,impulse speed input,Alarm Linkage
Alarm Output		2CH Alarm Output,Support Light/Sound alarm sensor,Oil/Power cut off

Interface		3CH RS232, POS/Fuel Sensor/LED Advertisement Connection 1CH 485 Interface,Connect PTZ Camera
Wireless Transmission		Support Built in 3G transmission,, WCDMA, CDMA2000,GPRS, EDGE; Built in 4G module optional, TDD-LTE, FDD-LTE
GPS Position		Support Built GPS/BD Module
Storage	HDD	Max 2.5" 1TB HDD
	SD Card	Max 128GB SD Card Mirror Recording Keep Data Safety
	update	Support USB Updating, SD Card Updating,OTA Remote Updating
	file format	H.264
	file system	Special FAT32 File System
	USB	USB Interface on Front Panel for data back up by U Disk,Hard Disk
Record Replay	video search	Search By Record Time/Record Type etc
	playback	Max support 4CH Replay /Stop/Fast/Slow at same time Support forward and backward play at the speed of: x 2,x4,x8,x16.
Security		User/Admin 2 Level Different Password
Optional Functions	voice call	Support voice call each other
	TTS Voice broadcast	Support TTS voice broadcast function.
	serial expand	Support LED Advertisement Panel,Oil Sensor, POS,Bus Station Broadcaster,Car OBD,ect.external device
Voltage & Power	Power Management	Wide Voltage.Support Timed/Delay off
	Input Voltage	DC:+6V - +36V
	Output Voltage	+12V~1.5A,+5V~1.5A
	Power	Working<5W
Working Environment	Temperature	-20℃ - +70℃
	Humidity	20% - 80%
Others	Size	200 (D)* 187(W)* 62(H) mm
	Weight	1.90Kg

Product Show:





AV Input & Output Cables



Power Cable



IO Cables



Remote Control



3G Antenna



WIFI Antenna




CD (Manual & Software Inside)



7000 HDD Mobile DVR


Product Introduction

Device Series



15

Product Advantage



Client User Graph Interface

The interface is titled "移动视频监控平台" (Mobile Video Monitoring Platform). It features a top navigation bar with icons for system functions. The main area is split into a left sidebar and a central display.

Left Sidebar:

- 终端列表 (Terminal List):** A tree view showing the hierarchy of devices. Under "贵州(11)" (Guizhou), there is a list of terminals including "贵C A6446" (selected), "桂KY7507", "桂KY7569", "80024", "80119", "D82868", "子NPS001", "桂KY7586", "桂KY7599", "贵B93017", and "贵C87762".
- 设备信息 (Device Information):** A table showing details for the selected terminal "贵C A6446".

设备类型	MDVR
终端名称	贵C A6446
终端ID	80109
公司	通运集团金融公司
所属分组	贵州
状态	在线
GPS时间	2016-03-14 09:50:09
位置	贵州省遵义市习水县G4215(蓉遵高速公路)
速度	74.10 km/h(南)
费用	正常

Central Display:

- 实时监控 (Real-time Monitoring):** Four video feeds showing different views of the vehicle "贵C A6446":
 - 1. 贵C A6446 - CH1 - 0 KB/S: Interior view of the driver's seat.
 - 2. 贵C A6446 - CH2 - 24 KB/S: Interior view of the passenger area.
 - 3. 贵C A6446 - CH3 - 0 KB/S: Interior view of the passenger area.
 - 4. 贵C A6446 - CH4 - 0 KB/S: Exterior view of the road ahead.
- 报警信息 (Alarm Information):** A table showing real-time alerts.

终端	GPS时间	位置	速度	报警
贵C A6446	2016-03-14 09:50:09	贵州省遵义市习水县G4215(蓉遵高速公路)	74.10 km/h(南)	
桂KY7507	2016-03-14 09:50:17	广西壮族自治区玉林市博白县人民中路38号	11.00 km/h(北)	
桂KY7569	2016-03-14 09:50:38	广西壮族自治区玉林市博白县X403	27.00 km/h(西北)	
桂KY7599	2016-03-14 09:49:03	广西壮族自治区玉林市博白县S216	0.00 km/h(东)	
- 地图 (Map):** A map showing the current location of the vehicle "贵C A6446" on a road network. The map includes a search bar and a list of nearby locations.







Bottom Status Bar:

运行时长: 00:01:04 | 报警: 1 | 在线数: 3 / 定损数: 1 / 欠费: 0 / 总数: 11 | 在线率: 27.27% / 定损率: 9.09%




our mdvr support mobile Client monitoring like PC, mobile phone etc.

[Anasayfa](#)[İndir](#)[Soru](#)[Language](#)

İstemci İndirme

 Windows İndir  Version: 7.4.0.15 Güncelle: 20151123	 İndir  Version: 7.0.3 Güncelle: 20150523	 İndir  Version: 7.0.0.10 Güncelle: 20150801
--	--	---

Uygun Program İndir

		
---	---	---

Appliacation

FUNCTIONS

- Video& Audio real-time monitoring
- Online Vehicle Status
- Satellite Map
- GPS
- Video Storage
- Tracking Display
- Intercom
- Fuel Sensor
- G-Sensor
- Temperature-Sensor

Richmor

OEM & ODM Service

Brasil World Cup Supplier
www.rcmcctv.com



**Truck
Coach**



**School Bus
Bus**



**Police Car
Taxi**



**Support
All Vehicles**

certificate

[illegible][illegible]

CERTIFICATE OF CONFORMITY

[illegible]

CERTIFICATE OF CONFORMITY

CERTIFICATE

of Conformity
 (SIS/ISO) Association of Nations Indonesia

Reference No.: LCE/01/0000078

When tested as specified, the specimen sample complies with the requirements of Commission Decision of P. 443 / 2007 amending Decision (SIS/ISO).

Applicant:	Banarban Electronic Technology Development Co., LTD.
Address:	UJat West Longgang Road, Longgan New District, Shenzhen, China
Trade Mark:	Rohsom
Model:	Various
Product:	ROM-PIC16, ROM-PIC18, ROM-PIC19, ROM-PIC19A, ROM-ARM7, ROM-BE800, ROM-SAL, ROM-SAL, ROM-SAL, ROM-SAL, ROM-SAL, ROM-SAL, ROM-SAL, ROM-SAL, ROM-SAL, ROM-SAL, ROM-SAL, ROM-SAL,

This test report is issued by the Company subject to the General Conditions of Service printed hereafter. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. The results shown in this test report may refer only to the specific tested items mentioned herein. This Test Report cannot be reproduced, copied or sold without prior written permission of the Company.

(This report distribution policy is attached)

RoHS

April 16, 2012

Singapore LCE Compliance Testing Laboratory Ltd.
 17, Singapore Industrial Park, Singapore Road, Star Island, Bestest Drive (Singapore),
 Singapore, CHINA
 Tel: 65-6315-1000
<http://www.lce.com.sg>

Fax: (65)6315-1100
 Email: info@lce.com.sg

[illegible]

company and factory



Richmor

OEM & ODM Service

Brasil World Cup Supplier



Exhibition:

Richmor

CPSE2012 in Shenzhen



CPSE2013

10.29-10.31

4 Booth we have

Welcome you !!!



CPSE2012-- Guangdong TV Report-Shenzhen Richmor



Best Regards
Amily Zhang

HAND US YOUR TRUST, OFFER YOU OUR BEST!!!

Shenzhen Richmor Technology Development Co.,LTD

Email: overseasales-2@rcmcctv.com

Skype: rcmcctvsales2

QQ: 2355778097

MB/Whatsapp: +86 18929314790

Website: <http://www.richmor.net/>

ADD: 6th Floor, F Building, Xinzhi Industrial Park, Yangmei,Bantian,Longgang, Shenzhen

