

GPS vehicle dvr APP Management mobile dvr 3G 4G WIFI GPS Full HD Car DVR / MDVR 1080P,RCM- MDR7204series





功能特点 Features



实时监控, GPS定位
Real-time monitoring,
GPS positioning

身份验证, 人数统计
Two-factor authentication



语音功能 Voice features



行车记录, 驾驶行为管理
Driving behavior management



短信提醒
Assured SMS alerts



偏航报警
Yaw alarm

采用高压压缩比, 图像清晰的H.264编码格式, 支持开机录像、定时录像及报警录像, 支持ACC熄火延时录像。内置GPS全球定位系统, 可通过3G网络远程查看实时视频, 车辆位置, 回放历史录像。支持手机远程监控。Adopting H.264 Video compression with high resolution, ACC on/off, Timer Recording, ACC Delay Recording Mode supported, Built-in GPS Tracking system, Real time video stream, Vehicle Position, Video Replay can be viewed through 3G Network, Support Mobile Phone remote Monitor.

可连接刷卡器验证身份, 统计数据, 避免人工统计时出现失误。提供每个停靠站点实时的上下学生人数, 避免漏接学生, 以及把学生遗留在车内, 造成事故。Combine with Card Equipment for authenticate information and counting, avoid artificial statistical mistake, offer the students get on/off real time number at each station, avoid the accident caused by missing students or leaving students in the carriage.

可进行语音电话, 网络对讲, 声音广播。实现管理中心和车辆即时通讯。Support VOIP, 3G Intercom, Broadcast realize Center office communicate with Driver in real time.

对司机的不良行为进行监管, 比如经常超速、急加速、急减速、急刹车等容易对车内学生造成危险的行为; 并对其进行评测, 预防安全隐患发生。Supervise driver's bad behavior, such as: over-speed, acceleration, decelerateurgently, brakes etc dangerous behavior for students, Driver's Performance evidence.

车载智能系统会根据需要向家长发送孩子上下车短信, 包括什么时间、在哪里上车及下车, 让家长及时、快捷的了解学生安全状况, 有利学生接送时间的精确控制。Intelligent vehicle system, students get on/off bus information sent to parents by SMS including When and where on/off, convenient for parents to know students status and easily for picking up students.

预先设定校车的固定行驶路线, 当校车未按照预定的驾驶路线行驶时, 中心上会自动发出语音报警, 中心可与车载终端通过语音对讲进行通讯。Geo Fence Alarm, preset driving route, when out off the line it will sound alarm automatically at center office, center can talk with the driver for the information.

product specification:

Item		parameter
Operating System		Linux
Language		English/chinese/customized
Video Compression		H.264 Compression
OSD		overlays information such as date time and vehicle ID
GUI	Graphical user interface	setup system parameters with the remote control

Video Record System	video input	4CH 960P/720P AHD input,aviation connector, 1.0Vp-p, 75Ω
	video output	1 CVBS, 1.0Vp-p, 75Ω,Aviation,Support 1CH Full Screen,4CH Screen view
	preview	Support 1 channel and 4 channels preview., Support Manual/Alarm Trigger full screen preview
	resolution	720P/D1/HD1/CIF, MAX:4 channels of 720P and 4 channels of D1
	image quality	1-4 levels, 1 is the highest level.
	video standard	PAL: 100f/s , CCIR625 line,50field; NTSC: 120f/s, CCIR525 line,60field; CIF: 256Kbps ~ 1.5Mbps, 8 level video quality optional; HD1: 600Kbps ~ 2.5Mbps, 8 level video quality optional; D1: 800Kbps ~ 3Mbps, 8 level video quality optional; 720P: 4Mbps-6Mbps, multi level video quality optional
	record mode	The default setting is auto recording after power on. Timed recording, alarm trigger recording and manual recording are supported.
Audio	audio input	4CH Aviation Plug Input
	audio output	2CH,headphone connect at front panel, BNC Connect on Back panel
	compression	G.726 compression, 8KB/s speed
Alarm Input		7CH Alarm Input,1CH AD Input,impulse speed input,Alarm Linkage
Alarm Output		2CH Alarm Output,Support Light/Sound alarm sensor,Oil/Power cut off
Interface		3CH RS232, POS/Fuel Sensor/LED Advertisement Connection
		1CH 485 Interface,Connect PTZ Camera
Wireless Transmission		Support Built in 3G transmission,, WCDMA, CDMA2000,GPRS, EDGE; Built in 4G module optional, TDD-LTE, FDD-LTE
GPS Position		Support Built GPS/BD Module
Storage	HDD	Max 2.5" 1TB HDD
	SD Card	Max 128GB SD Card Mirror Recording Keep Data Safety
	update	Support USB Updating, SD Card Updating,OTA Remote Updating
	file format	H.264
	file system	Special FAT32 File System
	USB	USB Interface on Front Panel for data back up by U Disk,Hard Disk
Record Replay	video search	Search By Record Time/Record Type etc
	playback	Max support 4CH Replay /Stop/Fast/Slow at same time Support forward and backward play at the speed of: x 2,x4,x8,x16.
Security		User/Admin 2 Level Different Password
Optional Functions	voice call	Support voice call each other
	TTS Voice broadcast	Support TTS voice broadcast function.
	serial expand	Support LED Advertisement Panel,Oil Sensor, POS,Bus Station Broadcaster,Car OBD,ect.external device
Voltage & Power	Power Management	Wide Voltage.Support Timed/Delay off
	Input Voltage	DC:+6V - +36V
	Output Voltage	+12V~1.5A,+5V~1.5A
	Power	Working<5W
Working Environment	Temperature	-20℃ - +70℃
	Humidity	20% - 80%
Others	Size	200 (D)* 187(W)* 62(H) mm
	Weight	1.90Kg

Product Show:





AV Input & Output Cables



Power Cable



IO Cables



Remote Control



3G Antenna



WIFI Antenna




CD (Manual & Software Inside)



7000 HDD Mobile DVR


Product Introduction

Device Series



15

Product Advantage



Client User Graph Interface

The interface is titled "移动视频监控平台" (Mobile Video Monitoring Platform). It features a top navigation bar with tabs for "欢迎登录, RCMTEST", "系统", "实时预览", "电子地图", "回放管理", "信息管理", and "系统设置".

On the left, there is a "终端列表" (Terminal List) showing a hierarchy of devices under "贵州(11)" (Guizhou (11)). The list includes terminals like "贵C A6446", "桂KY7507", "桂KY7569", "80024", "80119", "D82868", "子NPS001", "桂KY7586", "桂KY7599", "贵B93017", and "贵C87762". Below the list is a table with columns for "状态" (Status), "云台" (Cloud Platform), "色彩" (Color), and "语音" (Voice).

The main area displays four video feeds labeled "贵C A6446 - CH1 - 0 KB/S", "贵C A6446 - CH2 - 24 KB/S", "贵C A6446 - CH3 - 0 KB/S", and "贵C A6446 - CH4 - 0 KB/S". The feeds show interior views of a vehicle and a road view. Below the feeds is a "GPS监控" (GPS Monitoring) section with a table showing real-time data for the terminals.

On the right, there is a "用户登录" (User Login) panel with fields for "用户名" (Username), "密码" (Password), and "服务器" (Server). It also includes checkboxes for "记住密码" (Remember Password) and "自动登录" (Auto Login), and buttons for "登录" (Login) and "退出" (Logout).







At the bottom, a status bar shows "运行时长: 00:01:04" (Runtime: 00:01:04), "在线数: 3 / 定损数: 1 / 欠费: 0 / 总数: 11" (Online: 3 / Estimated: 1 / Due: 0 / Total: 11), and "在线率: 27.27% / 定损率: 9.09%" (Online Rate: 27.27% / Estimated Rate: 9.09%).

终端	GPS时间	位置	速度	报警
贵C A6446	2016-03-14 09:50:09	贵州省遵义市习水县G4215(蓉遵高速公路)	74.10 km/h(南)	
桂KY7507	2016-03-14 09:50:17	广西壮族自治区玉林市博白县人民中路38号	11.00 km/h(北)	
桂KY7569	2016-03-14 09:50:38	广西壮族自治区玉林市博白县X403	27.00 km/h(西北)	
桂KY7599	2016-03-14 09:49:03	广西壮族自治区玉林市博白县S216	0.00 km/h(东)	




our mdvr support mobile Client monitoring like PC, mobile phone etc.

[Anasayfa](#)[İndir](#)[Soru](#)[Language](#)

İstemci İndirme

 Windows İndir  Version: 7.4.0.15 Güncelle: 20151123	 İndir  Version: 7.0.3 Güncelle: 20150523	 İndir  Version: 7.0.0.10 Güncelle: 20150801
--	--	---

Uygun Program İndir

		
---	---	---

Appliacation

FUNCTIONS

- Video& Audio real-time monitoring
- Online Vehicle Status
- Satellite Map
- GPS
- Video Storage
- Tracking Display
- Intercom
- Fuel Sensor
- G-Sensor
- Temperature-Sensor

Richmor

OEM & ODM Service

Brasil World Cup Supplier
www.rcmcctv.com



Truck
Coach



School Bus
Bus



Police Car
Taxi



Support
All Vehicles

certificate

[illegible]

Verification of Conformity	
Reference No.: LCB-00000000000000000000	
Responsible Party :	Shenzhen Weichuan Technology Development Co., LTD.
Address :	#F Rd #4 West Longgang Street, Longhua New District, Shenzhen, China
Product :	Battery Charger
Model No.:	WCH-B000000000, WCH-B000000000, WCH-B000000000, WCH-B000000000, WCH-B000000000, WCH-B000000000, WCH-B000000000, WCH-B000000000
Type Mark :	RoHSmark
Standards :	FCC CISR #1 PART II Subject-CISR, EMC CISR-A-0000
Important notes: This document is in accordance with Part 10 of the FCC Rules and Regulations for radio frequency devices. Operation of the product is subject to the following basic conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation. We warrant to conform to the applicable FCC Rules and Regulations. The national labeling was in accordance to the most accurate measurement capabilities available, and that all necessary steps have been exhausted to ensure that all production units of the same equipment will continue to comply with the Federal Communications Commission's requirements.	
 Date: April 15, 2013	
Shenzhen LCB Compliance Testing Laboratory Ltd. #A, Yungang Industrial Park, Yonghe Street, Baoan Dist., Baoan District, Shenzhen, Guangdong, China Tel: 86-(0)755-83094100 http://www.lcb-test.com	
Fax: 86-(0)755-83094101 Email: info@shenzhenlcb.com	

CERTIFICATE OF CONFORMITY

CERTIFICATE of Conformity

Reference No.: **CCC0101030475**

Applicant	Shenzhen Rixinco Technology Development Co., LTD.
Address	2/F, 100 West Longgang Road, Longgang New District, Shenzhen, China
Product	Mobile PDA
Model	RCM-001000, RCM-001001, RCM-001002, RCM-001003, RCM-001004, RCM-001005, RCM-001006, RCM-001007, RCM-001008
Trade Mark	Rixinco

The mentioned products have been tested by us with the follow procedure and found in compliance with the following European Directives:

The EMC Directive 2004/108/EC

EN 55022, EN 55024, EN 55025

The tests were performed in normal operating mode. The test results apply only to the particular sample tested and to the specific test carried out. This certificate applies specifically to the sample investigated in our test reference number only.

The CE markings as shown below can be affixed on the product after completion of necessary technical investigations.

(Shall relevant Directives have to be affixed)

Manager
April 18, 2011

Shenzhen CCC Compliance Testing Laboratory Ltd.
17, Shuangshui Industrial Park, Shuangshui Road, Nanshan Dist., Shuangshui Industrial Park, Shenzhen
Guangdong, China
Tel: 0086-755-82571123
Fax: 0086-755-82571123
http://www.ccc.com.cn Email: admin@ccc.com.cn

CERTIFICATE OF CONFORMITY

 CERTIFICATE of Conformity Reference No.: CCB0104000019	
Purchaser	Shenzhen Moxian Technology Development Co., LTD.
Address	#1 South West Longgang Road, Longgang New District, Shenzhen, China
Product	Details
Models	ROM-IPIC01, ROM-IPIC02, ROM-LC010, ROM-IPIC03, ROM-MP01, ROM-MP02, ROM-SAL, ROM-HS, ROM-DL, ROM-FR01, ROM-CAP1, ROM-SAR, ROM-BABY, ROM-GR01, ROM-DETECT, ROM-DETECT, ROM-COMPASS
Trade Mark	Reference
The submitted products have been tested by us with the latest standards and found in compliance with the following European Directives:	
This ENEC Certificate Number:00001	
(EN 60335-1:2000, EN 60335-2-1)	
These tests were performed in normal operation mode. The test results apply only to the particular sample tested and to the specific tests carried out. This certificate attests conformity to the samples investigated in our test reference number 000.	
This CE marking as stated below can be affixed on the product after inspection of satisfactory technical documentation.	
(This document is binding here to be observed)	
  <p style="text-align: right;">April 10, 2013</p>	
Shenzhen LCC Compliance Testing Laboratory Ltd. #17 Jingdong Industrial Park, Songshan Road, Bao'an Dist., Shenzhen City, Guangdong, China Tel: 86-(0)755-26247133 Fax: 86-(0)755-26247133 Email: info@shenzhen-lcc.com.cn http://www.lcc-test.com	

CERTIFICATE OF CONFORMITY

CERTIFICATE

of Conformity
 (SIS/ISO) Association of Nations Standard

Reference No.: LCE/01/000078

When issued as required, the certificate serves compliance with the requirements of Commission Decision of 19 July 1991 amending Directive (75/324/EEC).

Applicant:	Sinohua Electronic Technology Development Co., LTD.
Address:	U World West Longgang Road, Longhua New District, Shenzhen, China
Trade Mark:	Radiance
Product:	Camera
Model(s):	KOM-PC10A, KOM-PC10A, KOM-AP10A, KOM-AP10A, KOM-AP10A, KOM-BE10A, KOM-SL, KOM-SL, KOM-SL, KOM-SL, KOM-SL, KOM-SL, KOM-SL, KOM-SL, KOM-SL, KOM-SL, KOM-SL, KOM-SL, KOM-SL, KOM-SL, KOM-SL, KOM-SL, KOM-SL, KOM-SL,

This test report is issued by the Company subject to the General Conditions of Service printed hereafter. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues outlined therein. The results shown in this test report may refer only to the specific tested items mentioned herein. This Test Report cannot be reproduced, copied or sold without prior written permission of the Company.

(This report distribution policy is attached)

RoHS

April 16, 2012

Singapore LCE Compliance Testing Laboratory Ltd.
 17 Singapore Industrial Park, Singapore, Star Island, Best go District (Singapore),
 Singapore, CHINA
 Tel: 65-6315-1000
<http://www.lce.com.sg>

Fax: (65)6315-1100
 Email: info@lce.com.sg

CERTIFICATE OF CONFORMITY		
	CERTIFICATE of Conformity ISSUED IN ACCORDANCE WITH THE REQUIREMENTS OF THE REGULATIONS OF THE CHINA ELECTRONICS TESTING CERTIFICATION INSTITUTE	
Reference No. 13101040100018		
When issued on receipt of the submitted sample conforming with the requirements of Commission Decision of 21 July 2011 amending Directive 2011/65/EU.		
Applicant	Shenzhen Ruitong Technology Development Co., Ltd.	
Address	3F No. 44 West Longgang Road, Longgang New District, Shenzhen, China	
Trade Mark	Ruitong	
Product	Mobile phone	
Version	ROM-MS000, ROM-MS001, ROM-MS002, ROM-MS003, ROM-MS004, ROM-MS005, ROM-MS006	
The test report is issued to the Company subject to the General Conditions of Service annexed herewith. Attention is drawn to the limitations of liability, manufacturer's and purchaser's responsibilities defined therein. The results shown in this test report may only be the subject of limited commercial relations. This Test Report cannot be reproduced, copied in full, without prior written permission of the Institute.		
Other relevant documents have to be obtained.		
<h1>RoHS</h1>		
		
Shenzhen - 13101040100018 Testing Laboratory, Ltd. 12, Guangguang Industrial Park, Tanggou Road, Shengze Street, Shengze District, Shantou City, Guangdong, China Tel: 0754-81511111 http://www.1310104.com		
Beijing - 13101040100018 Testing Laboratory, Ltd. 12, Guangguang Industrial Park, Tanggou Road, Shengze Street, Shengze District, Shantou City, Guangdong, China Tel: 010-78787878 http://www.1310104.com		

company and factory



Richmor

OEM & ODM Service

Brasil World Cup Supplier



Exhibition:

Richmor

CPSE2012 in Shenzhen



CPSE2013

10.29-10.31

4 Booth we have

Welcome you !!!



CPSE2012-- Guangdong TV Report-Shenzhen Richmor



Best Regards
Amily Zhang

HAND US YOUR TRUST, OFFER YOU OUR BEST!!!

Shenzhen Richmor Technology Development Co.,LTD

Email: overseasales-2@rcmcctv.com

Skype: rcmcctvsales2

QQ: 2355778097

MB/Whatsapp: +86 18929314790

Website: <http://www.richmor.net/>

ADD: 6th Floor, F Building, Xinzhi Industrial Park, Yangmei,Bantian,Longgang, Shenzhen

