

product specification:

Item		parameter
Operating System		Linux
Language		English/chinese/customized
Video Compression		H.264 Compression
OSD		overlays information such as date time and vehicle ID
GUI	Graphical user interface	setup system parameters with the remote control
Video Record System	video input	4CH 960P/720P AHD input,aviation connector, 1.0Vp-p, 75Ω
	video output	1 CVBS, 1.0Vp-p, 75Ω,Aviation,Support 1CH Full Screen,4CH Screen view
	preview	Support 1 channel and 4 channels preview., Support Manual/Alarm Trigger full screen preview
	resolution	720P/D1/HD1/CIF, MAX:4 channels of 720P and 4 channels of D1
	image quality	1-4 levels, 1 is the highest level.
Video Record System	video standard	PAL: 100f/s , CCIR625 line,50field; NTSC: 120f/s, CCIR525 line,60field; CIF: 256Kbps ~ 1.5Mbps, 8 level video quality optional; HD1: 600Kbps ~ 2.5Mbps, 8 level video quality optional; D1: 800Kbps ~ 3Mbps, 8 level video quality optional; 720P: 4Mbps-6Mbps, multi level video quality optional
	record mode	The default setting is auto recording after power on. Timed recording, alarm trigger recording and manual recording are supported.
Audio	audio input	4CH Aviation Plug Input
	audio output	2CH,headphone connect at front panel, BNC Connect on Back panel
	compression	G.726 compression, 8KB/s speed
Alarm Input		7CH Alarm Input,1CH AD Input,impulse speed input,Alarm Linkage
Alarm Output		2CH Alarm Output,Support Light/Sound alarm sensor,Oil/Power cut off
Interface		3CH RS232, POS/Fuel Sensor/LED Advertisement Connection
		1CH 485 Interface,Connect PTZ Camera
Wireless Transmission		Support Built in 3G transmission,, WCDMA, CDMA2000,GPRS, EDGE; Built in 4G module optional, TDD-LTE, FDD-LTE
GPS Position		Support Built GPS/BD Module
Storage	HDD	Max 2.5" 1TB HDD
	SD Card	Max 128GB SD Card Mirror Recording Keep Data Safety
	update	Support USB Updating, SD Card Updating,OTA Remote Updating
	file format	H.264
	file system	Special FAT32 File System
	USB	USB Interface on Front Panel for data back up by U Disk,Hard Disk
Record Replay	video search	Search By Record Time/Record Type etc
	playback	Max support 4CH Replay /Stop/Fast/Slow at same time Support forward and backward play at the speed of: x 2,x4,x8,x16.
Security		User/Admin 2 Level Different Password
Optional Functions	voice call	Support voice call each other
	TTS Voice broadcast	Support TTS voice broadcast function.
	serial expand	Support LED Advertisement Panel,Oil Sensor, POS,Bus Station Broadcaster,Car OBD,ect.external device
Voltage & Power	Power Management	Wide Voltage.Support Timed/Delay off
	Input Voltage	DC:+6V - +36V
	Output Voltage	+12V~1.5A,+5V~1.5A
	Power	Working<5W

Working Environment	Temperature	-20°C - +70°C
	Humidity	20% - 80%
Others	Size	200 (D)* 187(W)* 62(H) mm
	Weight	1.90Kg

Product Show:

✓ Factory Audit

SMS Device configure

OTA Remote Updating

8CH Full D1 Real time monitor

2TB HDD + 128GB SD Card

Richmor

OEM/ODM Customized

Factory Price

Independent R&D Tech

Low Moq



RICHMOR TECH

CE

FCC



ROHS





SMS Device configure
OTA Remote Updating
8CH Full D1 Real time monitor
2TB HDD + 128GB SD Card

Richmor

OEM/ODM Customized
Factory Price
Independent R&D Tech
Low Moq



CE

FC





AV Input & Output Cables



Power Cable



IO Cables



Remote Control



3G Antenna



WIFI Antenna



CD (Manual & Software Inside)



7000 HDD Mobile DVR

Product Introduction

Device Series




15

Product Advantage



Client User Graph Interface



our mdvr support mobile Client monitoring like PC, mobile phone etc.

[Anasayfa](#)[İndir](#)[Soru](#)[Language](#)

İstemci İndirme

 Windows İndir  Version: 7.4.0.15 Güncelle: 20151123	 İndir  Version: 7.0.3 Güncelle: 20150523	 İndir  Version: 7.0.0.10 Güncelle: 20150801
--	--	---

Uygun Program İndir

		
---	---	---

Appliacation

FUNCTIONS

- Video& Audio real-time monitoring
- Online Vehicle Status
- Satellite Map
- GPS
- Video Storage
- Tracking Display
- Intercom
- Fuel Sensor
- G-Sensor
- Temperature-Sensor

Richmor

OEM & ODM Service

Brasil World Cup Supplier
www.rcmcctv.com



Truck
Coach



School Bus
Bus



Police Car
Taxi



Support
All Vehicles

certificate

VERIFICATION OF CONFORMITY

Verification of Conformity

Reference No.: LC0100000010

Responsible Party	Shenzhen Richcore Technology Development Co., LTD.
Address	3/F No. 101 West Langshan Road, Longhua New District, Shenzhen, China
Product	Cables
Model No.	RCH-PD70V, RCH-PD70V, RCH-LPD70V, RCH-LPD70V, RCH-RFPAEAL, RCH-RFPAEL, RCH-SAL, RCH-4SL, RCH-4SL, RCH-2AASL, RCH-2AASL, RCH-4AASL, RCH-4AASL, RCH-4AASL, RCH-50TDRH, RCH-50CDSH, RCH-C240SBS
Trade Mark	Richcore
Standards	FCC/CN 47 Part II Subpart B, EN54, EN50, EN54-2008

Important note:

This device is in compliance with part II of the FCC Rules and Regulations for safety hazardous devices. Declaration of EMU analysis is based on the following two conditions:

(1) This device may not cause harmful interference; and (2) this device must accept all electromagnetic interference, including interference that is injurious to normal operation. It will continue to conform to the applicable FCC Rules and Regulations. The method of testing used is accordance to the most accurate measurement available to practice, and that all necessary steps have been followed to ensure that an evaluation copy of the same equipment will continue to comply with the Federal Communications Commission's requirements.

Manager

April 10, 2012

Shenzhen LCT Compliance Testing Laboratory Ltd.
#1, Anping Industrial Park, Pingtan Town, Baoan Dist., Shenzhen
Guangdong, China
Tel: +86(0) 755 26591 950
http://www.lct.com.cn Email: admin@lct.com.cn

VERIFICATION OF CONFORMITY

Verification of Conformity

Reference No.: LCC-SH00000719

Responsible Party	Shenzhen Weiborn Technology Development Co., LTD.
Address	3F No.8 West Longgang Road, Longhua New District, Shenzhen, China
Product	Bottle CRK
Model No.	RCM-B000000, RCM-B000001, RCM-B000002, RCM-B000003, RCM-B000004, RCM-BP0000, RCM-BP0001
Trade Mark	Schneider
Standards	FPC CYS 47 PART 10 Subgroup 4-1014, 4008 CUL-A-2000

Inspection notes:

This device is in accordance with Part 10 of the FCC Rules and Regulations for radio frequency devices. Operation of the product is subject to the following test conditions:
(1) this device may not cause harmful interference; and
(2) this device must accept any interference received, including interference that may cause undesired operation.
We hereby confirm in the applicable FCC Rules and Regulations. The manner of testing was in accordance to the most accurate measurement standards possible, and that all necessary steps have been exhausted to ensure that all production units of the same equipment will continue to comply with the Federal Communications Commission's requirements.

Manager
April 10, 2017

Shanghai LCC Compliance Testing Laboratory Ltd.
No. 3 Jingangshui Avenue Park, Songpu Street, Baoshan District, Shanghai,
Guangdong, China
Tel: 86-(0)-21-6024-1200
<http://www.lcc-sh.com>

Fax: 86-(0)-21-6024-0151
Email: sales@lcc-sh.com

CERTIFICATE OF CONFORMITY		
	CERTIFICATE of Conformity Reference No. 1-23-018-0475	
	Applicant	Shenzhen Elicitor Technology Development Co., LTD.
	Address	2/F Yu-Kai Road Longgang Road, Longgang New District, Shenzhen, China
	Product	Shenke 3000
	Model(s)	HCN-M0000A, HCN-M0000B, HCN-M0000C, HCN-M0000D, HCN-M0000E, HCN-M0000F, HCN-M0000G, HCN-M0000H
	Trade Mark	Shenke
	The certified products have been tested by us with the latest procedure and found in compliance with the following European Directives:	
	The EMC Directive 2004/108/EC	
	EN 55022, EN 55024, EN 55024-2	
The tests were performed in normal operating mode. The test results apply only to the particular sample tested and to the specific mode tested on. This certificate applies specifically to the sample investigated in our test laboratory number only.		
The CE marking can also be used on the product after presentation of satisfactory documentary evidence.		
(Other relevant Directives have to be attached)		
   Manager April 16, 2013		
(Shenzhen) UKAS Compliance Testing Laboratory Ltd. 17, Engineer Industrial Park, Xingye Road, Nan-shi, Bao-an District, Shenzhen Guangdong, China Tel: 86-755-83297153 Fax: 86-755-83297153 E-mail: ukas@ukas-ct.com.cn Web: www.ukas-ct.com.cn		

CERTIFICATE OF CONFORMITY

CERTIFICATE OF CONFORMITY

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

RoHS

CERTIFICATE OF CONFORMITY		
	CERTIFICATE of Conformity ISSUED IN ACCORDANCE WITH THE REQUIREMENTS OF THE REGULATIONS OF THE SHANGHAI MUNICIPAL GOVERNMENT	
	Reference No. 13101040100018	
	When issued on receipt of the submitted sample conforming with the requirements of Commission Decision of 21 July 2011 amending Decision 2011/00101	
	Applicant: Shanghai Roshen Technology Development Co., Ltd.	
Address:	3F No. 44 West Longyuan Road, Longyuan New District, Shanghai, China	
Trade Mark:	Roshen	
Product:	Biscuits (biscuits)	
Version:	NEW MODEL, NEW MODEL, NEW MODEL, NEW MODEL, NEW MODEL, NEW MODEL, NEW MODEL, NEW MODEL	
The test report is issued to the Company subject to the General Conditions of Service annexed hereto. Attention is drawn to the limitations of liability, non-guarantee and other conditions attached thereto. The results shown in this test report may only be the subject of a limited contractual warranty. This Test Report cannot be reproduced, copied in full, without the written permission of the Company.		
Other relevant documents have to be obtained.		
RoHS		
		
Issued on: April 10, 2012		
Shanghai - 1310 Shanghai Testing Laboratory, Ltd. 12, Jingyuan Industrial Park, Jingyuan Road, Songjiang District, Shanghai, Shanghai, China Tel: 021-5101-1000 http://www.1310.com.cn		
Shanghai - 1310 Shanghai Testing Laboratory, Ltd. 12, Jingyuan Industrial Park, Jingyuan Road, Songjiang District, Shanghai, Shanghai, China Tel: 021-5101-1000 http://www.1310.com.cn		

company and factory



Richmor

OEM & ODM Service

Brasil World Cup Supplier



Exhibition:



2011 CPSE



2011 CPSE



2013 CPSE



2013 CPSE

Welcome to contact **Susie** for more details

By Email/wechat, Wechat: Jobs2lovers

By Skype: rcmcctvsales4

By Trademanager: cn1001765398

By Mobile phone/Whatsapp: +86-181 2626 3832 (Susie Zhou)

By QQ: 2355778106