

# Hard Disk + 2 SD cards Data record storage 8ch 4ch H.264 mdvr support CANBUS OBD

## Product Specifications:

project	parameter	
operating system	Linux	
Language	English / Chinese / custom	
Video compression	H.264 compression	
OSD	Overlaying date and time and vehicle ID and other information	
GUI	GUI	Set the system parameters with the remote control
Video recording system	Video input	4CH 1080P/960P / 720P AHD Input, Aviation Connectors, 1.0Vp-p, 75Ω
	Video output	1 CVBS, 1.0Vp-p, 75Ω, aviation, support 1CH full screen, 4CH screen view
	Preview	Supports preview of 1 channel and 4 channels. Support manual / alarm trigger full-screen preview
	Resolution	720P / D1 / HD1 / CIF, MAX: 4 720P and 4 D1
	Picture quality	Level 1-4, Level 1 is the highest level.
	Video standard	PAL: 100f / s, CCIR625 line, 50field; NTSC: 120f / s, CCIR525 line, 60 fields; CIF: 256Kbps ~ 1.5Mbps, 8-level video quality optional; HD1: 600Kbps ~ 2.5Mbps, 8-level video quality optional; D1: 800Kbps ~ 3Mbps, 8-level video quality optional; 720P: 4Mbps-6Mbps, multi-level video quality optional
	Recording mode	After power on the default setting for automatic recording. Support timer recording, alarm trigger recording and manual recording.
Audio	Audio input	4CH aviation plug input
	Audio output	2CH, the front panel connects to the headphones, the rear panel connects to the BNC
	compression	G.726 compression, 8KB / s speed
Alarm input	7CH alarm input, 1CH AD input, pulse speed input, alarm linkage	
Alarm Output	2 alarm output, support for light / sound alarm sensor, oil / power off	
interface	3CH RS232, POS / Fuel Sensor / LED Advertising Connection	
	1CH 485 interface, connect the PTZ camera	
Wireless transmission	Support built-in 3G transmission, WCDMA, CDMA2000, GPRS, EDGE; Built-in 4G module optional, TDD-LTE, FDD-LTE	
GPS location	Support built-in GPS / BD module	
storage	hard disk	Maximum 2.5 "1TB hard drive
	SD card	Maximum 128GB SD card image record keeping data safe
	Updated	Support USB update, SD card update, OTA remote update
	file format	H.264
	File system	Special FAT32 file system
	USB	USB interface on the front panel data backup U disk, hard disk
Record replay	Video search	Search by recording time / record type, etc.
	Playback	Max also supports 4CH Replay / Stop / Fast / Slow Support for x 2, x 4, x 8, x 16 forward and backward playback.
Safety	User / Administrator 2 different passwords	

Optional features	Voice calls	Support each other voice calls
	TTS voice broadcast	Support TTS voice playback.
	Serial extension	Support LED advertising screen, oil level sensor, POS, bus station broadcasting, car OBD and other external equipment
Voltage & Power	Energy management	Wide voltage. Support timing / delay off
	Input voltage	DC: + 6V - + 36V
	The output voltage	+ 12V ~ 1.5A, + 5V ~ 1.5A
	power	Working & It; 5W
working environment	temperature	-20 °C - +70 °C
	humidity	20% - 80%
other	size	200 (D) * 187 (W) * 62 (H) mm
	weight	1.90 kg

## Product Image:





**Richmor** 锐驰曼


*Do Our Best To Be Better For You !*

## Product Introduction

### Device Series



# Product Advantage




## Client user graphical interface







Our mdvr supports PC, mobile phone and other mobile client monitoring.



Appliacion

## FUNCTIONS

- Video & Audio real-time monitoring
- Online Vehicle Status
- Satellite Map
- GPS
- Video Storage
- Tracking Display
- Intercom
- Fuel Sensor
- G-Sensor
- Temperature-Sensor

**Richmor**

OEM & ODM Service

Brasil World Cup Supplier  
[www.rcmctv.com](http://www.rcmctv.com)



Truck  
Coach



School Bus  
Bus



Police Car  
Taxi



Support  
All Vehicles

certificate







**Richmor**

**OEM & ODM Service**

**Brasil World Cup Supplier**





exhibition:



**Richmor**

CPSE2012 in Shenzhen



CPSE2013

10.29-10.31

4 Booth we have

Welcome you !!!



CPSE2012-- Guangdong TV Report-Shenzhen Richmor



Welcome to contact us for more details ....

Best Regards  
Amily Zhang

**HAND US YOUR TRUST, OFFER YOU OUR BEST!!!**  
**Shenzhen Richmor Technology Development Co.,LTD**

Email: [overseasales-2@rcmcctv.com](mailto:overseasales-2@rcmcctv.com)

Skype: rcmcctvsales2

QQ: 2355778097

MB/Whatsapp: +86 18929314790

Website: <http://www.richmor.net/>

ADD: 6th Floor, F Building, Xinzhi Industrial Park, Yangmei,Bantian,Longgang, Shenzhen

