Sim Card for cab/taxi Romote Viewing Surveillance 720P AHD MDVR 3G mini 4ch sd card car Mobile DVR

(RCM-MDR210 Series)

Romote Viewing Surveillance 3G 4G Mobile DVR School bus solution





Product features

Romote Viewing Surveillance 3G 4G Mobile DVR

- 1. H.264 Compression Mode, support 4CH realtime 720P Mega Pixel AHD input and Analog Standard Definition camera input;
- 2. Exclusive pre-

allocate DVR Special File Systerm Technology, solving repeatedly wipe cause file fragmentati on, solving SD Card file system collapse, data loss and cannot find SD CARD and file garbled, ensure the integrity of the data.

- 3. 10-36V Adaptive Wide Voltage input, Super low Power Consumption Design;
- 4. SD card storage (2SD cards, Each maximum support 128GB) It can be completely resist card vibration. Dust and others cause data corruption;
- 5. Support GPS/BD/G-Sensor; High Reliability Aviation Connectors.
- 6. High Cost Performance with reliable stability, simple and clear operation menu.

Detail pictures

Romote Viewing Surveillance 3G 4G Mobile DVR



Romote Viewing Surveillance 3G 4G Mobile DVR



Romote Viewing Surveillance 3G 4G Mobile DVR

LED Indicators



Romote Viewing Surveillance 3G 4G Mobile DVR

Back Panel



Richmor surveillance GUI

The main menu includes: Search, System setup, Rec setup, Network setup, Alarm setup, Peripheral setup, System Tools, System Information, as below:




RCM-MDR210 Parameter Sheet


Item		Parameter
OS		Linux
Language		Chinese/English/Customized
Video Compression		H.264
OSD		Overlays information such as date time and vehicle ID
GUI	Graphical User Interface	Setup system parameters with the remote control.

Video Record System	Video Input	4CH 720P AHD input/SD input/mixed video input,
	T. 1 . O	aviation connector, 1.0Vp-p , 75Ω
	Video Output	1CH CVBS+1CH VGA output, 1.0Vp-p, 75Ω,Aviation,Support 1CH Full Screen,4CH Screen
	Preview	Support 1 channel and 4 channels preview.
		Support Manual/Alarm Trigger full screen preview
	Resolution	720P/D1/HD1/CIF, MAX:4 channels 720P
	Video Quality	0-7 levels, 0 is the highest level.
	Video Standard	PAL: 100f/s , CCIR625 line,50field; NTSC: 120f/s, CCIR525 line,60field;
		CIF: 256Kbps ~ 1.5Mbps, 8 level video quality optional;
		HD1: 600Kbps ~ 2.5Mbps, 8 level video quality optional;
		D1: 800Kbps ~ 3Mbps, 8 level video quality optional; 720P: 4Mbps-6Mbps, multi level video quality optional
	Record Mode	The default setting is auto recording after power on.
	Record Mode	Timed recording, alarm trigger recording and
		manual recording are supported.
Audio	Audio Input	4CH ,Aviation Plug
	Audio Output	1CH,Aviation Plug
	Compression	G.726 compression, 8KB/s speed
Alarm Input	<u> </u>	4Ch Alarm Input, kinds of alarm linkage support
Alarm Output		1CH Alarm Output
Communication interface		1CH RS232 or 1CH RS485 for optional
Position		Support Built GPS/BD Module, built in G-sensor,
		can replay and analyse vehicle driven route.
wireless transmission		Support Built-in 3G/4G wireless transmission function, WCDMA, CDMA2000, TDD-LTE, FDD-LTE
Motion Detection		Support motion detection alarm. (Can set the video recording duration time after alarm on platform.)
G-Sensor		Support G-sensor
Storage	SD	Dual SD Card,each max 128GB SD Card loop recording
	Upgrade	Support SD Card remote updating
	File Format	H.264
	File System	Special FAT32 File System
Video Playback	Video Search	Search By Record Time/Record Type etc
	Playback	Max support 4CH Replay /Stop/Fast/Slow at same time
	laybaon	Support forward and backward play at the speed of: x 2,x4,x8,x16.
Voltage & Power	Power Management	Wide Voltage.Support Timed/Delay off
	Voltage Input	DC:+8V ~ +36V
	Power Consumption	Normal Working □14W , Stand-by status < 0.5W
	Temperature	-20°C to +70°C
Working Environment	-	20% to 80%
	J	
	Password	User/Admin 2 Level Different Password
Security	Password Size	User/Admin 2 Level Different Password 112(W) x36(H) x138(D) mm

Richmor Mobile DVR Mileage Summary



Player software interface



CMSV6 In Mobile Phone.

Have all in the palm of your hand Real-time monitoring via Mobile Phone --Support iPhone, Android, iPad system





Richmor actual case



Application

Widely used in passenger car, bus, taxi, school bus, lorry, dangerous vehicle, personal car and ship etc.



Buying Guides

Packaging

1 unit with all standard accessories such as AV Cables/IO Cable/Power Cable/Key et c

Neutral paper box or Color paper box with Logo Richmor printed, also welcome cu stomized package.



Richmor Brand Package

Standard Package

Shipping

Strong cooperated with DHL/UPS Etc for fast and safety delivery.

- a. 2-5 days after payment cleared for sample order.
- b. 5-10 days after payment cleared depends on order quantity for bulk order.

Payment



Service

- 1. Well Trained Sales team and engineers for fast and professional supoprt
- 2.0EM/ODM Service



CUSTOMER SATISFACTION

- · Excellent Aftersale service
- 12 months warranty
- · 24 hours customer service
- · We understand the importance of our customers


Certifications



Exhibition



CPSE2012 in Shenzhen



CPSE2012-- Guangdong TV Report-Shenzhen Richmor



About us&Customers:





What is our expectation

Being your helpful and long term partner meeting your requirement.

Any question about your vehicle project, contact our representative Vicky.

Mob/Whatsapp:+86 18929318475 Skype: rcmcctvsales7