Richmor Best 3g 4g wifi 8ch DVR, School Bus Camera DVR with Free Client Software dvr h.264 RFID GPS Tracking Systems

(RCM-MDR7008 SERIES)

javascript:void(0);/*1461139994104*/

Richmor 8ch full D1 with free client software h.264 mdvr

×

Richmor 8ch full D1 with free client software h.264 mdyr

×

Richmor actual case

Richmor 8ch full D1 with free client software h.264 mdvr






Richmor Mobile DVR GUI interface



Richmor Mobile DVR Mileage Summary



Main Features

HISSolution, H.264 Compression, support 8CH D1 real-time video recording;

3CH video output (2CH CVBS video, support Front&Rear output; VGA output for optional).

Exclusive pre-

allocate File System protect data completeness, prevent SD Card fragment, ensure date stably and complet ely.

8-36V wide voltage with low power consumption.

Unique UPS Technology ensures the integrity of record when power failure occurs, even can for 8-10s.

HDD+SD Card Storage (Support 2.5" HDD, max 128G SD Card) protect from Shock & Dust damage; support USB port data backup and device update;

Support 2 USB ports, data backup and device upgrade.

Support 9CH alarm input (1CH analog input + 8CH IO alarm input), 2CH independent alarm output.

Support 2CH CAN interface.

Support HDD heating functions, can work in harsh environment.

Support GPS/BD/G-Sensor Extension module;

Realize real-time monitor through 3G/4G;

Support WIFI module, can download data automatically.

Support SMS remotely configure/control device;

Support Broadcast/Intercom/Text sent etc;can add oil sensor/temperature sensor/POS/LED Advertisement P anel;

Support voice call function.

Support OTA (On-The-

Air) function, device can automatically update the new version, more convenient to maintain.

Support IOS/Android Phone Remote monitor.

Specifications

Item	Parameter
os	Embeded Linux
System Language	English/Chinese/Customized
Video Compression	H.264 Video Compression
OSD	Overlays information such as date time and vehicle ID

Graphical User Support externally connect monitor screen. Setup system parameters GUI

Interface with the remote control.

Video Input 8CH standard definition input, aviation connector, 1.0Vp-p, 75 Ω

2 CVBS output+ VGA output(Optional), 1.0Vp-p, 75 Ω , Aviation, Support **Video Output**

1CH Full Screen,4CH Screen,9CH screen.

Support 1 channel, 4 channels and 9 channels preview., Support Preview

Manual/Alarm Trigger full screen preview

Video Record

System

Video Quality

Resolution

D1/HD1/CIF, MAX: 8 channels D1. 0 -7 levels, 0 is the highest level.

PAL: 100f/s , CCIR625 line,50field;

NTSC: 120f/s, CCIR525 line,60field;

Video Standard CIF: 256Kbps ~ 1.5Mbps, 8 level video quality optional;

> HD1: 600Kbps ~ 2.5Mbps, 8 level video quality optional; D1: 800Kbps ~ 3Mbps, 8 level video quality optional;

The default setting is auto recording after power on. Timed recording, **Record Mode**

alarm trigger recording and manual recording are supported.

Audio Input 8CH Aviation Connector

Audio Audio Output 2CH, headphone connect at front panel, BNC Connect on Back panel

> **Audion Compression** G.726 compression format, 8kb/s

Alarm Input 7CH Alarm Input, 1CH AD Input, impulse speed input, Alarm Linkage **Alarm Output** 2CH alarm Output, Support Light/Sound alarm sensor, Oil/Power cut

3CH RS232, POS/Fuel Sensor/LED Advertisement Connection Interface

1CH 485 Interface, Connect PTZ Camera

Support Built in 3G transmission,, WCDMA, CDMA2000, GPRS, EDGE; Wireless

Built in 4G module optional, TDD-LTE, FDD-LTE

GPS Support GPS

> **HDD** Max 2.5" 2TB HDD

SD Max 128GB SD Card Mirror Recording Keep Data Safety

Support USB Updating, SD Card Updating, OTA Remote Updating **Updating** Storage

0.264 **File Format**

File System Special FAT32 File System

USB USB Interface on Front Panel for data back up by U Disk, Hard Disk

Video Search Search By Record Time/Record Type etc

Video Replay **Playback**

Max support 4CH Replay /Stop/Fast/Slow at same time

Support forward and backward play at the speed of: x 2,x4,x8,x16

Power Management Wide Voltage.Support Timed/Delay off

Voltage Input DC:+6V ~ +36V **Power** Consumption **Voltage Output** +12V-2.5A,+5V-2.5A

> Power Working <5W

Temperature -20°C to +70°C Working **Environment Humidity** 20% to 80%

Security **Password** User/Admin 2 Level Different Password

Size 200 (D)* 187(W)* 62(H) mm Other

Net Weight 1.90 Kg

Optional **Voice Call** Support voice call each other **Functions**

> **TTS Voice Broadcast** Support TTS voice broadcast function.

Option Support LED Advertisement Panel, Oil Sensor, POS, Bus Station Serial Expand

Broadcaster, Car OBD, ect. external device



CMSV6 Interface

hand

CMSV6 In Mobile Phone Have all in the palm of your

Real-time monitoring via Mobile Phone Support iPhone, Android, iPad system





Video & Audio Monitoring Online Vehicle

GPS

Satellite Map

FOA

- Q: During playback, the map doesn't show?
- A: Possible reasons are as follows;
- 1.Net cable did not connect to PC;
- 2.Net works, but the computer can not get to the Internet;
- Q: When SD card and HDD records, How is the record coverage?
- A: SD card and HDD will record circularly for each other. When they are full, they will delete the original video records respectively.
- Q: The device was opened, HDD was installed, but the device can not record successful.
- A: 1.Check the HDD/SD Card was formatted or not, the unformatted HH/SD Card can not be used. Enter into the Main Menu System Setup Formatting the new installed HDD/SD Card.
- 2. If the recording channel is closed, if set the timing recording, it can not recording when it beyond the period of timing recording.
- 3. If the HDD is connect well, if the HDD/SD light is on.



Richmor Brand Package

Standard Package



Shipping

Strong cooperated with DHL/UPS Etc for fast and safety delivery.


- a. 2-5 days after payment cleared for sample order.
- b. 5-10 days after payment cleared depends on order quantity for bulk order.



Exhibition

Richmor

CPSE2012 in Shenzhen



CPSE2013 10.29-10.31

4 Booth we have

Welcome you !!!



CPSE2012-- Guangdong TV Report-Shenzhen Richmor









What is our expectation

Become your helpful and long term partner meeting your requirement.

Any question about your vehicle project, contact our representative Vicky.

We have strong technology team supporting you.

Mob/Whatsapp:+86 18929318475 Skype: rcmcctvsales7