


Main Features

- New His solution, **H.265** compression mode, the same image quality stream than H.264 can reduce space and traffic by 40%. Multi-stream recording.
- Integrate **DSM** driving behavior and driver **face recognition** function;
- **4CH** MDVR, built-in one AHD camera, and support 3CH external.
- Support hybrid mode, optional 1080P / 720P / D1 / HD1 / CIF video, adjustable frame rate and picture quality;
- **New flat interface**, support remote control or Mouse via LCD screen, and Mobile Phone APP Configuration directly.
- Support mobile Phone APP preview maintenance, real-time preview function of mobile terminal
- TF card records data (supports up to 2 large-capacity cards), which can completely resist data damage caused by vibration and dust on the car, so that the product can adapt to harsh road conditions that most products cannot adapt to;
- **Easy to install with 3M directly**, save half installation time comparing to normal MDVR
- Integrated front camera can be adjusted in the vertical direction, and the camera could be completely locked through the structure after adjustment
- **Integrated vehicle Microphone, and Speaker, convenient to two-way talk.**
- Four status Led indicators to show device working status
- Support dual TF cards (**max 256G each**)
- Supports low temperature startup and work. The machine has a highly reliable heat dissipation design, and the working temperature can reach: -40°C to 70°C.







Richmor



Richmor

