Parameter

Video channels	4 channels (2 built cameras, support 2 external input, 2 output)
Video Compression	H.264 Compression Mode
Network	3G/4G module & WIFI optional
Position	Support Built GPS/BD Module
G-Sensor	Support G-sensor
system	Linux
Voltage	6~36V
Storage	Two SD Card (Each SD support 128GB max.)
USB	Build-in Mini USB
TTS Voice Broadcast	support
Video Output	1 channels
Alarm output	1 ch(One RS232 port and One RS485 port)

Product description

Integrated microphone (inside car audio record)

Integrated speaker (audio broadcast and early waning)

Host device carry 6 status indication light (survey equipment work status)

Host device integrated one alarm button, one on-off button and one WIFI toggle button (AP and station mode by hand)

Built-in Bluetooth module(support wireless alarming and capture by wireless Bluetooth button]]and achieved headset intercom and telephone function)

Built-ed WIFI(achieved automatic uploading and smart phone connection function.the AP function achieved 5 external device share internet)

Built-ed GPS Module and antenna (achieved management of car speed and route)

Support alarming function for the departure of the routes and entrance and the exit of an area.equipment support 16 route and area.

Integrated 3G/4G Module(achieve remote audio and video transmission and management)

Built-ed G-Sensor Module (achieved automatic alarming upload about abnormal vibration, overturning , impact and emergency brake)

Built-in one video output(achieved video preview and rear preview function via connection of the monitor)

Built-in super-capacitor (work time about 8 to 11 seconds under the condition of abnormal outage for the core data without loss and the hard disk without damage)

Support two SD Card (each SD support 128GB max)

Detail pictures

Modular Split Mini Camera DVR -----BK6















Package content

1 Piece mobile DVR, per box with all standard accessories

RCM-MDR210 Parameter Sheet

Item	Parameter
OS	Linux
Language	Chinese/English/Customized

Video Compression		H.264				
		Overlays information such as date time and vehicle ID				
GUI	Graphical User Interface	Setup system parameters with the remote control.				
Video Record System		4CH 720P AHD input/SD input/mixed video input,				
, , , , , , , , , , , , , , , , , , ,		aviation connector, 1.0Vp-p, 75 Ω				
	Video Output	1CH CVBS+1CH VGA output, 1.0Vp-p,				
		75Ω,Aviation,Support 1CH Full Screen,4CH Screen				
	Preview	Support 1 channel and 4 channels preview.				
	FIEVIEW	Support Manual/Alarm Trigger full screen preview				
	Deschutien					
	Resolution	720P/D1/HD1/CIF, MAX:4 channels 720P				
	Video Quality	0-7 levels, 0 is the highest level.				
	Video Standard	PAL: 100f/s , CCIR625 line,50field; NTSC: 120f/s, CCIR525 line,60field;				
		CIF: 256Kbps ~ 1.5Mbps, 8 level video quality optional;				
		HD1: 600 Kbps ~ 2.5Mbps, 8 level video quality optional;				
		D1: 800Kbps ~ 3Mbps, 8 level video quality optional;				
		720P: 4Mbps-6Mbps, multi level video quality optional				
	Record Mode	The default setting is auto recording after power on.				
		Timed recording, alarm trigger recording and				
		manual recording are supported.				
Audio	Audio Input	4CH ,Aviation Plug				
	Audio Output	1CH,Aviation Plug				
	Compression	G.726 compression, 8KB/s speed				
Alarm Input		4Ch Alarm Input, kinds of alarm linkage support				
Alarm Output		1CH Alarm Output				
Communication interface		1CH RS232 or 1CH RS485 for optional				
Position		Support Built GPS/BD Module, built in G-sensor,				
		can replay and analyse vehicle driven route.				
wireless transmission		Support Built-in 3G/4G wireless transmission function,				
		WCDMA, CDMA2000, TDD-LTE, FDD-LTE				
Mation Dataction		Support motion detection alarm.				
Motion Detection		(Can set the video recording duration time after alarm on platform.)				
G-Sensor		Support G-sensor				
Storage	SD	Dual SD Card,each max 128GB SD Card loop recording				
	Upgrade	Support SD Card remote updating				
	File Format	H.264				
	File System	Special FAT32 File System				
Video Playback	Video Search	Search By Record Time/Record Type etc				
	Playback	Max support 4CH Replay /Stop/Fast/Slow at same time				
		Support forward and backward play at the speed of: x 2,x4,x8,x16.				
Voltage & Power	Power Management	Wide Voltage.Support Timed/Delay off				
	Voltage Input	DC:+8V ~ +36V				
	Power Consumption	Normal Working []14W , Stand-by status < 0.5W				
	Temperature	-20°C to +70°C				
Working Environment		20% to 80%				
	Password	User/Admin 2 Level Different Password				
Security	Size	112(W) x36(H) x138(D) mm				
others	Net Weight	360g				

Richmor surveillance GUI

The main menu includes: Search, System setup, Rec setup, Network setup, Alarm setup, Peripheral setup, System Tools, System Information, as below:



Richmor Mobile DVR Mileage Summary

Vehic	le M	anag	eme	nt Sy	/stem

Kelcone! MMSSP | Runaper | Int

	Report	Device	User					
51	💼 Mile	age Summary						
legari.	Begin Time:	2016-01-08 00:00:0	0 📄 to: 2016-01-0	8 16:27 09 🔳				
duick Report	Jarice: All	Devices +	Select Device	Query Expert	To Escel	Expert To Can Expert To Péf		
filesge Sumary	Bilange S							
Elougo Daily	Indea	Vehicle	Total Wilcoge(DB)	Bagin Time	Start Hileage(B	0 Start Position	Ind Taxe	hd filesp (B)
Irack Detail	t	€ £3114	174.68	2016-01-06 08:00:32	22.95	22.534294, 114.006444	2016-01-00 18:25:41	157.63
ipeed Report (2	\$ £73130	10,200	2016-01-06 07:33:17	1B.1	ET. BRICH, LIE. BRIME	2016-01-08 18:25:28	171.57
hline Summery (3	24012	211.42	2018-00-08 07:09:55	23.41	21. 369582, 116, 675227	2016-01-08 14:57:24	300.63
O ALara Report (4	R ATE248	97.4	2016-01-06 00:00:25	299.97	42 575492,118 788245	2016-01-08 08:42:39	41.09
lara Report (s	24023	0	2016-01-08 00:00:07	15.25	37. 198799, 120. 731 127	2016-01-08 18:19:07	15.25
	6	\$ 0/5387	416.36	2016-01-08 08:09:54	96.66	35 MILCO, 117 647151	2016-01-08 18:20:11	92.60
itorage Report (7	Ø 381712	120.98	2016-01-08 04:48:40	28.51	36, 676478, 117, 661,941	2016-01-08 14:25:07	144.92
hgrade Report (8	₹608250	45.6E	2016-01-08 00:00:00	138.13	22.654394,112.496583	2016-01-08 16:15:15	115.62
fael Report (9	8005153	40.61	2016-01-08 00:00:27	82	SE 6541W, 112, 407665	2916-01-08 16:11:28	13.12
ark legert (10	\$805368	111.72	2018-00-00 00:00:15	145.61	22 656221, 112 69645	2018-01-08 18:24:48	92.9
Ses Peacing Report (11	B 865010	52.02	2016-01-06:00:00:10	99.24	22, 654234, 112, 497785	2016-01-08 16:15:55	57.92
6 Flee Report	12	鲁4,3583	855.08	2016-00-06 00:00:29	354.38	36.950643; 111.659700	2016-01-08 18:24:44	1009.74
	13	24058	224.42	2016-00-08 07:00:58	44.57	37. 949788, 118. 844070	2016-01-08 16:17:34	60.4
Extend Report (14	29998	2.36	2018-00-08 12:12:09	17.6	28 124420, 121 238947	2016-01-08 13:57:27	19.EL
Dispatch Report (;	15	00568	369.29	2016-01-08 00:00:54	51.04	35 133305, 115, 868921	2016-01-08 16:00.58	420.33

Player software interface

Next Next Next Image Image Image Image <td< th=""><th></th></td<>	
rcheckweinen in heinen in	
rcnacety.en.allbaba.com	
rcnectv.en.allbaba.com	
rcine receiving the second sec	4-1
rchectiv.en.alibaba.com	
	-6
	ē.
Ack New #16236	
Ack New #16236	
Party Made Notes And Alexandro March Street March Street	
ei goa Medar Certer	
nun Onlar Dense Postoreg Text Poston	11
adverg Tee 20+02-010324 000 00+02010308 004028402840394 120160400 00 00	· .
	+ -
eed E2-01m/Okarb) 前の2004-2011-010-2 用作者通び用意と思 82-21m/06/04490 mb Naved 方の10-21mの10-2014-2014年の日本日本日本日本日本日本日本日本日本日本日本日本日本日本日本日本日本日本日本	-

Richmor actual case



Application

Widely used in passenger car,bus,taxi,school bus,lorry,dangerous vehicle, personal car and ship etc.



Travelling Bus



Taxi

Road Police Car

Escort Vehicle





Truck



Border Car



Ambulance



Dangerous chemical car



School Bus



Traffic Inspection Car



Fixed place monitor



Tobacco Logistics



Express Logistics



Civil Vork Vehicle



Ship Ionitor

Buying Guides

Packaging

1 unit with all standard accessories such as AV Cables/IO Cable/Power Cable/Key etc

Neutral paper box or Color paper box with Logo Richmor printed, also welcome customized package.



Richmor Brand Package

Standard Package

Cooperation Terms

Shipping Info

Estimated Shipping Time

- a. 3-5 working days after payment cleared for sample order.
- b. 5-10 working days after payment cleared depends on order quantity for bulk order.

Remarks:

1.Order will be dispatched before next 2 working day after full payment is done,48 hours aging time;

2.Related documents will be sent after order is dispatched, please check mail;

3.All parcels will be shipped by DHL/TNT/UPS/EMS/FedEx/Air etc according your option;

Payment Info

1.T/T;Western Union;Paypal optional;

2.30% deposit, balance be paid before delivery

Remarks:

Please sent bank slip when payment done, according this we will arrange the production

Warranty Info

Free Replacement:

Mobile DVR Recorder can replace free under conditions within 15 days after sale, in the precondition of our quality problem, non-artificial damage

Supplier Warranty:

We offer ONE YEAR warranty on Vehicle Mobile DVR Recorder, if your item has any warranty issue plea se contact us for a satisfying solution

Remark:

All qualified returns/replacement must be guided by us,we may not accept your return without informi ng us in advance

Service

- 1. Well Trained Sales Team and strong engineers for fast and professional support.
- 2. OEM/ODM Service



CUSTOMER SATISFACTION

- · Excellent Aftersale service
- 12 months warranty
- 24 hours customer service
- · We understand the importance of our customers


Certifications



Exhibition

Richmor

CPSE2012 in Shenzhen



Welcome you !!!



CPSE2012-- Guangdong TV Report-Shenzhen Richmor



About us & Customers:







Skype: rcmcctvsales2