

Vehicle dvr camera manufacturer,bus car taxi truck dvr recorder support smart phone monitor

Shenzhen Richmor Science&Technologies Development Co.,Ltd



WE PUT FORWARD THE IDEAL OF "4M" IN ENTERPRISE MANAGEMENT:

- More enhancements of product quality everyday.
- More progress of services and sales everyday,
- More widely the effect of our brand expands everyday,
- More smiles to each of us everyday.

Richmor

product specification:

Item		parameter
Operating System		Linux
Language		English/chinese/customized
Video Compression		H.264 Compression
OSD		overlays information such as date time and vehicle ID
GUI	Graphical user interface	setup system parameters with the remote control
Video Record System	video input	4CH 960P/720P AHD input,aviation connector, 1.0Vp-p, 75Ω
	video output	1 CVBS, 1.0Vp-p, 75Ω,Aviation,Support 1CH Full Screen,4CH Screen view
	preview	Support 1 channel and 4 channels preview., Support Manual/Alarm Trigger full screen preview
	resolution	720P/D1/HD1/CIF, MAX:4 channels of 720P and 4 channels of D1
	image quality	1-4 levels, 1 is the highest level.
	video standard	PAL: 100f/s , CCIR625 line,50field; NTSC: 120f/s, CCIR525 line,60field; CIF: 256Kbps ~ 1.5Mbps, 8 level video quality optional; HD1: 600Kbps ~ 2.5Mbps, 8 level video quality optional; D1: 800Kbps ~ 3Mbps, 8 level video quality optional; 720P: 4Mbps-6Mbps, multi level video quality optional
Audio	record mode	The default setting is auto recording after power on. Timed recording, alarm trigger recording and manual recording are supported.
	audio input	4CH Aviation Plug Input
	audio output	2CH,headphone connect at front panel, BNC Connect on Back panel
compression		G.726 compression, 8KB/s speed
Alarm Input		7CH Alarm Input,1CH AD Input,impulse speed input,Alarm Linkage
Alarm Output		2CH Alarm Output,Support Light/Sound alarm sensor,Oil/Power cut off

Interface		3CH RS232, POS/Fuel Sensor/LED Advertisement Connection 1CH 485 Interface,Connect PTZ Camera
Wireless Transmission		Support Built in 3G transmission,, WCDMA, CDMA2000,GPRS, EDGE; Built in 4G module optional, TDD-LTE, FDD-LTE
GPS Position		Support Built GPS/BD Module
Storage	HDD	Max 2.5" 1TB HDD
	SD Card	Max 128GB SD Card Mirror Recording Keep Data Safety
	update	Support USB Updating, SD Card Updating,OTA Remote Updating
	file format	H.264
	file system	Special FAT32 File System
	USB	USB Interface on Front Panel for data back up by U Disk,Hard Disk
Record Replay	video search	Search By Record Time/Record Type etc
	playback	Max support 4CH Replay /Stop/Fast/Slow at same time Support forward and backward play at the speed of: x 2,x4,x8,x16.
Security		User/Admin 2 Level Different Password
Optional Functions	voice call	Support voice call each other
	TTS Voice broadcast	Support TTS voice broadcast function.
	serial expand	Support LED Advertisement Panel,Oil Sensor, POS,Bus Station Broadcaster,Car OBD,ect.external device
Voltage & Power	Power Management	Wide Voltage.Support Timed/Delay off
	Input Voltage	DC:+6V - +36V
	Output Voltage	+12V~1.5A,+5V~1.5A
	Power	Working<5W
Working Environment	Temperature	-20℃ - +70℃
	Humidity	20% - 80%
Others	Size	200 (D)* 187(W)* 62(H) mm
	Weight	1.90Kg

Product Show:





AV Input & Output Cables



Power Cable



IO Cables



Remote Control



3G Antenna



WIFI Antenna




CD (Manual & Software Inside)



7000 HDD Mobile DVR


Product Introduction

Device Series



15

Product Advantage



Client User Graph Interface

The interface is titled "移动视频监控平台" (Mobile Video Monitoring Platform). It features a top navigation bar with icons for system functions. The main content area is divided into several sections:

- Top Menu Bar:** Includes icons for "终端列表" (Terminal List), "轮询列表" (Polling List), "我的地图" (My Map), "实时监控" (Real-time Monitoring), "电子地图" (Electronic Map), "回放管理" (Playback Management), "信息管理" (Information Management), and "系统设置" (System Settings).
- Left Sidebar:** Contains a tree view of the monitoring system hierarchy, including "监控中心(3/11)", "贵州(1/1)", "贵C A6446", and various camera channels (CH1, CH2, CH3, CH4).
- Main Content Area:** Displays four video feeds (1, 2, 3, 4) showing different camera views of a vehicle. Below the feeds is a table of real-time data for the selected vehicle (贵C A6446).
- Right Panel:** Shows a map of the vehicle's current location, with a search bar and a list of nearby locations.
- Bottom Status Bar:** Displays system information, including "运行时长: 00:01:04", "在线数: 3", "定损数: 1", "欠费: 0", "总数: 11", "在线率: 27.27%", and "定损率: 9.09%".







The table below the video feeds provides detailed real-time data for the selected vehicle (贵C A6446):

终端	GPS时间	位置	速度	报警
贵C A6446	2016-03-14 09:50:09	贵州省遵义市习水县G4215(蓉遵高速公路)	74.10 km/h(南)	
桂KY7507	2016-03-14 09:50:17	广西壮族自治区玉林市博白县人民中路38号	11.00 km/h(北)	
桂KY7569	2016-03-14 09:50:38	广西壮族自治区玉林市博白县X403	27.00 km/h(西北)	
桂KY7599	2016-03-14 09:49:03	广西壮族自治区玉林市博白县S216	0.00 km/h(东)	




our mdvr support mobile Client monitoring like PC,mobile phone etc.

[Anasayfa](#)[İndir](#)[Soru](#)[Language](#)

İstemci İndirme

 Windows İndir  Version: 7.4.0.15 Güncelle: 20151123	 İndir  Version: 7.0.3 Güncelle: 20150523	 İndir  Version: 7.0.0.10 Güncelle: 20150801
--	--	---

Uygun Program İndir

		
---	---	---

Appliacation

FUNCTIONS

- Video& Audio real-time monitoring
- Online Vehicle Status
- Satellite Map
- GPS
- Video Storage
- Tracking Display
- Intercom
- Fuel Sensor
- G-Sensor
- Temperature-Sensor

Richmor

OEM & ODM Service

Brasil World Cup Supplier
www.rcmcctv.com



Truck
Coach



School Bus
Bus



Police Car
Taxi



Support
All Vehicles

certificate

[illegible]

Verification of Conformity	
Reference No.: LCB-00000000000000000000	
Responsible Party :	Shenzhen Weichuan Technology Development Co., LTD.
Address :	#F Rd #4 West Longgang Street, Longhua New District, Shenzhen, China
Product :	Battery Charger
Model No.:	WCH-M0000000, WCH-M0000000, WCH-M0000000, WCH-M0000000, WCH-M0000000, WCH-M0000000, WCH-M0000000, WCH-M0000000
Type Mark :	RoHSmark
Standards :	FCC CISR #1 PART II Subject-CISR, EMC CISR-A-0000
Important notes: This document is in accordance with Part 10 of the FCC Rules and Regulations for radio frequency devices. Operation of the product is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation. We warrant to conform to the applicable FCC Rules and Regulations. The national labeling was in accordance to the most accurate measurement capabilities available, and that all necessary steps have been exhausted to ensure that all production units of the same equipment will continue to comply with the Federal Communications Commission's requirements.	

CERTIFICATE OF CONFORMITY	 CERTIFICATE of Conformity Reference No. - UKCA01007472	
	Applicant	<input type="checkbox"/> Shanghai Xinshuo Technology Development Co., LTD.
	Address	<input type="checkbox"/> 10-10-10 West Longgang Road, Longgang New District, Shenzhen, China
	Product	<input type="checkbox"/> Mobile Phone
	Model(s)	<input type="checkbox"/> XIAOMI REDMI 12C, XIAOMI REDMI 12C 5G, XIAOMI REDMI 12C 5G, XIAOMI REDMI 12C 5G, XIAOMI REDMI 12C 5G, XIAOMI REDMI 12C 5G, XIAOMI REDMI 12C 5G, XIAOMI REDMI 12C 5G, XIAOMI REDMI 12C 5G, XIAOMI REDMI 12C 5G
Trade Mark	<input type="checkbox"/> Xiaomi	

The applicant products have been tested to be in full technical conformity and found to comply with the following European Directives:

The EMC Directive 2014/53/EU

EN 55032: 2015, EN 55034: 2015

The products were performed in normal operating mode. The test results apply only to the particular sample tested and to the specific radio channel set. This certificate applies specifically to the sample investigated in our test laboratory number only.

The CE markings as shown below can be affixed to the product after completion of necessary technical documentation.

(Your signed Declaration form to be attached)




 Manager
 (10.10.2023)

Shenzhen LCC Compliance Testing Laboratory Ltd.
 10, Tonggang Industrial Park, Tonggang Road, Nanshan District, Shenzhen City, Guangdong, China
 Tel: 0086-755-26741155
 Email: shenzhen@lcc.com.cn
 Website: www.lcc.com.cn

CERTIFICATE OF CONFORMITY

 CERTIFICATE of Conformity Reference No.: CCB0104000019	
Purchaser	Shenzhen Moxian Technology Development Co., LTD.
Addressee	3F South West Longgang Road, Longgang New District, Shenzhen, China
Product	Speakers
Models	RCM-SPC10A, RCM-SPC10B, RCM-LAC10A, RCM-SPC10E, RCM-MP10A, RCM-MP10B, RCM-SAL, RCM-HAS, RCM-DAB, RCM-FR100, RCM-CAP1, RCM-SAR, RCM-SAR1, RCM-SAR2, RCM-DECT10, RCM-DECT10S, RCM-DECT10H
Trade Mark	Boschman
The submitted products have been tested by us with the latest standards and found in compliance with the following European Directives:	
This EMC Directive 2004/108/EC	
(EN 60335-1, EN 60335-2-1)	
These tests were performed in normal operation mode. The test results apply only to the particular sample tested and to the specific tests carried out. This certificate attests conformity to the samples investigated in our test reference number 4916.	
The CE markings on stated labels can be affixed on the product after inspection of satisfactory technical documentation.	
(This document is binding here to be observed)	
  <p style="text-align: right;">April 10, 2013</p>	
Shenzhen LCC Compliance Testing Laboratory Ltd. 2/F, Jingdong Industrial Park, Tongxin Road, Bao'an Dist., Shenzhen City, Guangdong, China Tel: 86-(0)755-26214218 http://www.lcc-test.com Fax: 86-(0)755-42320102 Email: info@lcc-test.com	

[illegible]

CERTIFICATE OF CONFORMITY



CERTIFICATE

of Conformity

ISSUED BY: Institution of Testhouse Technology

Reference No.: L130704103818

When tested as specified, the submitted sample conforms with the requirements of Commission Decision of 21 June 2011 amending (Directive 2011/65/EU).

Applicant:	<input type="checkbox"/> Shenzhen Testhouse Technology Development Co., Ltd.
Address:	<input type="checkbox"/> 3F A6 at West Longgang Road, Longgang New District, Shenzhen, China
Trade Mark:	<input type="checkbox"/> Rohtech
Product:	<input type="checkbox"/> Wireless USB
Model:	<input type="checkbox"/> R100-MODBUS, R100-MODBUS, R100-MODBUS, R100-MODBUS, R100-MODBUS, R100-MODBUS, R100-MODBUS, R100-MODBUS, R100-MODBUS, R100-MODBUS

The test report is issued to the Company subject to the General Conditions of Service annexed herewith, and in relation to the limitations of liability, indemnification and intellectual property set forth therein. The results shown in this test report refer only to the sample(s) tested unless otherwise stated. The Test Report cannot be reproduced without in full, without prior written permission of the Institution.

Other relevant documents have to be obtained.

RoHS




 Manager
 April 16, 2012

Shenzhen L13 Compliance Testing Laboratory, Ltd.
 12, Hengxin Industrial Park, Hengxin Road, Longgang New District, Shenzhen,
 Guangdong, China
 Tel: 0086-755-83294126
<http://www.l13.com.cn>

Fax: 0086-755-83294126
 E-mail: enquiry@l13.com.cn

company and factory



Richmor

OEM & ODM Service

Brasil World Cup Supplier



Exhibition:

Richmor

CPSE2012 in Shenzhen



CPSE2013

10.29-10.31

4 Booth we have

Welcome you !!!



CPSE2012-- Guangdong TV Report-Shenzhen Richmor



Other kinds of products

Product Introduction

We are Professional mobile dvr manufacturer !!

TOP SALE ---4ch AHD SD CARD MOBILE DVR & 4ch AHD HDD mobile dvr



If u r interested in our dvr, pls contact Amily: [whatsapp--18929314790](https://www.whatsapp.com/channel/0029113929314790)

系统配套产品

VEHICLE CAMERA PARAMETER

车载红外半球摄像机 Vehicle Dome IR Camera



RCM-D342S/IR	1/3" SONY CCD 420TVL 0.5LUX	24 units ≤ 5 LED or 10 Units ≤ 8 LED	3.6mm/6mm
RCM-D442A/IR	1/4" Sharp CCD 420TVL 0.5LUX	24 Units ≤ 5 LED or 10 units ≤ 8 LED	2.8mm/3.6mm
RCM-D348S/IR	1/3" SONY CCD 480TVL 0.1LUX	24 Units ≤ 5 LED or 10 units ≤ 8 LED	3.6mm/6mm
RCM-D354S/IR	1/3" SONY CCD 540TVL 0.1LUX	24 Units ≤ 5 LED or 10 Units ≤ 8 LED	3.6mm/6mm
RCM-D360S/IR	1/3" SONY CCD 600TVL 0.1LUX	24 Units ≤ 5 LED or 10 Units ≤ 8 LED	3.6mm/6mm
RCM-D370S/IR	1/3" SONY CCD 700TVL 0.1LUX	24 Units ≤ 5 LED or 10 Units ≤ 8 LED	3.6mm/6mm

车载红外防水摄像机 Vehicle IR Waterproof Camera



RCM-CM442A/IR	1/4" Sharp CCD 420TVL 0.5LUX	20 Units ≤ 5 LED (Work Under water)	3.6mm/6mm
RCM-CM342S/IR	1/3" SONY CCD 420TVL 0.1LUX	20 Units ≤ 5 LED (Work under Water)	3.6mm/6mm
RCM-CM348S/IR	1/3" SONY CCD 480TVL 0.1LUX	20 Units ≤ 5 LED (Work Under Water)	3.6mm/6mm
RCM-CM360S/IR	1/3" SONY CCD 600TVL 0.1LUX	20 Units ≤ 5 LED (Work Under Water)	3.6mm/6mm



Best Regards
Amily Zhang

HAND US YOUR TRUST, OFFER YOU OUR BEST!!!

Shenzhen Richmor Technology Development Co.,LTD

Email: overseasales-2@rcmcctv.com

Skype: rcmcctvsales2

QQ: 2355778097

MB/Whatsapp: +86 18929314790

Website: <http://www.richmor.net/>

ADD: 6th Floor, F Building, Xinzhi Industrial Park, Yangmei,Bantian,Longgang, Shenzhen

