Product descriptions from the supplier

Product Description

Forklift Hardware



All Al Integrated Terminal

Waterproof Level: IP67, Explosion proof, High heat dissipation and easy installation





Product Parameter

	Network format	4G TDD-LTE, FDD-LTE/full network access							
	Memory	2Gb							
Basic parameter	Integrated camera	AHD 1080p camera (IF DMS is Infrared black and white camera)							
	position	Dual-mode positioning, supports GPS+Beidou: positioning accuracy ≤10m (95% probability); Positioning time, hot start ≤5s, cold start ≤45s							
Hardware features	WiFi (optional)	2.4G; IEEE 802.11b/g/n							
	MIC	Single microphone, supports echo and noise cancellation							
	G-sensor	3-axis gravity acceleration sensor							
3G/4G	module type	Support built-in 3/4G wireless transmission function, TDD-LTE, FDD-LTE							
	video interface	Expansion harness supports expansion of 1-channel video							
	SIM card holder	SIM card holder*1 (medium card)							
Interface	Communication Interface	Integrated 1-way RS232 serial port							
	Can (optional)	Can be scalable							
	BD/GPS antenna	Built-in/external antenna available							
Antenna	4G antenna	Built-in antenna							
	WIFI antenna	Built-in antenna							
	power input	9-110V wide voltage input							
Power	Working current	12V 0.35A without infrared (MAX)							
	low power mode	12V 0.5A turns on infrared (MAX)							

AI Function

Authorized Operation Face Recognition

Face recognition are required before operation. Computer image processing technology is used to extract portrait feature points from the video for intelligent analysis to prevent drivers from skipping work and other unregistered drivers from operating the vehicle.



Driver Monitoring Status Analysis

Dangerous behaviors will be detected by DMS camera such as Fatigue(eye close, yawn), distraction, smoking and calling, also will send voice alarms to drivers and alarms will be uploaded into the operation center.



Blind Spot Detection

BSD camera is optional. People in blind spot area can be detected. When people are detected in blind area, there will be different level alarms including sound and lamp. Once people are in the impact zone, The forklift automatically brakes to stop (with throttle controller)




Speed Sensor and Alarm Reminder (R-WATCH)

Speed perception will be carried in a field without positioning. It also provides voice and beep sound prompts for speeding, and can display alarm type and vehicle speed



Safety Seatbelt Monitoring

After installing the seat belt warning device, the vehicle will not be started if the seat belt is not fastened.



- Real-time monitoring of non-fastening of seat belts and alarm reminders will be carried out.
- > Violation alarms will be uploaded to the platform for statistical analysis to ansure the
- platform for statistical analysis to ensure the safety of forklift operators.



Vehicle Platform management

Other Functions

Data recording

Switching time and working time, loading time and mileage



Reminder function

Forklift maintenance ,annual inspections, operator certificate and equipment expiry reminders



Accident recording

Driver identity information, time of occurrence, location and other information



Vehicle dispatching system

Reasonable calls based on resource conditions, avoiding uneven distribution of resources




Vehicle Management Software(VMS)

Management and scheduling: All vehicle videos, GPS information, alarm information, video management, user management, etc.



Live Video

Real-time video browsing, supports simultaneous browsing of multiple screens, vehicle location information, equipment status, GPS map display, etc.



Operation Management

Evidence query such as video loss, offline, GPS abnormal and other vehicle information

Position	CL search feel name new feet Vehicle Monitoring Center (4538vehicles)													
	Vehicle Monitoring Center El Richmor	plate N	0						+	uick add car	+ add ve	nicio E	batch import	土 export recor
Video	- B)			Q Searc	n) & R	eset								
道 Safety	r r BrA		Sn	vehicle nu mber 🌩	license pla te color	fleet <i>i</i> com pany	Device No.	SIM numb er	driver	online stat us ¢	vehicle sta tus 😂	installation time 🗢	service expiration time 💠	operation @
(Sarety	B ABC		1		• without		120128			• offine	• normal	2023-11-1 6		S
Playback	B.		2		- without		120127			• offline	• normal	2023-11-1 6		N 0
Terminal	B. Contraction		3		• without		120126			• offline	• normal	2023-11-1 6		C O
	- B C2051		4		• without		120125			• offine	• normal	2023-11-1 6		<u> </u>
Operation	- B C2092		5		• without		120124			• offline	 normal 	2023-11-1 6		N O
E Report			6		• without		120123			• offline	• normal	2023-11-1 6		C O
83	C2668		7		+ without		120122			• affline	- normal	2023-11-1 6		K Ø



Company Profile

is a TOP high-tech enterprise/ manufacturer specialized in digital and intelligent mobile video surveillance products, with 15-year rich experience of developing, producing and selling. Products cover etc. As a professional manufacturer, we devote ourselves to

providing customers with most advanced technologies and products with highest quality.Shenzhen Richmor Technology Development Co., Ltd.3G 4G SD card/HDD mobile DVRs, ADAS DSM BSD AI mobile DVRs/Dash cams, Body cams, Smart touch screen, HD vehicle cameras



















