

4CH Mobile DVR 3G GPS Functions HDD Mobile DVR RCM-MDR8000 **car,bus ,truck , taxi , police car,solution**

Mobile DVR Key Features

1. Superhigh anti-shock, water-proof, dust-proof functions, easy installation
2. Support double data backup (Very Safe)
3. Support D1 each Channel, PTZ Control, 3G remote monitoring
4. Best after-sale service with 12 months warranty, lifetime maintaince
5. Support 3G. GPS. Modual for optional
6. Over-load, over-current, reverse, ESD, power-off protection
7. Support Auto recording, timed recording, alarm recording (open/ close door etc.)
8. Antomatic ON/OFF setup, can set many time periods.
9. Independent delayed-time off circuit, fire-off delaying recording, delay time is settable.
10. Support powerful client program: monitoring, playback, recording and screenshot and playback analysis.



Mobile DVR Specification

Truck DVR Recorder

- 1)3G GPS for option
- 2)12 Months Warranty
- 3)Key for HDD and SD card(Very Safe)
- 4)CE FCC Rohs Approval

Item	Parameter
A&V Input	4 channel, aviation connector
A&V Output	1 channel, aviation connector
Video compression format	H.264

Resolution	D1/HD1/CIF selectable. D1-the highest, CIF-the lowest
Video Frame rate	100 fps (PAL),120fps(NTSC),50fps(4*D1)
Recording	Fire recording, time recording, alarm recording
Storage	HDD + SD Card recording sync
Alarm	6CH alarm; alarm and recording at the same time
Black box function	Recording Vehicle operations (turn left/right, stop lamp), license NO. , route, driver
System Protection	Saving the recording data when the power off, support hard disk upgrading
Network	RJ45 Ethernet interface and can copy the data through Wired/Wireless networks, controlling and managing the main machine.
PTZ control	RS232 can turn to PTZ interface remote control
3G	3G Wireless transmission
GPS	Support GPS module expansion, recoding and playback the vehicle route
Wide Voltage Range	Operation voltage: 6V~48V; Instantaneous range: 6-70V. Support over-voltage / short circuit/ reverse/ ESD protection.fire on/off timing,delay power-off. Output voltage is 12v .
Low Consupion Power	2.4W
System	Embedded full-time multitask control system, support Chinese simplified & English
Working environment	Working temperature: -20C°to 50C°,Working humidity: <90%; storage temperature: -30C to 70C,Storage humidity<90%
Dimensions	200mm*130mm*65mm

Mobile DVR CE ROHS FCC Certification

CERTIFICATE OF CONFORMITY

CERTIFICATE of Conformity

Reference No.: LC0304150075

Applicant:	Shenzhen Lichuan Technology Development Co., LTD.
Address:	1/F No.88 West Longgang Road, Longhua New District, Shenzhen, China
Product:	Camera
Model(s):	RCM-APC1716, RCM-APC1716, RCM-LPC1716, RCM-APC1716, RCM-APC1716, RCM-APC1716, RCM-LPC1716, RCM-APC1716, RCM-LPC1716, RCM-APC1716, RCM-LPC1716, RCM-APC1716, RCM-LPC1716, RCM-APC1716, RCM-LPC1716, RCM-APC1716, RCM-LPC1716, RCM-APC1716, RCM-LPC1716, RCM-APC1716, RCM-LPC1716, RCM-APC1716, RCM-LPC1716, RCM-APC1716,

Trade Mark: • Reference:

The submitted products have been tested by us with the latest standards and found in compliance with the following European Directives:

The EMC Directive 2004/108/EC

EN 55022: 2010, EN 55024: 2010

The tests were performed in normal operation mode. The test results apply only to the particular sample tested and/or the specific serial number lot. This certificate applies specifically to the sample investigated in our test laboratory number only.

The CE marking as shown below can be affixed on the product after preparation of necessary technical documentation.

(Date: relevant Declaration form to be completed)

Date: 15.12.2010

Shenzhen LCB Compliance Testing Laboratory Ltd.
1/F, Gangqian Industrial Park, Tangxia Road, Waterfront, Bantian District, Shenzhen,
Guangdong, China
Tel: +86(755) 8329-1230
http://www.lcb.com.cn

Fax: +86(755) 8329-1232
E-mail: sz@lcb.com.cn

		<h1 style="margin: 0;">CERTIFICATE</h1> <h2 style="margin: 0;">of Conformity</h2> <p style="margin: 0;">017145001 Number of Reference Substance</p> <p style="margin: 0;">Reference No. L1310241024070</p>	
		<p style="margin: 0;">When declared as notified, the submitted sample complies with the requirements of Commission Decision of 21 July 2007 (2007/48/EC)</p>	
Applicant	<input type="checkbox"/> Shenzhen Huatuo Technology Development Co., Ltd.		
Address	<input type="checkbox"/> 3F Bockler Road Longyuan Road, Longhua New District, Shenzhen, China		
Trade Mark	<input type="checkbox"/> Huatuo		
Product	<input type="checkbox"/> Camera		
Material	<input type="checkbox"/> PCBA-IPC157, PCBA-IPC157B, PCBA-IPC157C, PCBA-IPC157D, PCBA-IPC157E, PCBA-IPC157F, PCBA-IPC157G, PCBA-IPC157H, PCBA-IPC157I, PCBA-IPC157J, PCBA-IPC157K, PCBA-IPC157L, PCBA-IPC157M, PCBA-IPC157N, PCBA-IPC157O, PCBA-IPC157P, PCBA-IPC157Q, PCBA-IPC157R, PCBA-IPC157S, PCBA-IPC157T, PCBA-IPC157U, PCBA-IPC157V, PCBA-IPC157W, PCBA-IPC157X, PCBA-IPC157Y, PCBA-IPC157Z, PCBA-IPC157AA, PCBA-IPC157AB, PCBA-IPC157AC, PCBA-IPC157AD, PCBA-IPC157AE, PCBA-IPC157AF, PCBA-IPC157AG, PCBA-IPC157AH, PCBA-IPC157AI, PCBA-IPC157AJ, PCBA-IPC157AK, PCBA-IPC157AL, PCBA-IPC157AM, PCBA-IPC157AN, PCBA-IPC157AO, PCBA-IPC157AP, PCBA-IPC157AQ, PCBA-IPC157AR, PCBA-IPC157AS, PCBA-IPC157AT, PCBA-IPC157AU, PCBA-IPC157AV, PCBA-IPC157AW, PCBA-IPC157AX, PCBA-IPC157AY, PCBA-IPC157AZ, PCBA-IPC157BA, PCBA-IPC157BB, PCBA-IPC157BC, PCBA-IPC157BD, PCBA-IPC157BE, PCBA-IPC157BF, PCBA-IPC157BG, PCBA-IPC157BH, PCBA-IPC157BI, PCBA-IPC157BJ, PCBA-IPC157BK, PCBA-IPC157BL, PCBA-IPC157BM, PCBA-IPC157BN, PCBA-IPC157BO, PCBA-IPC157BP, PCBA-IPC157BQ, PCBA-IPC157BR, PCBA-IPC157BS, PCBA-IPC157BT, PCBA-IPC157BU, PCBA-IPC157BV, PCBA-IPC157BW, PCBA-IPC157BX, PCBA-IPC157BY, PCBA-IPC157BZ, PCBA-IPC157CA, PCBA-IPC157CB, PCBA-IPC157CC, PCBA-IPC157CD, PCBA-IPC157CE, PCBA-IPC157CF, PCBA-IPC157CG, PCBA-IPC157CH, PCBA-IPC157CI, PCBA-IPC157CJ, PCBA-IPC157CK, PCBA-IPC157CL, PCBA-IPC157CM, PCBA-IPC157CN, PCBA-IPC157CO, PCBA-IPC157CP, PCBA-IPC157CQ, PCBA-IPC157CR, PCBA-IPC157CS, PCBA-IPC157CT, PCBA-IPC157CU, PCBA-IPC157CV, PCBA-IPC157CW, PCBA-IPC157CX, PCBA-IPC157CY, PCBA-IPC157CZ, PCBA-IPC157DA, PCBA-IPC157DB, PCBA-IPC157DC, PCBA-IPC157DD, PCBA-IPC157DE, PCBA-IPC157DF, PCBA-IPC157DG, PCBA-IPC157DH, PCBA-IPC157DI, PCBA-IPC157DJ, PCBA-IPC157DK, PCBA-IPC157DL, PCBA-IPC157DM, PCBA-IPC157DN, PCBA-IPC157DO, PCBA-IPC157DP, PCBA-IPC157DQ, PCBA-IPC157DR, PCBA-IPC157DS, PCBA-IPC157DT, PCBA-IPC157DU, PCBA-IPC157DV, PCBA-IPC157DW, PCBA-IPC157DX, PCBA-IPC157DY, PCBA-IPC157DZ, PCBA-IPC157EA, PCBA-IPC157EB, PCBA-IPC157EC, PCBA-IPC157ED, PCBA-IPC157EE, PCBA-IPC157EF, PCBA-IPC157EG, PCBA-IPC157EH, PCBA-IPC157EI, PCBA-IPC157EJ, PCBA-IPC157EK, PCBA-IPC157EL, PCBA-IPC157EM, PCBA-IPC157EN, PCBA-IPC157EO, PCBA-IPC157EP, PCBA-IPC157EQ, PCBA-IPC157ER, PCBA-IPC157ES, PCBA-IPC157ET, PCBA-IPC157EU, PCBA-IPC157EV, PCBA-IPC157EW, PCBA-IPC157EX, PCBA-IPC157EY, PCBA-IPC157EZ, PCBA-IPC157FA, PCBA-IPC157FB, PCBA-IPC157FC, PCBA-IPC157FD, PCBA-IPC157FE, PCBA-IPC157FF, PCBA-IPC157FG, PCBA-IPC157FH, PCBA-IPC157FI, PCBA-IPC157FJ, PCBA-IPC157FK, PCBA-IPC157FL, PCBA-IPC157FM, PCBA-IPC157FN, PCBA-IPC157FO, PCBA-IPC157FP, PCBA-IPC157FQ, PCBA-IPC157FR, PCBA-IPC157FS, PCBA-IPC157FT, PCBA-IPC157FU, PCBA-IPC157FV, PCBA-IPC157FW, PCBA-IPC157FX, PCBA-IPC157FY, PCBA-IPC157FZ, PCBA-IPC157GA, PCBA-IPC157GB, PCBA-IPC157GC, PCBA-IPC157GD, PCBA-IPC157GE, PCBA-IPC157GF, PCBA-IPC157GG, PCBA-IPC157GH, PCBA-IPC157GI, PCBA-IPC157GJ, PCBA-IPC157GK, PCBA-IPC157GL, PCBA-IPC157GM, PCBA-IPC157GN, PCBA-IPC157GO, PCBA-IPC157GP, PCBA-IPC157GQ, PCBA-IPC157GR, PCBA-IPC157GS, PCBA-IPC157GT, PCBA-IPC157GU, PCBA-IPC157GV, PCBA-IPC157GW, PCBA-IPC157GX, PCBA-IPC157GY, PCBA-IPC157GZ, PCBA-IPC157HA, PCBA-IPC157HB, PCBA-IPC157HC, PCBA-IPC157HD, PCBA-IPC157HE, PCBA-IPC157HF, PCBA-IPC157HG, PCBA-IPC157HH, PCBA-IPC157HI, PCBA-IPC157HJ, PCBA-IPC157HK, PCBA-IPC157HL, PCBA-IPC157HM, PCBA-IPC157HN, PCBA-IPC157HO, PCBA-IPC157HP, PCBA-IPC157HQ, PCBA-IPC157HR, PCBA-IPC157HS, PCBA-IPC157HT, PCBA-IPC157HU, PCBA-IPC157HV, PCBA-IPC157HW, PCBA-IPC157HX, PCBA-IPC157HY, PCBA-IPC157HZ, PCBA-IPC157IA, PCBA-IPC157IB, PCBA-IPC157IC, PCBA-IPC157ID, PCBA-IPC157IE, PCBA-IPC157IF, PCBA-IPC157IG, PCBA-IPC157IH, PCBA-IPC157II, PCBA-IPC157IJ, PCBA-IPC157IK, PCBA-IPC157IL, PCBA-IPC157IM, PCBA-IPC157IN, PCBA-IPC157IO, PCBA-IPC157IP, PCBA-IPC157IQ, PCBA-IPC157IR, PCBA-IPC157IS, PCBA-IPC157IT, PCBA-IPC157IU, PCBA-IPC157IV, PCBA-IPC157IW, PCBA-IPC157IX, PCBA-IPC157IY, PCBA-IPC157IZ, PCBA-IPC157JA, PCBA-IPC157JB, PCBA-IPC157JC, PCBA-IPC157JD, PCBA-IPC157JE, PCBA-IPC157JF, PCBA-IPC157JG, PCBA-IPC157JH, PCBA-IPC157JI, PCBA-IPC157JJ, PCBA-IPC157JK, PCBA-IPC157JL, PCBA-IPC157JM, PCBA-IPC157JN, PCBA-IPC157JO, PCBA-IPC157JP, PCBA-IPC157JQ, PCBA-IPC157JR, PCBA-IPC157JS, PCBA-IPC157JT, PCBA-IPC157JU, PCBA-IPC157JV, PCBA-IPC157JW, PCBA-IPC157JX, PCBA-IPC157JY, PCBA-IPC157JZ, PCBA-IPC157KA, PCBA-IPC157KB, PCBA-IPC157KC, PCBA-IPC157KD, PCBA-IPC157KE, PCBA-IPC157KF, PCBA-IPC157KG, PCBA-IPC157KH, PCBA-IPC157KI, PCBA-IPC157KJ, PCBA-IPC157KK, PCBA-IPC157KL, PCBA-IPC157KM, PCBA-IPC157KN, PCBA-IPC157KO, PCBA-IPC157KP, PCBA-IPC157KQ, PCBA-IPC157KR, PCBA-IPC157KS, PCBA-IPC157KT, PCBA-IPC157KU, PCBA-IPC157KV, PCBA-IPC157KW, PCBA-IPC157KX, PCBA-IPC157KY, PCBA-IPC157KZ, PCBA-IPC157LA, PCBA-IPC157LB, PCBA-IPC157LC, PCBA-IPC157LD, PCBA-IPC157LE, PCBA-IPC157LF, PCBA-IPC157LG, PCBA-IPC157LH, PCBA-IPC157LI, PCBA-IPC157LJ, PCBA-IPC157LK, PCBA-IPC157LL, PCBA-IPC157LM, PCBA-IPC157LN, PCBA-IPC157LO, PCBA-IPC157LP, PCBA-IPC157LQ, PCBA-IPC157LR, PCBA-IPC157LS, PCBA-IPC157LT, PCBA-IPC157LU, PCBA-IPC157LV, PCBA-IPC157LW, PCBA-IPC157LX, PCBA-IPC157LY, PCBA-IPC157LZ, PCBA-IPC157MA, PCBA-IPC157MB, PCBA-IPC157MC, PCBA-IPC157MD, PCBA-IPC157ME, PCBA-IPC157MF, PCBA-IPC157MG, PCBA-IPC157MH, PCBA-IPC157MI, PCBA-IPC157MJ, PCBA-IPC157MK, PCBA-IPC157ML, PCBA-IPC157MM, PCBA-IPC157MN, PCBA-IPC157MO, PCBA-IPC157MP, PCBA-IPC157MQ, PCBA-IPC157MR, PCBA-IPC157MS, PCBA-IPC157MT, PCBA-IPC157MU, PCBA-IPC157MV, PCBA-IPC157MW, PCBA-IPC157MX, PCBA-IPC157MY, PCBA-IPC157MZ, PCBA-IPC157NA, PCBA-IPC157NB, PCBA-IPC157NC, PCBA-IPC157ND, PCBA-IPC157NE, PCBA-IPC157NF, PCBA-IPC157NG, PCBA-IPC157NH, PCBA-IPC157NI, PCBA-IPC157NJ, PCBA-IPC157NK, PCBA-IPC157NL, PCBA-IPC157NM, PCBA-IPC157NN, PCBA-IPC157NO, PCBA-IPC157NP, PCBA-IPC157NQ, PCBA-IPC157NR, PCBA-IPC157NS, PCBA-IPC157NT, PCBA-IPC157NU, PCBA-IPC157NV, PCBA-IPC157NW, PCBA-IPC157NX, PCBA-IPC157NY, PCBA-IPC157NZ, PCBA-IPC157OA, PCBA-IPC157OB, PCBA-IPC157OC, PCBA-IPC157OD, PCBA-IPC157OE, PCBA-IPC157OF, PCBA-IPC157OG, PCBA-IPC157OH, PCBA-IPC157OI, PCBA-IPC157OJ, PCBA-IPC157OK, PCBA-IPC157OL, PCBA-IPC157		

Applications of Mobile DVR



Our DVR are widely used in bus, school bus, car, taxi, dangerous cargo, lorry, truck, police car, van, ship etc.

1. Help the investigation of the scene for traffic accident
2. Gather evidence for violent crimes (blackmail and robbery)
3. Facilitate the management of company vehicles (GPS positioning)
4. Full view backing-car function
5. Sensor & alarm
6. Home security (CCTV)

Packing Detail

1. Your Logo is also welcomed!

2. Brand Box With Our Logo "Richmor"



3. Neutral Box

Customers throughout the world

South Africa



Argentina



Czech Republic



Brazil



Russia



India



Turkey



Mexico



Saudi Arabia



Thanks for your supports!

