

mobile dvr with gps 3g wifi,mdvr 1080p 4channles,3g mdvr with sim card

Shenzhen Richmor Science&Technologies Development Co.,Ltd



WE PUT FORWARD THE IDEAL OF "4M" IN ENTERPRISE MANAGEMENT:

- More enhancements of product quality everyday.
- More progress of services and sales everyday,
- More widely the effect of our brand expands everyday,
- More smiles to each of us everyday.

Richmor

product specification:

Item		parameter
Operating System		Linux
Language		English/chinese/customized
Video Compression		H.264 Compression
OSD		overlays information such as date time and vehicle ID
GUI	Graphical user interface	setup system parameters with the remote control
Video Record System	video input	4CH 960P/720P AHD input,aviation connector, 1.0Vp-p, 75Ω
	video output	1 CVBS, 1.0Vp-p, 75Ω,Aviation,Support 1CH Full Screen,4CH Screen view
	preview	Support 1 channel and 4 channels preview., Support Manual/Alarm Trigger full screen preview
	resolution	720P/D1/HD1/CIF, MAX:4 channels of 720P and 4 channels of D1
	image quality	1-4 levels, 1 is the highest level.
	video standard	PAL: 100f/s , CCIR625 line,50field; NTSC: 120f/s, CCIR525 line,60field; CIF: 256Kbps ~ 1.5Mbps, 8 level video quality optional; HD1: 600Kbps ~ 2.5Mbps, 8 level video quality optional; D1: 800Kbps ~ 3Mbps, 8 level video quality optional; 720P: 4Mbps-6Mbps, multi level video quality optional
Audio	record mode	The default setting is auto recording after power on. Timed recording, alarm trigger recording and manual recording are supported.
	audio input	4CH Aviation Plug Input
	audio output	2CH,headphone connect at front panel, BNC Connect on Back panel
compression		G.726 compression, 8KB/s speed
Alarm Input		7CH Alarm Input,1CH AD Input,impulse speed input,Alarm Linkage
Alarm Output		2CH Alarm Output,Support Light/Sound alarm sensor,Oil/Power cut off

Interface		3CH RS232, POS/Fuel Sensor/LED Advertisement Connection 1CH 485 Interface,Connect PTZ Camera
Wireless Transmission		Support Built in 3G transmission,, WCDMA, CDMA2000,GPRS, EDGE; Built in 4G module optional, TDD-LTE, FDD-LTE
GPS Position		Support Built GPS/BD Module
Storage	HDD	Max 2.5" 1TB HDD
	SD Card	Max 128GB SD Card Mirror Recording Keep Data Safety
	update	Support USB Updating, SD Card Updating,OTA Remote Updating
	file format	H.264
	file system	Special FAT32 File System
	USB	USB Interface on Front Panel for data back up by U Disk,Hard Disk
Record Replay	video search	Search By Record Time/Record Type etc
	playback	Max support 4CH Replay /Stop/Fast/Slow at same time Support forward and backward play at the speed of: x 2,x4,x8,x16.
Security		User/Admin 2 Level Different Password
Optional Functions	voice call	Support voice call each other
	TTS Voice broadcast	Support TTS voice broadcast function.
	serial expand	Support LED Advertisement Panel,Oil Sensor, POS,Bus Station Broadcaster,Car OBD,ect.external device
Voltage & Power	Power Management	Wide Voltage.Support Timed/Delay off
	Input Voltage	DC:+6V - +36V
	Output Voltage	+12V~1.5A,+5V~1.5A
	Power	Working<5W
Working Environment	Temperature	-20℃ - +70℃
	Humidity	20% - 80%
Others	Size	200 (D)* 187(W)* 62(H) mm
	Weight	1.90Kg

Product Show:





AV Input & Output Cables



Power Cable



IO Cables



Remote Control



3G Antenna



WIFI Antenna




CD (Manual & Software Inside)



7000 HDD Mobile DVR


Product Introduction

Device Series



15

Product Advantage



Client User Graph Interface







The interface is titled "移动视频监控平台" (Mobile Video Monitoring Platform). It features a top navigation bar with icons for system functions. The main area is divided into several sections:

- Top Menu Bar:** Includes icons for "终端列表" (Terminal List), "轮询列表" (Polling List), "我的地图" (My Map), "实时预览" (Real-time Preview), "电子地图" (Electronic Map), "回放管理" (Playback Management), "信息管理" (Information Management), and "系统设置" (System Settings).
- Left Sidebar:** Contains a tree view of the monitoring system hierarchy, including "监控中心(3/11)", "贵州(1/1)", "贵C A6446", and various camera channels (CH1, CH2, CH3, CH4).
- Main Content Area:** Displays four video feeds (1, 2, 3, 4) showing different views of a vehicle (贵C A6446). Feed 1 shows the driver's perspective, feed 2 shows the interior of the vehicle, feed 3 shows the front passenger area, and feed 4 shows the rear passenger area.
- Right Panel:** Shows a map with the vehicle's location. It includes a search bar, a map view, and a list of vehicle details: "贵C A6446", "时间: 2016-03-14 09:50:09", "速度: 74.10", "公司: 通运集团金驰公司", "司机: 陈国忠", "位置: 贵州省遵义市习水县G4215(蓉遵高速公路)", "状态: 在线, 3G, ACC开启, SD卡(存在)", "视频: 对讲, 监听, 抓拍, 更多".
- Bottom Status Bar:** Displays system information, including "运行时长: 00:01:04", "在线数: 3", "定损数: 1", "欠费: 0", "总数: 11", "在线率: 27.27%", and "定损率: 9.09%".




our mdvr support mobile Client monitoring like PC, mobile phone etc.

[Anasayfa](#)[İndir](#)[Soru](#)[Language](#)

İstemci İndirme

 Windows İndir  Version: 7.4.0.15 Güncelle: 20151123	 İndir  Version: 7.0.3 Güncelle: 20150523	 İndir  Version: 7.0.0.10 Güncelle: 20150801
--	--	---

Uygun Program İndir

		
---	---	---

Appliacation

FUNCTIONS

- Video& Audio real-time monitoring
- Online Vehicle Status
- Satellite Map
- GPS
- Video Storage
- Tracking Display
- Intercom
- Fuel Sensor
- G-Sensor
- Temperature-Sensor

Richmor

OEM & ODM Service

Brasil World Cup Supplier
www.rcmcctv.com



Truck
Coach



School Bus
Bus



Police Car
Taxi



Support
All Vehicles

certificate

VERIFICATION OF CONFORMITY

Verification of Conformity

(Reference No.: LCT0100000010)

Responsible Party	Shenzhen Richcore Technology Development Co., LTD.
Address	3/F No. 101 West Langgong Road, Longhua New District, Shenzhen, China
Product	Cables
Model No.	RCH-PD70V, RCH-PD70V, RCH-LP70V, RCH-LP70V, RCH-LP70V, RCH-RFPAEAL, RCH-RFPAEL, RCH-SM, RCH-M, RCH-HS, RCH-JAES, RCH-JAES, RCH-AHSE, RCH-AHSE, RCH-AHSE, RCH-BSDTNE, RCH-BSDTNE, RCH-C2400000
Trade Mark	Richcore
Standards	FCC/CN 47 Part II Subpart B, EN54, EN50135 A-DEN

Important note:

This device is in compliance with part II of the FCC Rules and Regulations for safety hazardous devices. Declaration of EMC analysis is based on the following two conditions:

(1) This device may not cause harmful interference; and (2) this device must accept any electromagnetic interference, including interference that is injurious to normal operation. It will continue to conform to the applicable FCC Rules and Regulations. The method of testing used is accordance to the most accurate measurement available to practice, and that all necessary steps have been followed to ensure that an evaluation copy of the same equipment will continue to comply with the Federal Communications Commission's requirements.

Manager

April 10, 2012

Shenzhen LCT Compliance Testing Laboratory Ltd.
#1, Anping Industrial Park, Pingtan Town, Baoan Dist., Shenzhen
Guangdong, China
Tel: +86(0) 755 26591 930
http://www.lct.com.cn Email: admin@lct.com.cn

VERIFICATION OF CONFORMITY		
	Verification of Conformity Reference No. LCC000000119	
	Responsible Party	Shenzhen Xixun Technology Development Co., LTD.
	Address	1F No.41 West 1, Longgang Road, Longhua New District, Shenzhen, China
	Product	Mobile USB
	Model No.	HCN-M00000, HCN-M00001, HCN-M00002, HCN-M00003, HCN-M00004, HCN-M00005, HCN-M00006, HCN-M00007, HCN-M00008, HCN-M00009, HCN-M00010
	Trade Mark	Shixun
	Standards	CYS 016, GB 19471.10, GB 4943.1-2011, GB 4943.2-2010
	Inspection notes: This device is in accordance with Part 15 of the FCC Rules and Regulations for radio frequency devices. Operation of the product is subject to the following test conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. When tested in conformity to the applicable FCC Rules and Regulations, the material appearing was in accordance to the most accurate measurement practicable possible, and that all necessary steps have been exhausted to ensure that all production units of the same equipment will continue to comply with the Federal Communications Commission's requirements.	
	 Manager April 10, 2013	
Shenzhen LCC Compliance Testing Laboratory Ltd. 1, Longgang Avenue Park, Longgang Road, Bao'an District, Shenzhen, Guangdong, China Tel: 86-(0)755-8058-1200 Http://www.LCC-cc.com		
Fax: 86-(0)755-8058-1111 Email: shenzhen@lcc-cc.com		

CERTIFICATE OF CONFORMITY	 CERTIFICATE of Conformity Reference No.: 123456789012										
	<table border="0" style="width: 100%;"> <tr> <td style="width: 30%;">Applicant:</td> <td>Whisper Electronic Technology Development Co., Ltd.</td> </tr> <tr> <td>Address:</td> <td>1/F Yu Wo Road Longgang Road, Longgang New District, Shenzhen, China</td> </tr> <tr> <td>Product:</td> <td>Model 2008</td> </tr> <tr> <td>Model:</td> <td>PC-0100-0000, PC-0100-0001, PC-0100-0002, PC-0100-0003, PC-0100-0004, PC-0100-0005, PC-0100-0006</td> </tr> <tr> <td>Trade Mark:</td> <td>Whisper</td> </tr> </table>	Applicant:	Whisper Electronic Technology Development Co., Ltd.	Address:	1/F Yu Wo Road Longgang Road, Longgang New District, Shenzhen, China	Product:	Model 2008	Model:	PC-0100-0000, PC-0100-0001, PC-0100-0002, PC-0100-0003, PC-0100-0004, PC-0100-0005, PC-0100-0006	Trade Mark:	Whisper
	Applicant:	Whisper Electronic Technology Development Co., Ltd.									
	Address:	1/F Yu Wo Road Longgang Road, Longgang New District, Shenzhen, China									
	Product:	Model 2008									
	Model:	PC-0100-0000, PC-0100-0001, PC-0100-0002, PC-0100-0003, PC-0100-0004, PC-0100-0005, PC-0100-0006									
Trade Mark:	Whisper										
The certified products have been tested by us with the latest standards and found to conform with the following European Directive: The EMC Directive 2004/108/EC EN 55022: 2005, EN 55024: 2005											
The tests were performed in normal operation mode. The test results apply only to the particular sample tested and to the specific test carried out. This certificate applies specifically to the sample investigated in our test laboratory number only.											
The CE marking on above table can be affixed on the product after presentation of necessary technical documentation.											
(Start relevant Directives have to be observed)											
<div style="display: flex; justify-content: space-around; align-items: center;">  <div style="text-align: right;">   Manager April 16, 2011 </div> </div>											
(Shenzhen) L228 Compliance Testing Laboratory Ltd. 1/F, Jingnang Industrial Park, Jingnang Road, Kaitian Bldg., Baoan District, Shenzhen Guangdong, China Tel: 0086-755-26747101 http://www.l228.com.cn											
Fax: 0086-755-26747122 Email: manager@l228.com.cn											

[illegible]

	
<h1 style="margin: 0;">CERTIFICATE</h1> <h2 style="margin: 0;">of Conformity</h2> <h3 style="margin: 0;">(DIN EN ISO 9001) Declaration of Testhouse Evidence</h3>	
Reference No.: 1-01-001002078	
When issued, this attested the applicant company operating under the requirements of (Certification Reference) 1-01-001002078 according to (Declaration Number) (DIN EN ISO 9001) .	
Applicant	Shenzhen Richconn Technology Development Co., Ltd.
Address	3F Hualu West Longgang Road, Longgang New District, Shenzhen, China
Trade Mark	Richconn
Product	Capacitor
Model(s)	RC0402F04020040, RC0402F04020040A, RC0402F04020040B, RC0402F04020040C, RC0402F04020040D, RC0402F04020040E, RC0402F04020040F, RC0402F04020040G, RC0402F04020040H, RC0402F04020040I, RC0402F04020040J, RC0402F04020040K, RC0402F04020040L, RC0402F04020040M, RC0402F04020040N, RC0402F04020040P, RC0402F04020040Q, RC0402F04020040R, RC0402F04020040S, RC0402F04020040T, RC0402F04020040U, RC0402F04020040V, RC0402F04020040W, RC0402F04020040X, RC0402F04020040Y, RC0402F04020040Z, RC0402F04020040AA, RC0402F04020040AB, RC0402F04020040AC, RC0402F04020040AD, RC0402F04020040AE, RC0402F04020040AF, RC0402F04020040AG, RC0402F04020040AH, RC0402F04020040AI, RC0402F04020040AJ, RC0402F04020040AK, RC0402F04020040AL, RC0402F04020040AM, RC0402F04020040AN, RC0402F04020040AO, RC0402F04020040AP, RC0402F04020040AQ, RC0402F04020040AR, RC0402F04020040AS, RC0402F04020040AT, RC0402F04020040AU, RC0402F04020040AV, RC0402F04020040AW, RC0402F04020040AX, RC0402F04020040AY, RC0402F04020040AZ, RC0402F04020040BA, RC0402F04020040BB, RC0402F04020040BC, RC0402F04020040BD, RC0402F04020040BE, RC0402F04020040BF, RC0402F04020040BG, RC0402F04020040BH, RC0402F04020040BI, RC0402F04020040BJ, RC0402F04020040BK, RC0402F04020040BL, RC0402F04020040BM, RC0402F04020040BN, RC0402F04020040BO, RC0402F04020040BP, RC0402F04020040BQ, RC0402F04020040BR, RC0402F04020040BS, RC0402F04020040BT, RC0402F04020040BU, RC0402F04020040BV, RC0402F04020040BW, RC0402F04020040BX, RC0402F04020040BY, RC0402F04020040BZ, RC0402F04020040CA, RC0402F04020040CB, RC0402F04020040CC, RC0402F04020040CD, RC0402F04020040CE, RC0402F04020040CF, RC0402F04020040CG, RC0402F04020040CH, RC0402F04020040CI, RC0402F04020040CJ, RC0402F04020040CK, RC0402F04020040CL, RC0402F04020040CM, RC0402F04020040CN, RC0402F04020040CO, RC0402F04020040CP, RC0402F04020040CQ, RC0402F04020040CR, RC0402F04020040CS, RC0402F04020040CT, RC0402F04020040CU, RC0402F04020040CV, RC0402F04020040CW, RC0402F04020040CX, RC0402F04020040CY, RC0402F04020040CZ, RC0402F04020040DA, RC0402F04020040DB, RC0402F04020040DC, RC0402F04020040DD, RC0402F04020040DE, RC0402F04020040DF, RC0402F04020040DG, RC0402F04020040DH, RC0402F04020040DI, RC0402F04020040DJ, RC0402F04020040DK, RC0402F04020040DL, RC0402F04020040DM, RC0402F04020040DN, RC0402F04020040DO, RC0402F04020040DP, RC0402F04020040DQ, RC0402F04020040DR, RC0402F04020040DS, RC0402F04020040DT, RC0402F04020040DU, RC0402F04020040DV, RC0402F04020040DW, RC0402F04020040DX, RC0402F04020040DY, RC0402F04020040DZ, RC0402F04020040EA, RC0402F04020040EB, RC0402F04020040EC, RC0402F04020040ED, RC0402F04020040EE, RC0402F04020040EF, RC0402F04020040EG, RC0402F04020040EH, RC0402F04020040EI, RC0402F04020040EJ, RC0402F04020040EK, RC0402F04020040EL, RC0402F04020040EM, RC0402F04020040EN, RC0402F04020040EO, RC0402F04020040EP, RC0402F04020040EQ, RC0402F04020040ER, RC0402F04020040ES, RC0402F04020040ET, RC0402F04020040EU, RC0402F04020040EV, RC0402F04020040EW, RC0402F04020040EX, RC0402F04020040EY, RC0402F04020040EZ, RC0402F04020040FA, RC0402F04020040FB, RC0402F04020040FC, RC0402F04020040FD, RC0402F04020040FE, RC0402F04020040FF, RC0402F04020040FG, RC0402F04020040FH, RC0402F04020040FI, RC0402F04020040FJ, RC0402F04020040FK, RC0402F04020040FL, RC0402F04020040FM, RC0402F04020040FN, RC0402F04020040FO, RC0402F04020040FP, RC0402F04020040FQ, RC0402F04020040FR, RC0402F04020040FS, RC0402F04020040FT, RC0402F04020040FU, RC0402F04020040FV, RC0402F04020040FW, RC0402F04020040FX, RC0402F04020040FY, RC0402F04020040FZ, RC0402F04020040GA, RC0402F04020040GB, RC0402F04020040GC, RC0402F04020040GD, RC0402F04020040GE, RC0402F04020040GF, RC0402F04020040GG, RC0402F04020040GH, RC0402F04020040GI, RC0402F04020040GJ, RC0402F04020040GK, RC0402F04020040GL, RC0402F04020040GM, RC0402F04020040GN, RC0402F04020040GO, RC0402F04020040GP, RC0402F04020040GQ, RC0402F04020040GR, RC0402F04020040GS, RC0402F04020040GT, RC0402F04020040GU, RC0402F04020040GV, RC0402F04020040GW, RC0402F04020040GX, RC0402F04020040GY, RC0402F04020040GZ, RC0402F04020040HA, RC0402F04020040HB, RC0402F04020040HC, RC0402F04020040HD, RC0402F04020040HE, RC0402F04020040HF, RC0402F04020040HG, RC0402F04020040HH, RC0402F04020040HI, RC0402F04020040HJ, RC0402F04020040HK, RC0402F04020040HL, RC0402F04020040HM, RC0402F04020040HN, RC0402F04020040HO, RC0402F04020040HP, RC0402F04020040HQ, RC0402F04020040HR, RC0402F04020

CERTIFICATE OF CONFORMITY	 CERTIFICATE of Conformity (EXTENDED) Recognition of National Competence	
	Reference No. 1101001030178	
When taken as specified, this certificate sample conforms with the requirements of Commission Decision of 27 Jan 2011 amending Decision 2011/69/EC.		
Applicant	Shenzhen Ruitong Technology Development Co., LTD	
Address	3F No.44 West Longgang Road, Longhua New District, Shenzhen, China	
Trade Mark	Ruitong	
Product	Mobile USB	
Model(s)	RUI-MC001, RUI-MC002, RUI-MC003, RUI-MC004, RUI-MC005, RUI-MC006	
The test report is issued to the Company subject to its General Conditions of Service which prohibit alteration in cases of limitations of liability, indemnification and confidentiality without written notice. The results shown in this test report may only be the samples tested under certain condition. This Test Report cannot be reproduced without in full without your written permission of the Company.		
Other relevant documents have to be obtained.		
RoHS		
Shenzhen (UL) Compliance Testing Laboratory Ltd 12, Guangming Industrial Park, Guangming Road, Nan-Shan District, Shengzhen, Guangdong, China Tel: 86-755-83294102 http://www.ul.com.cn		 Date April 10, 2012 
Email: shenzhen@ul.com.cn		

company and factory



Richmor

OEM & ODM Service

Brasil World Cup Supplier



Exhibition:

Richmor

CPSE2012 in Shenzhen



CPSE2013

10.29-10.31

4 Booth we have

Welcome you !!!



CPSE2012-- Guangdong TV Report-Shenzhen Richmor



Other kinds of products

Product Introduction

We are Professional mobile dvr manufacturer !!

TOP SALE ---4ch AHD SD CARD MOBILE DVR & 4ch AHD HDD mobile dvr



If u r interested in our dvr, pls contact Amily: [whatsapp--18929314790](https://www.whatsapp.com/channel/0029918929314790)

系统配套产品

VEHICLE CAMERA PARAMETER

车载红外半球摄像机 Vehicle Dome IR Camera



RCM-D342S/IR	1/3" SONY CCD 420TVL 0.5LUX	24 units ≤ 5 LED or 10 Units ≤ 8 LED	3.6mm/6mm
RCM-D442A/IR	1/4" Sharp CCD 420TVL 0.5LUX	24 Units ≤ 5 LED or 10 units ≤ 8 LED	2.8mm/3.6mm
RCM-D348S/IR	1/3" SONY CCD 480TVL 0.1LUX	24 Units ≤ 5 LED or 10 units ≤ 8 LED	3.6mm/6mm
RCM-D354S/IR	1/3" SONY CCD 540TVL 0.1LUX	24 Units ≤ 5 LED or 10 Units ≤ 8 LED	3.6mm/6mm
RCM-D360S/IR	1/3" SONY CCD 600TVL 0.1LUX	24 Units ≤ 5 LED or 10 Units ≤ 8 LED	3.6mm/6mm
RCM-D370S/IR	1/3" SONY CCD 700TVL 0.1LUX	24 Units ≤ 5 LED or 10 Units ≤ 8 LED	3.6mm/6mm

车载红外防水摄像机 Vehicle IR Waterproof Camera



RCM-CM442A/IR	1/4" Sharp CCD 420TVL 0.5LUX	20 Units ≤ 5 LED (Work Under water)	3.6mm/6mm
RCM-CM342S/IR	1/3" SONY CCD 420TVL 0.1LUX	20 Units ≤ 5 LED (Work under Water)	3.6mm/6mm
RCM-CM348S/IR	1/3" SONY CCD 480TVL 0.1LUX	20 Units ≤ 5 LED (Work Under Water)	3.6mm/6mm
RCM-CM360S/IR	1/3" SONY CCD 600TVL 0.1LUX	20 Units ≤ 5 LED (Work Under Water)	3.6mm/6mm



Best Regards
Amily Zhang

HAND US YOUR TRUST, OFFER YOU OUR BEST!!!

Shenzhen Richmor Technology Development Co.,LTD

Email: overseasales-2@rcmcctv.com

Skype: rcmcctvsales2

QQ: 2355778097

MB/Whatsapp: +86 18929314790

Website: <http://www.richmor.net/>

ADD: 6th Floor, F Building, Xinzhi Industrial Park, Yangmei,Bantian,Longgang, Shenzhen

