people counting and RFID supported, 4g 3g gps ahd mobile dvr

(RCM-MDR 7104 Series)

Product features

4CH gps 3g 4g wifi g-sensor mobile dvr with ahd resolution

- 1. H.264 Compression Mode, support 4CH realtime 720P Mega Pixel AHD input and Analog Standard Definition camera input, or 2ch HD input + 2CH SD input.
- 2. Exclusive pre-

allocate DVR Special File Systerm Technology, solving repeatedly wipe cause file fragmentation, solving SD Card file system collapse, data loss and cannot find SD CARD and file garbled, ensure the integrity of the data.

- 3. 8-36V Adaptive Wide Voltage input, Super low Power Consumption Design;
- 4. HDD+SD Card storage(maximum support 2TB 2.5" Hard disk and 128GB SD Card.) It can be comp letely resist car Vibration, Dust and others cause data corruption;
- 5. Support GPS/BD/G-Sensor; High Reliability Aviation Connectors.
- 6. High Cost Performance with reliable stability, simple and clear operation menu.

RCM-MDR 7104 Series		
Model NO.	Function	
RCM-MDR7104XXXI	Basic Recording,G-Sensor	
RCM-MDR7104WGXX	3G, GPS, G-Sensor	
RCM-MDR7104FGXX	3G, 4G, GPS, G-Sensor	
RCM-MDR7104WGWX	3G, WIFI, GPS, G-Sensor	
RCM-MDR7104FGWX	3G, 4G, WIFI, GPS, G-Sensor	

Detail pictures

4CH gps 3g 4g wifi g-sensor mobile dvr with ahd resolution



4CH gps 3g 4g wifi g-sensor mobile dvr with ahd resolution




4CH gps 3g 4g wifi g-sensor mobile dvr with ahd resolution





Back Panel IO Indicators



Richmor surveillance GUI


The main menu includes: Search, System setup, Rec setup, Network setup, Alarm setup, Peripheral setup, System Tools, System Information, as below:



Item		Parameter
os		Linux
Language		English/Chinese/Customized
Video Compression		H.264 Compression
OSD		Overlays information such as date time and vehicle ID
GUI	Graphical User Interface	Setup system parameters with the remote control.
Video Record System	·	4CH 720P AHD input/SD input/ mixed input,aviation connector, 1.0Vp-p, 75Ω
	Video Output	2CH CVBS+ VGA output for optional, 1.0Vp-p, 75Ω,Aviation,Support 1CH Full Screen, 4CH Screen view
	Preview	Support 1 channel and 4 channels preview., Support Manual/Alarm Trigger full screen preview
	Resolution	720P/D1/HD1/CIF, MAX:4 channels 720P and 4 channels D1
	Image Quality	0-7 levels, 0 is the highest level.
	Video Standard	PAL: 100f/s, CCIR625 line,50field; NTSC: 120f/s, CCIR525 line,60field; CIF: 256Kbps ~ 1.5Mbps, 8 level video quality optional; HD1: 600Kbps ~ 2.5Mbps, 8 level video quality optional; D1: 800Kbps ~ 3Mbps, 8 level video quality optional; 720P: 4Mbps-6Mbps, multi level video quality optional
	Record Mode	The default setting is auto recording after power on. Timed recording, alarm trigger recording and manual recording are supported.
Audio	Audio Input	4CH Aviation Plug Input
	Audio Output	2CH,headphone connect at front panel, BNC Connect on Back panel
	Compression	G.726 compression, 8KB/s speed
Alarm Input		7CH Alarm Input,1CH AD Input, impulse speed input,Alarm Linkage
Alarm Output		2CH Alarm Output,Support Light/ Sound alarm sensor,Oil/Power cut off
Interface		3CH RS232, POS/Fuel Sensor/ LED Advertisement Connection
		2CH 485 Interface,Connect PTZ Camera
		2CH CAN interface
Wireless Transmission		Support Built in 3G transmission, WCDMA, CDMA2000,GPRS, EDGE□ Built in 4G module optional, TDD-LTE, FDD-LTE
GPS Position		Support Built GPS/BD Module
	HDD	Max 2.5" 2TB HDD
Storage	SD Card	Max 128GB SD Card Mirror Recording Keep Data Safety
	Update	Support USB Updating, SD Card Updatin, OTA Remote Updating
	File Format	H.264
	File System	Special FAT32 File System

	USB	USB Interface on Front Panel for data back up by U Disk,Hard Disk
Record Replay	Video Search	Search By Record Time/Record Type etc
	Playback	Max support 4CH Replay /Stop/Fast/Slow at same time
		Support forward and backward play at the speed of: x 2,x4,x8,x16.
Security		User/Admin 2 Level Different Password
Optional Functions	Voice Call	Support voice call each other
	Serial Expand	Support LED Advertisement Panel Oil Sensor POS Bus Station Broadcaster Car OBD, ect. external de vice
Voltage & Power	Power Management	Wide Voltage.Support Timed/Delay off
	Input Voltage	DC:+6V - +36V
	Power	Working □5W
	Temperature	-20°C - +70°C
Working Environment	Humidity	20% - 80%
	Size	200 D * 187 W * 62 H mm
Others	Weight	1.90 Kg

Player software interface (CMSV6 In PC)



CMSV6 In Mobile Phone.

Have all in the palm of your hand


Real-time monitoring via Mobile Phone -- Support iPhone, Android, iPad system



Surveillance platform Playback




Richmor Mobile DVR Mileage Summary



Romote Viewing Surveillance 3G 4G WIFI GPS Mobile DVR Taxi sol ution









Richmor Actual Case



Application

Widely used in passenger car,bus,taxi,school bus,lorry,dangerous vehicle, personal car an d ship etc.



Buying Guides

Shipping Info

Estimated Shipping Time

- a. 3-5 working days after payment cleared for sample order.
- b. 5-10 working days after payment cleared depends on order quantity for bulk order.

Remarks:

1.Order will be dispatched before next 2 working day after full payment is done,48 hours aging time;

- 2.Related documents will be sent after order is dispatched, please check mail;
- 3.All parcels will be shipped by DHL/TNT/UPS/EMS/FedEx/Air etc according your option;

Payment Info

- 1.T/T; Western Union; Paypal optional;
- 2.30% deposit, balance be paid before delivery

Remarks:

Please sent bank slip when payment done, according this we will arrange the production

Warranty Info

Free Replacement:

Mobile DVR Recorder can replace free under conditions within 15 days after sale,in the precondition of our quality problem,non-artificial damage

Supplier Warranty:

We offer ONE YEAR warranty on Vehicle Mobile DVR Recorder,if your item has any warranty issue plea se contact us for a satisfying solution

Remark:

All qualified returns/replacement must be guided by us,we may not accept your return without informing us in advance

Service

- 1. Well Trained Sales Team and strong engineers for fast and professional support.
- 2. OEM/ODM Service



CUSTOMER SATISFACTION

- · Excellent Aftersale service
- · 12 months warranty
- · 24 hours customer service
- · We understand the importance of our customers


Certifications



Exhibition

Richmor

CPSE2012 in Shenzhen



CPSE2012-- Guangdong TV Report-Shenzhen Richmor



About us&Customers:





What is our expectation

Being your helpful and long term partner meeting your requirement.

Any question about your vehicle project, contact our representative Vicky.

Email: overseasales-7@rcmcctv.com Skype: rcmcctvsales7