

[4g mobile car DVR,Vehicle video recorder wholesales,Hard reset dvr H.264](#)



**Main Feature:**

1. 4 channel SD card Mobile DVR
2. Support 3G, GPS, WIFI, G-sensor, UPS function
3. Support PTZ remote control
4. Support real-time surveillance
5. Supports SD overwritten by days
6. Supports backup and upgrade with SD card
7. Self recovery after power reconnected
8. Stable aluminum alloy structure with shock absorber

**Pictures**





### Specification:

Items	Device parameters	Performance index
<b>Name</b>	Product Name	4 Channel Mobile DVR(SD Storage)
<b>System</b>	Operation System	Linux
	Operation Interface	Graphical Interfaces, Chinese/English optional
	File System	Proprietary Format
	System Privileges	User Password
<b>Video</b>	Video Input	4ch SDI Independent Input: 1.0Vp-p $\square$ 75 $\Omega$ .Both B&W and Color Cameras
	Video Output	1 Channel PAL/NTSC Output, 1.0Vp-p $\square$ 75 $\Omega$ Composite Video Signal
	Video Display	1 Or 4 Screen Display
	Video Standard	PAL:25frames/Sec;NTSC:30frames/Sec
	System Resources	PAL:100 Frames; NTSC:120 Frames
<b>Audio</b>	Audio Input	Four Channels Independent Input 500 $\Omega$
	Audio Output	1 Channel(4 Channels Can Be Convert Freely)
	Basic Output Level	1.0—2.2V
	Distortion Plus Noise	$\leq$ -30dB
	Recording Mode	Sound And Image Synchronization
	Audio Compression	ADPCM
<b>Alarm</b>	Alarm in	4 Channels Independent Input. High Voltage Trigger
	Alarm out	2 Channels Independent output
	Move Detect	available
<b>Network Interface</b>	Wire line Access	Can Expand One RJ45 Ethernet Port
	Wifi	Can Expand One Wifi Module Inside
	3G	Can Expand One WCDMA or CDMA2000 Module Inside
<b>GPS Interface</b>	GPS	Can Expand GPS Module inside
<b>Extend Interface</b>	Intercom	Can Expand Intercom Module Inside
	G-Sensor	Can Expand G-Sensor Module Inside

<b>Others</b>	Power Consumption	DC8-36V 5% ≤10W
	Working Temperature	-20°C ~ +85°C ≤80%
	Clock	Built-In Clock, Calendar
<b>Packaging</b>	Product Size	138(L)*112(W)*36(H)mm
	Product Net Weight	360g

## Our CMS software For Windows PC real-time Surveillance

The screenshot displays a comprehensive real-time surveillance software interface. At the top, there is a menu bar with 'File' and 'Video' tabs. The main area is split into four video feeds: top-left shows a street scene with a yellow bus; top-right shows a white car; bottom-left shows a street scene with a person; bottom-right shows a white bus with a red Mitsubishi logo. To the right of the video feeds is a map area with a zoom control and a small video inset. Below the video feeds is a control bar with play, stop, and volume icons. At the bottom left, there is a sidebar menu with 'Vehicle Status', 'Sensor', 'IO', 'Event', 'Device Status', and 'CAN-BUS'. At the bottom right, there is a red line graph showing data over a 24-hour period from 00:00 to 24:00.

**Vehicle with device for test in AC Coach  
Lahore to Sadiq Abad near motorway @ 86Km/h**

The screenshot displays a web-based tracking interface. At the top, there are navigation tabs: Map, Video, Track, Record, and Other. The main area features a Google Map of Lahore, Pakistan, with a red location pin for vehicle ALI01. A pop-up window provides the following details:

- ALI01
- Time: 2013-11-02 21:59:50
- Speed: 86.00 km/h(South)
- Position: Katar Bund Road, Lahore, Pakistan
- Alarm: ACC ON, SD Card Exist, 3G Signal Normal
- Video Intercom Monitor Snapshot More

Below the map, there is a status bar showing 'Monitor: 1', 'Online: 1', 'Alarm: 0', 'Offline: 0', and 'Idling: 0'. A table lists the device details:

Device	Positioning Time	Position	Speed	Alarm
ALI01	2013-11-02 21:59:50	Katar Bund Road, Lahore, Pakistan	86.00 km/h(South)	

On the right side, there are three video camera feeds showing the interior of the vehicle. At the bottom, there are navigation controls and a play button labeled 'ALI01 - CH4'.

**For IOS & Android OS Mobile Phone Surveillance**

The screenshot shows the IOS mobile application interface. At the top, it displays the status bar with 'AIS 3G', the time '14:57', and '79%' battery. Below the status bar is a search bar with 'IOS' and 'Search Online'. The main display area is divided into four video channels:

- Sida1 - CH1: Interior view of the vehicle's front seat and steering wheel.
- Sida1 - CH2: Exterior view of a large, curved concrete structure.
- Sida1 - CH3: Exterior view of a large white cylindrical tank on a vehicle.
- Sida1 - CH4: Exterior view of a large white cylindrical tank on a vehicle.


At the bottom, there is a navigation bar with icons for Terminal, Map, Video, Track, and Setting.

The screenshot shows the Android mobile application interface. At the top, it displays the status bar with '9:54AM', '0.51K/s', and '28%' battery. Below the status bar is a search bar with 'Android Monitor' and a 'Terminal' button. The main display area shows a satellite map with a red location pin. A pop-up window provides the following details:

- 80029
- Status: Idle
- Video

At the bottom, there is a navigation bar with icons for Terminal, Map, Video, and Setting.

## Our Mobile DVR project for vehicles



## Certification:





remccty.en.alibaba.com  
brand Packing & Blister Packing



### **After-sales Service:**

1. After you receive our products, we will assist you to realize how to use it.
2. Offer you the software if you use our mobile DVR.
3. Twelve months warranty
4. During our warranty, if you have any problem, we can help you to solve it.
5. During our warranty, you can return to us to repair it.





# Richmor

## OEM & ODM Service

### Brasil World Cup Supplier



Inner Training after study from Alibaba in July



Technical Training For Fast Response to Customer Richmor 锐驰曼



lecturer for Execution

Email: [overseasales-2@rcmctv.com](mailto:overseasales-2@rcmctv.com)

Skype: [rcmctvsales2](https://www.skype.com/name/rcmctvsales2)

QQ: [2355778097](https://www.qq.com/number/2355778097)

**MB/Whatsapp: +86 18929314790**

**Website: <http://www.richmor.net/>■**

**ADD: 6th Floor, F Building, Xinzhi Industrial Park,  
Yangmei,Bantian,Longgang, Shenzhen**