

RCM-MDR7104

especificação do produto:

Item		parâmetro
Sistema operacional		Linux
Língua		Inglês / Chinês / personalizado
A compressão de vídeo		H.264 compressão
OSD		sobreposições de informação, tais como tempo de data e identificação do veículo
GUI	Interface gráfica do usuário	parâmetros de configuração do sistema com o controle remoto
Vídeo Sistema de Registro	entrada de vídeo	entrada 4CH 960P / 720P AHD, conector de aviação, 1,0 Vp-p, 75Ω
	saída de vídeo	1 CVBS, 1,0 Vp-p, 75Ω, Aviação, Apoio 1CH tela cheia, vista 4CH Tela
	visualização	Suporte 1 canal e 4 canais pré-visualização., Manual de Apoio / Relógio Gatilho visualização em tela cheia
	resolução	720P / D1 / HD1 / CIF, MAX: 4 canais de 720p e 4 canais de D1
	qualidade da imagem	1-4 níveis, 1 é o nível mais alto.
	padrão de vídeo	PAL: 100F / s, linha CCIR625, 50field; NTSC: 120f / s, linha CCIR525, 60field; CIF: 256Kbps ~ 1,5 Mbps, a qualidade de vídeo de 8 nível opcional; HD1: 600Kbps ~ 2.5Mbps, qualidade de vídeo 8 nível opcional; D1: 800Kbps ~ 3 Mbps, qualidade de vídeo 8 nível opcional; 720P: 4Mbps-6Mbps, qualidade de vídeo multi nível opcional
auditivo	modo de gravação	A configuração padrão é de gravação automática após a ligação. gravação temporizada, a gravação de disparo de alarme e gravação manual são suportados.
	entrada de áudio	Input 4CH Aviação plug
	saída de áudio	2CH, fone conectar pelo painel frontal, BNC Connect no painel traseiro
compressão		compressão G.726, velocidade de 8 KB / s
Entrada de alarme		7CH entrada de alarme, 1CH AD Input, entrada de velocidade de impulso, ligação de alarme
saída de alarme		2CH Saída de Alarme, Apoio Luz / Som sensor de alarme, Petróleo / Power cortado
Interface		3CH RS232, POS / Connection Fuel Sensor / LED Publicidade 1CH 485, Ligação da câmera PTZ
Transmissão sem fio		Suporte construído em transmissão 3G , WCDMA, CDMA2000, GPRS, EDGE; Construído no módulo 4G opcional, TDD-LTE, FDD-LTE
Posição GPS		Suporte GPS Construído / Módulo BD

Armazenamento	HDD	Max 2.5 "1TB HDD
	Cartão SD	Max 128 GB cartão SD de gravação Espelho manter a segurança de dados
	atualizar	Suporte Atualização USB, SD Card atualizar, OTA Atualização Remota
	formato de arquivo	H.264
	sistema de arquivo	FAT32 Especial File System
	USB	Interface USB no painel frontal para back up de dados por U disco, Hard Disk
registro de Repetição	busca de vídeo	Pesquisa por tempo Record / Record Type etc
	reprodução	Max Repetição apoio 4CH / Stop / Rápido / Lento ao mesmo tempo Suporte para a frente e para trás jogo na velocidade de: x 2, x4, x8, x16.
Segurança		Utilizador / Admin 2 nível diferente de senha
Funções opcionais	chamada de voz	suporte de voz chamar uns aos outros
	transmissão de voz TTS	Suporte de voz TTS função de transmissão.
	série expandir	Suporte LED Publicidade Panel, sensor de óleo, POS, Rodoviária Broadcaster, OBD carro, dispositivo ect.external
Voltage & Poder	Gerenciamento de energia	Ampla Voltage.Support Temporário / Delay off
	Tensão de entrada	DC: 6V + - + 36V
	Voltagem de saída	+ 12V ~ 1.5A, 1.5A + ~ 5V
	Poder	Trabalho & lt; 5W
Ambiente de trabalho	Temperatura	-20 °C - + 70 °C
	Umidade	20% - 80%
Outras	Tamanho	200 (D) * 187 (W) * 62 (H) mm
	Peso	1,90 quilogramas

Show do produto:



SMS Device configure
OTA Remote Updating
8CH Full D1 Real time monitor
2TB HDD + 128GB SD Card

Richmor

OEM/ODM Customized
Factory Price
Independent R&D Tech
Low Moq





SMS Device configure
OTA Remote Updating
8CH Full D1 Real time monitor
2TB HDD + 128GB SD Card

Richmor

OEM/ODM Customized
Factory Price
Independent R&D Tech
Low Moq





AV Input & Output Cables



Power Cable



IO Cables



Remote Control



3G Antenna



WIFI Antenna




CD (Manual & Software Inside)



7000 HDD Mobile DVR


Product Introduction

Device Series



15

Product Advantage



Usuário do Cliente interface gráfica

移动视频监控平台

欢迎登录, RCMTEST 系统

终端列表 轮询列表 我的地图

实时监控 电子地图 回放管理 信息管理 系统设置

监控中心(3/11)

- 贵州(1/1)
 - 贵C A6446
 - CH1
 - CH2
 - CH3
 - CH4
 - 桂KY7507
 - 桂KY7569
 - 80024
 - 80119
 - D82868
 - 子NPS001
 - 桂KY7586
 - 桂KY7599
 - 贵B93017
 - 贵C87762

状态	云台	色彩	语音
设备类型	MDVR		
终端名称	贵C A6446		
终端ID	80109		
公司	通运集团金融公司		
所属分组	贵州		
状态	在线		
GPS时间	2016-03-14 09:50:09		
位置	贵州省遵义市习水县G4215(蓉遵高速公路)		
速度	74.10 km/h(南)		
费用	正常		

1 贵C A6446 - CH1 - 0 KB/S

2 贵C A6446 - CH2 - 24 KB/S

3 贵C A6446 - CH3 - 0 KB/S

4 贵C A6446 - CH4 - 0 KB/S

地址: 马临镇政府

搜索: 贵C A6446

时间: 2016-03-14 09:50:09 速度: 74.10

公司: 通运集团金融公司 司机: 陈国忠

位置: 贵州省遵义市习水县G4215(蓉遵高速公路)

状态: 在线 3G: ACC开启 SD卡(存在)

视频: 对讲 监听 抓拍 更多

终端	GPS时间	位置	速度	报警
贵C A6446	2016-03-14 09:50:09	贵州省遵义市习水县G4215(蓉遵高速公路)	74.10 km/h(南)	
桂KY7507	2016-03-14 09:50:17	广西壮族自治区玉林市博白县人民中路38号	11.00 km/h(北)	
桂KY7569	2016-03-14 09:50:38	广西壮族自治区玉林市博白县X403	27.00 km/h(西北)	
桂KY7599	2016-03-14 09:49:03	广西壮族自治区玉林市博白县S216	0.00 km/h(东)	

GPS监控 报警信息 系统事件 抓拍图片

运行时长: 00:01:04 在线数: 3 / 定损数: 1 / 欠费: 0 / 总数: 11 在线率: 27.27% / 定损率: 9.09%

o nosso apoio MDVR monitoramento de clientes móvel, como PC, celular etc.

[Anasayfa](#)[İndir](#)[Soru](#)[Language](#)

İstemci İndirme

 Windows İndir  Version: 7.4.0.15 Güncelle: 20151123	 İndir  Version: 7.0.3 Güncelle: 20150523	 İndir  Version: 7.0.0.10 Güncelle: 20150801
--	--	---

Uygun Program İndir

		
---	---	---

Appliacation

FUNCTIONS

- Video& Audio real-time monitoring
- Online Vehicle Status
- Satellite Map
- GPS
- Video Storage
- Tracking Display
- Intercom
- Fuel Sensor
- G-Sensor
- Temperature-Sensor

Richmor

OEM & ODM Service

Brasil World Cup Supplier
www.rcmcctv.com



**Truck
Coach**



**School Bus
Bus**



**Police Car
Taxi**



**Support
All Vehicles**

certificado

[illegible]

VERIFICATION OF CONFORMITY		
	Verification of Conformity Reference No. LCC000000119	
	Responsible Party	Shenzhen Xinhua Technology Development Co., LTD.
	Address	1F No.81 West 1, Longgang Road, Longhua New District, Shenzhen, China
	Product	Mobile USB
	Model No.	HCN-8000000, HCN-8000001, HCN-8000002, HCN-8000003, HCN-8000004, HCN-8000005, HCN-8000006, HCN-8000007, HCN-8000008, HCN-8000009, HCN-8000010
	Trade Mark	Shenzhen
	Standards	CYS 001, GB 19471.10, GB 4943.1-2011, GB 4943.2-2010
	Inspection rules: This device is in accordance with Part 15 of the FCC Rules and Regulations for radio frequency devices. Operation of the product is subject to the following test conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. When tested in conformity to the applicable FCC Rules and Regulations, the normal operating mode was determined to be in accordance to the most accurate measurement practicable possible, and that all necessary steps have been exhausted to ensure that all production units of the same equipment will continue to comply with the Federal Communications Commission's requirements.	
	 Manager April 10, 2013	
Shenzhen LCC Compliance Testing Laboratory Ltd. 1F, Longgang Innovation Park, Longgang Road, Bao'an District, Shenzhen, Guangdong, China Tel: 86-(0)755-80000000 Http://www.LCC-cc.com		
Fax: 86-(0)755-80000001 Email: shenzhen@lcc-cc.com		

CERTIFICATE OF CONFORMITY	 CERTIFICATE of Conformity Reference No. 123456789012	
	Applicant	Whistler Electronic Technology Development Co., Ltd.
	Address	10 The West Road Longwood Road, Longwood New District, Shenzhen, China
	Product	Model 1234
	Model(s)	NCM-000000A, NCM-000000B, NCM-000000C, NCM-000000D, NCM-000000E, NCM-000000F, NCM-000000G, NCM-000000H
	Trade Mark	Whistler
The certified products have been tested by us with the latest standards and found to conform with the following European Directive: The EMC Directive 2004/108/EC EN 55022: 2007, EN 55024: 2007		
The tests were performed in normal operation mode. The test results apply only to the particular sample tested and to the specific test carried out. This certificate applies specifically to the sample investigated in our test laboratory number only.		
The CE marking on these cables can be affixed on the product after presentation of laboratory technical documentation.		
(Start relevant Directives here to be checked)		
  123456789012 April 15, 2011 		
(Signature) 1234 Compliance Testing Laboratory Ltd. 10, Kingway Industrial Park, Tangle Road, Kowloon Dist., Kowloon District, Hong Kong Tel: (852) 4567 8901 Fax: (852) 4567 8902 Email: info@123456789012.com		

CERTIFICATE OF CONFORMITY

	
CERTIFICATE of Conformity Reference No.: CE0104000001	
Applicant	Shenzhen Mission Technology Development Co., Ltd.
Address	37 South West Longgang Road, Longgang New District, Shenzhen, China
Product	Shenzhen
Model(s)	ROM-IPCH1, ROM-IPCH2, ROM-LCH1, ROM-IPCH1, ROM-IPCH2, ROM-IPCH3, ROM-IPCH4, ROM-IPCH5, ROM-IPCH6, ROM-IPCH7, ROM-IPCH8, ROM-IPCH9, ROM-IPCH10, ROM-IPCH11, ROM-IPCH12, ROM-IPCH13, ROM-IPCH14, ROM-IPCH15, ROM-IPCH16, ROM-IPCH17, ROM-IPCH18, ROM-IPCH19, ROM-IPCH20, ROM-IPCH21, ROM-IPCH22, ROM-IPCH23, ROM-IPCH24, ROM-IPCH25, ROM-IPCH26, ROM-IPCH27, ROM-IPCH28, ROM-IPCH29, ROM-IPCH30, ROM-IPCH31, ROM-IPCH32, ROM-IPCH33, ROM-IPCH34, ROM-IPCH35, ROM-IPCH36, ROM-IPCH37, ROM-IPCH38, ROM-IPCH39, ROM-IPCH40, ROM-IPCH41, ROM-IPCH42, ROM-IPCH43, ROM-IPCH44, ROM-IPCH45, ROM-IPCH46, ROM-IPCH47, ROM-IPCH48, ROM-IPCH49, ROM-IPCH50, ROM-IPCH51, ROM-IPCH52, ROM-IPCH53, ROM-IPCH54, ROM-IPCH55, ROM-IPCH56, ROM-IPCH57, ROM-IPCH58, ROM-IPCH59, ROM-IPCH60, ROM-IPCH61, ROM-IPCH62, ROM-IPCH63, ROM-IPCH64, ROM-IPCH65, ROM-IPCH66, ROM-IPCH67, ROM-IPCH68, ROM-IPCH69, ROM-IPCH70, ROM-IPCH71, ROM-IPCH72, ROM-IPCH73, ROM-IPCH74, ROM-IPCH75, ROM-IPCH76, ROM-IPCH77, ROM-IPCH78, ROM-IPCH79, ROM-IPCH80, ROM-IPCH81, ROM-IPCH82, ROM-IPCH83, ROM-IPCH84, ROM-IPCH85, ROM-IPCH86, ROM-IPCH87, ROM-IPCH88, ROM-IPCH89, ROM-IPCH90, ROM-IPCH91, ROM-IPCH92, ROM-IPCH93, ROM-IPCH94, ROM-IPCH95, ROM-IPCH96, ROM-IPCH97, ROM-IPCH98, ROM-IPCH99, ROM-IPCH100, ROM-IPCH101, ROM-IPCH102, ROM-IPCH103, ROM-IPCH104, ROM-IPCH105, ROM-IPCH106, ROM-IPCH107, ROM-IPCH108, ROM-IPCH109, ROM-IPCH110, ROM-IPCH111, ROM-IPCH112, ROM-IPCH113, ROM-IPCH114, ROM-IPCH115, ROM-IPCH116, ROM-IPCH117, ROM-IPCH118, ROM-IPCH119, ROM-IPCH120, ROM-IPCH121, ROM-IPCH122, ROM-IPCH123, ROM-IPCH124, ROM-IPCH125, ROM-IPCH126, ROM-IPCH127, ROM-IPCH128, ROM-IPCH129, ROM-IPCH130, ROM-IPCH131, ROM-IPCH132, ROM-IPCH133, ROM-IPCH134, ROM-IPCH135, ROM-IPCH136, ROM-IPCH137, ROM-IPCH138, ROM-IPCH139, ROM-IPCH140, ROM-IPCH141, ROM-IPCH142, ROM-IPCH143, ROM-IPCH144, ROM-IPCH145, ROM-IPCH146, ROM-IPCH147, ROM-IPCH148, ROM-IPCH149, ROM-IPCH150, ROM-IPCH151, ROM-IPCH152, ROM-IPCH153, ROM-IPCH154, ROM-IPCH155, ROM-IPCH156, ROM-IPCH157, ROM-IPCH158, ROM-IPCH159, ROM-IPCH160, ROM-IPCH161, ROM-IPCH162, ROM-IPCH163, ROM-IPCH164, ROM-IPCH165, ROM-IPCH166, ROM-IPCH167, ROM-IPCH168, ROM-IPCH169, ROM-IPCH170, ROM-IPCH171, ROM-IPCH172, ROM-IPCH173, ROM-IPCH174, ROM-IPCH175, ROM-IPCH176, ROM-IPCH177, ROM-IPCH178, ROM-IPCH179, ROM-IPCH180, ROM-IPCH181, ROM-IPCH182, ROM-IPCH183, ROM-IPCH184, ROM-IPCH185, ROM-IPCH186, ROM-IPCH187, ROM-IPCH188, ROM-IPCH189, ROM-IPCH190, ROM-IPCH191, ROM-IPCH192, ROM-IPCH193, ROM-IPCH194, ROM-IPCH195, ROM-IPCH196, ROM-IPCH197, ROM-IPCH198, ROM-IPCH199, ROM-IPCH200, ROM-IPCH201, ROM-IPCH202, ROM-IPCH203, ROM-IPCH204, ROM-IPCH205, ROM-IPCH206, ROM-IPCH207, ROM-IPCH208, ROM-IPCH209, ROM-IPCH210, ROM-IPCH211, ROM-IPCH212, ROM-IPCH213, ROM-IPCH214, ROM-IPCH215, ROM-IPCH216, ROM-IPCH217, ROM-IPCH218, ROM-IPCH219, ROM-IPCH220, ROM-IPCH221, ROM-IPCH222, ROM-IPCH223, ROM-IPCH224, ROM-IPCH225, ROM-IPCH226, ROM-IPCH227, ROM-IPCH228, ROM-IPCH229, ROM-IPCH230, ROM-IPCH231, ROM-IPCH232, ROM-IPCH233, ROM-IPCH234, ROM-IPCH235, ROM-IPCH236, ROM-IPCH237, ROM-IPCH238, ROM-IPCH239, ROM-IPCH240, ROM-IPCH241, ROM-IPCH242, ROM-IPCH243, ROM-IPCH244, ROM-IPCH245, ROM-IPCH246, ROM-IPCH247, ROM-IPCH248, ROM-IPCH249, ROM-IPCH250, ROM-IPCH251, ROM-IPCH252, ROM-IPCH253, ROM-IPCH254, ROM-IPCH255, ROM-IPCH256, ROM-IPCH257, ROM-IPCH258, ROM-IPCH259, ROM-IPCH260, ROM-IPCH261, ROM-IPCH262, ROM-IPCH263, ROM-IPCH264, ROM-IPCH265, ROM-IPCH266, ROM-IPCH267, ROM-IPCH268, ROM-IPCH269, ROM-IPCH270, ROM-IPCH271, ROM-IPCH272, ROM-IPCH273, ROM-IPCH274, ROM-IPCH275, ROM-IPCH276, ROM-IPCH277, ROM-IPCH278, ROM-IPCH279, ROM-IPCH280, ROM-IPCH281, ROM-IPCH282, ROM-IPCH283, ROM-IPCH284, ROM-IPCH285, ROM-IPCH286, ROM-IPCH287, ROM-IPCH288, ROM-IPCH289, ROM-IPCH290, ROM-IPCH291, ROM-IPCH292, ROM-IPCH293, ROM-IPCH294, ROM-IPCH295, ROM-IPCH296, ROM-IPCH297, ROM-IPCH298, ROM-IPCH299, ROM-IPCH300, ROM-IPCH301, ROM-IPCH302, ROM-IPCH303, ROM-IPCH304, ROM-IPCH305, ROM-IPCH306, ROM-IPCH307, ROM-IPCH308, ROM-IPCH309, ROM-IPCH310, ROM-IPCH311, ROM-IPCH312, ROM-IPCH313, ROM-IPCH314, ROM-IPCH315, ROM-IPCH316, ROM-IPCH317, ROM-IPCH318, ROM-IPCH319, ROM-IPCH320, ROM-IPCH321, ROM-IPCH322, ROM-IPCH323, ROM-IPCH324, ROM-IPCH325, ROM-IPCH326, ROM-IPCH327, ROM-IPCH328, ROM-IPCH329, ROM-IPCH330, ROM-IPCH331, ROM-IPCH332, ROM-IPCH333, ROM-IPCH334, ROM-IPCH335, ROM-IPCH336, ROM-IPCH337, ROM-IPCH338, ROM-IPCH339, ROM-IPCH340, ROM-IPCH341, ROM-IPCH342, ROM-IPCH343, ROM-IPCH344, ROM-IPCH345, ROM-IPCH346, ROM-IPCH347, ROM-IPCH348, ROM-IPCH349, ROM-IPCH350, ROM-IPCH351, ROM-IPCH352, ROM-IPCH353, ROM-IPCH354, ROM-IPCH355, ROM-IPCH356, ROM-IPCH357, ROM-IPCH358, ROM-IPCH359, ROM-IPCH360, ROM-IPCH361, ROM-IPCH362, ROM-IPCH363, ROM-IPCH364, ROM-IPCH365, ROM-IPCH366, ROM-IPCH367, ROM-IPCH368, ROM-IPCH369, ROM-IPCH370, ROM-IPCH371, ROM-IPCH372, ROM-IPCH373, ROM-IPCH374, ROM-IPCH375, ROM-IPCH376, ROM-IPCH377, ROM-IPCH378, ROM-IPCH379, ROM-IPCH380, ROM-IPCH381, ROM-IPCH382, ROM-IPCH383, ROM-IPCH384, ROM-IPCH385, ROM-IPCH386, ROM-IPCH387, ROM-IPCH388, ROM-IPCH389, ROM-IPCH390, ROM-IPCH391, ROM-IPCH392, ROM-IPCH393, ROM-IPCH394, ROM-IPCH395, ROM-IPCH396, ROM-IPCH397, ROM-IPCH398, ROM-IPCH399, ROM-IPCH400, ROM-IPCH401, ROM-IPCH402, ROM-IPCH403, ROM-IPCH404, ROM-IPCH405, ROM-IPCH406, ROM-IPCH407, ROM-IPCH408, ROM-IPCH409, ROM-IPCH410, ROM-IPCH411, ROM-IPCH412, ROM-IPCH413, ROM-IPCH414, ROM-IPCH415, ROM-IPCH416, ROM-IPCH417, ROM-IPCH418, ROM-IPCH419, ROM-IPCH420, ROM-IPCH421, ROM-IPCH422, ROM-IPCH423, ROM-IPCH424, ROM-IPCH425, ROM-IPCH426, ROM-IPCH427, ROM-IPCH428, ROM-IPCH429, ROM-IPCH430, ROM-IPCH431, ROM-IPCH432, ROM-IPCH433, ROM-IPCH434, ROM-IPCH435, ROM-IPCH436, ROM-IPCH437, ROM-IPCH438, ROM-IPCH439, ROM-IPCH440, ROM-IPCH441, ROM-IPCH442, ROM-IPCH443, ROM-IPCH444, ROM-IPCH445, ROM-IPCH446, ROM-IPCH447, ROM-IPCH448, ROM-IPCH449, ROM-IPCH450, ROM-IPCH451, ROM-IPCH452, ROM-IPCH453, ROM-IPCH454, ROM-IPCH455, ROM-IPCH456, ROM-IPCH457, ROM-IPCH458, ROM-IPCH459, ROM-IPCH460, ROM-IPCH461, ROM-IPCH462, ROM-IPCH463, ROM-IPCH464, ROM-IPCH465, ROM-IPCH466, ROM-IPCH467, ROM-IPCH468, ROM-IPCH469, ROM-IPCH470, ROM-IPCH471, ROM-IPCH472, ROM-IPCH473, ROM-IPCH474, ROM-IPCH475, ROM-IPCH476, ROM-IPCH477, ROM-IPCH478, ROM-IPCH479, ROM-IPCH480, ROM-IPCH481, ROM-IPCH482, ROM-IPCH483, ROM-IPCH48

CERTIFICATE OF COMPLIANCE

 CERTIFICATE of Conformity (DIN EN ISO 9001) Declaration of Testhouse Evidence Reference No.: LCB 000000078	
When issued at request, the applicant certifies compliance with the requirements of Commission Decision of 17 July 2011 amending Directive 2002/95/EC.	
Applicant:	Boschert Electronic Technology Development Co., LTD.
Address:	W Hualai West Longgang Road, Longhua New District, Shenzhen, China
Trade Mark:	Boschert
Product:	Camera
Model(s):	KCM-P001A, KCM-P001B, KCM-P001C, KCM-P001E, KCM-P001F, KCM-P001G, KCM-P001H, KCM-P001J, KCM-S001, KCM-S002, KCM-S003, KCM-S004, KCM-S005, KCM-S006, KCM-S007B, KCM-S008, KCM-S009, KCM-S010
This test report is issued by the Company subject to the General Conditions of Service printed hereon. Intention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. The results shown in this test report apply only to the specific model tested; no other models tested. This Test Report cannot be reproduced, stored in a database or other system without the permission of the Company. Other relevant distribution files are attached.	
RoHS  April 16, 2013	
Shenzhen LCB Compliance Testing Laboratory Ltd. 1/F, Jingyuan Industrial Park, Tangxia Street, Xixun Rd., Bantao Sub District, Shenzhen, Guangdong, CHINA Tel: +86(755) 4333-4333 http://www.lcb.com.cn	
Fax: +86(755) 4333-1332 E-mail: info@lcb.com.cn	

CERTIFICATE OF CONFORMITY	 CERTIFICATE of Conformity (REFERRED: Recognition of National Competence)	
	Reference No. LV100100100178	
When taken as specified, this certificate sample conforms with the requirements of Commission Decision of 27 Jan 2010 amending Decision 2007/686/EC.		
Applicant:	Shenzhen Ruitong Technology Development Co., LTD	
Address:	3F No.24 West Longgang Road, Longhua New District, Shenzhen, China	
Trade Mark:	Ruitong	
Product:	Mobile PDA	
Model(s):	RUI-MODEL01, RUI-MODEL02, RUI-MODEL03, RUI-MODEL04, RUI-MODEL05, RUI-MODEL06	
The test report is issued to the Company subject to its consent (conditions of service cannot prevent alterations in cases of falsification of falsity, misclassification and undeclared non-essential features). The results shown in this test report may only in the enterprise's limited control within validity period. This Test Report cannot be reproduced outside in full, without prior written permission of the Company.		
Other relevant documents have to be obtained.		
RoHS		
 Date: April 10, 2012		 Manager
Shenzhen LV Compliance Testing Laboratory Ltd 12, Guangming Industrial Park, Guangming Road, Nan-Shan Road, Nanshan District, Shenzhen, Guangdong, China Tel: 86-755-83294102 http://www.lvt.com.cn Email: admin@lvt.com.cn		

empresa e fábrica



Richmor

OEM & ODM Service


Brasil World Cup Supplier



Exibição:

Richmor

CPSE2012 in Shenzhen



CPSE2013

10.29-10.31

4 Booth we have

Welcome you !!!



CPSE2012-- Guangdong TV Report-Shenzhen Richmor



Para mais detalhes sobre os produtos, enviar e-mail nosso representante Sylvia.