

Vantagem

1. Super Anti Vibração protecção à prova de choque;
2. Variam 2.IR LED até 150Meter;
3. Weatherproof com limpador;
4. High Solution Sony;
5. Cooperate com Copa do Mundo Brasil; China Departamento Board etc;

Fotos detalhadas



Especificação






Produtos & nbsp; nome	Camera 100m Laser CCTV PTZ para o carro da polícia
Modelo	RCM-IPC216
Imagem & nbsp; Sensor	1/3 " & nbsp; Sony & nbsp; CCD
Signal & nbsp; Modelo	PAL / NTSC
Horizontal & nbsp; resolução	650TVL
Eficaz & nbsp; pixels	PAL: 976 (H) * 582 (V); & nbsp; NTSC: 976 (H) & nbsp; * 494 (V)
Mínimo & nbsp; iluminação	0Lux, cor & nbsp; & nbsp; B / W, & nbsp; IR & nbsp; sensor, & nbsp; IR-CUT
S / N & nbsp; rádio	60dB & nbsp; (avançado)
Backlight & nbsp; compensação	On / Off / Strong & nbsp; luz & nbsp; inibição
Com & nbsp; equilíbrio	Auto / Manual
Iris	Auto / Manual
Shutter; Electronic & nbsp;	PAL: 1/50 ~ 1 / 10000s; & nbsp; NTSC: 1/60 ~ 1 / 12000s
Focus & nbsp; comprimento	4,8 ~ 105,6 milímetros
Optical & nbsp; foco	22X
Foco	Auto/manual,take high performance DSP to achieve complete digital and ultra-high speed focusing function
Presets	256
Padrão & nbsp; rastrear	4 & nbsp; grupos, & nbsp; cada & nbsp; pode & nbsp; registro & nbsp; 200 & nbsp; ações
Tour & nbsp; pista	16 presets can join the cruise, can set the preset residence time
Outros & nbsp; digitalizar	Suporte & nbsp; horizontal & nbsp; varredura, & nbsp; dois & nbsp; pontos & nbsp; área & nbsp; varredura, & nbsp; aleatório & nbsp; varredura

Rotação & nbsp; gama	Horizontal & nbsp; 360 ° ilimitada & nbsp; rotação & nbsp; vertical & nbsp; 180 ° , & nbsp; auto & nbsp; reversão
Rotação & nbsp; velocidade	Horizontal: & nbsp; 240 ° / s; & nbsp; Vertical: & nbsp; 160 ° / s
Comunicação	RS485, Pelco & nbsp; D, & nbsp; PELCO & nbsp; P
OSD	Chinês / Inglês & nbsp; cardápio
Função; Especial & nbsp;	AWB, WDR, MÁSCARA, DNR, Strong & nbsp; luz & nbsp; inibição
Temperatura & nbsp; controle	Built-in
Intelligent & nbsp; IR & nbsp; lâmpadas	400m, synchronized camera angles and adjust the laser angle 2°~60°at night
Power & nbsp; oferta	DC12V / 4A
Materiais	Alumínio
Work & nbsp; ambiente	-20 ° ~ 50 ° (Selecione & nbsp; temperatura & nbsp; controle & nbsp; acessórios), menos & nbsp; que & nbsp; 95% RH

Aplicação



Certificação

 Warranty	<p>All items with 1 year warranty. Buyer pays the shipping cost back to us for repairing the faulty items within warranty date; we will repair all faulty items for free within warranty and pay the shipping back to you. We accept the refund by returning of the original goods and receipt in 7 days from purchasing date. Items should not be defective or broken.</p>
 Payment	<p>We accept Alipay, West Union, TT. All major credit cards are accepted through secure payment processor ESCROW.</p>
 Shipping	<p>DHL, EMS, UPS, Post WORLDWIDE SHIPPING. Deliver within 24 Hours for sample order.</p>
 After-Sales	<p>If there is any problem with technical operation or anything we can help, please contact us by Email or Trade Manager soon. Our engineer team will support you with pleasure!</p>
 Price	<p>We are the original designer and manufacture of the described product. Direct factory supply without any middleman.</p>

Fábrica



Richmor

OEM & ODM Service

Brasil World Cup Supplier


South Africa



Argentina




Czech Republic



Brazil



Russia



India



Turkey



Mexico



Saudi Arabia

