

cartão SD / HDD MDVR D1 / 720p / 1080p 4/5 / 8CH veículo DVR móvel com GPS 3G / 4G / Wi-Fi opcional, câmera e monitor de carro veículo

Shenzhen Richmor Science&Technologies Development Co.,Ltd



WE PUT FORWARD THE IDEAL OF "4M" IN ENTERPRISE MANAGEMENT:

- More enhancements of product quality everyday.
- More progress of services and sales everyday,
- More widely the effect of our brand expands everyday,
- More smiles to each of us everyday.

Richmor

especificação do produto:

Item		parâmetro
Sistema operacional		Linux
Língua		Inglês / Chinês / personalizado
A compressão de vídeo		H.264 compressão
OSD		sobreposições de informação, tais como tempo de data e identificação do veículo
GUI	Interface gráfica do usuário	parâmetros de configuração do sistema com o controle remoto

Vídeo Sistema de Registro	entrada de vídeo	entrada 4CH 960P / 720P AHD, conector de aviação, 1,0 Vp-p, 75Ω
	saída de vídeo	1 CVBS, 1,0 Vp-p, 75Ω, Aviação, Apoio 1CH tela cheia, vista 4CH Tela
	visualização	Suporte 1 canal e 4 canais pré-visualização., Manual de Apoio / Relógio Gatilho visualização em tela cheia
	resolução	720P / D1 / HD1 / CIF, MAX: 4 canais de 720p e 4 canais de D1
	qualidade da imagem	1-4 níveis, 1 é o nível mais alto.
	padrão de vídeo	PAL: 100F / s, linha CCIR625, 50field; NTSC: 120f / s, linha CCIR525, 60field; CIF: 256Kbps ~ 1,5 Mbps, a qualidade de vídeo de 8 nível opcional; HD1: 600Kbps ~ 2.5Mbps, qualidade de vídeo 8 nível opcional; D1: 800Kbps ~ 3 Mbps, qualidade de vídeo 8 nível opcional; 720P: 4Mbps-6Mbps, qualidade de vídeo multi nível opcional
	modo de gravação	A configuração padrão é de gravação automática após a ligação. gravação temporizada, a gravação de disparo de alarme e gravação manual são suportados.
auditivo	entrada de áudio	Input 4CH Aviação plug
	saída de áudio	2CH, fone conectar pelo painel frontal, BNC Connect no painel traseiro
	compressão	compressão G.726, velocidade de 8 KB / s
Entrada de alarme		7CH entrada de alarme, 1CH AD Input, entrada de velocidade de impulso, ligação de alarme
saída de alarme		2CH Saída de Alarme, Apoio Luz / Som sensor de alarme, Petróleo / Power cortado
Interface		3CH RS232, POS / Connection Fuel Sensor / LED Publicidade 1CH 485, Ligação da câmera PTZ
Transmissão sem fio		Suporte construído em transmissão 3G , WCDMA, CDMA2000, GPRS, EDGE; Construído no módulo 4G opcional, TDD-LTE, FDD-LTE
Posição GPS		Suporte GPS Construído / Módulo BD
Armazenamento	HDD	Max 2.5 "1TB HDD
	Cartão SD	Max 128 GB cartão SD de gravação Espelho manter a segurança de dados
	atualizar	Suporte Atualização USB, SD Card atualizar, OTA Atualização Remota
	formato de arquivo	H.264
	sistema de arquivo	FAT32 Especial File System
	USB	Interface USB no painel frontal para back up de dados por U disco, Hard Disk
registro de Repetição	busca de vídeo	Pesquisa por tempo Record / Record Type etc
	reprodução	Max Repetição apoio 4CH / Stop / Rápido / Lento ao mesmo tempo Suporte para a frente e para trás jogo na velocidade de: x 2, x4, x8, x16.
Segurança		Utilizador / Admin 2 nível diferente de senha
Funções opcionais	chamada de voz	suporte de voz chamar uns aos outros
	transmissão de voz TTS	Suporte de voz TTS função de transmissão.
	série expandir	Suporte LED Publicidade Panel, sensor de óleo, POS, Rodoviária Broadcaster, OBD carro, dispositivo ect.external

Voltage & Poder	Gerenciamento de energia	Ampla Voltage.Support Temporário / Delay off
	Tensão de entrada	DC: 6V + - + 36V
	Voltagem de saída	+ 12V ~ 1.5A, 1.5A + ~ 5V
	Poder	Trabalho & lt; 5W
Ambiente de trabalho	Temperatura	-20 °C - + 70 °C
	Umidade	20% - 80%
Outras	tamanho	200 (D) * 187 (W) * 62 (H) mm
	Peso	1,90 quilogramas

Show do produto:





AV Input & Output Cables



Power Cable



IO Cables



Remote Control



3G Antenna



WIFI Antenna




CD (Manual & Software Inside)



7000 HDD Mobile DVR


Product Introduction

Device Series



15

Product Advantage



Usuário do Cliente interface gráfica

移动视频监控平台

欢迎登录, RCMTEST

系统

终端列表 轮询列表 我的地图

贵C A6446

CH1 CH2 CH3 CH4

桂KY7507 桂KY7569 80024 80119 D82868 子NPS001 桂KY7586 桂KY7599 贵B93017 贵C87762

状态 云台 色彩 语音

设备类型 MDVR
终端名称 贵C A6446
终端ID 80109
公司 通运集团金融公司
所属分组 贵州
状态 在线
GPS时间 2016-03-14 09:50:09
位置 贵州省遵义市习水县G4215(普通高速公路)
速度 74.10 km/h(南)
费用 正常

1 贵C A6446 - CH1 - 0 KB/S
2 贵C A6446 - CH2 - 24 KB/S
3 贵C A6446 - CH3 - 0 KB/S
4 贵C A6446 - CH4 - 0 KB/S

地址 搜索

马临镇政府

贵C A6446
时间: 2016-03-14 09:50:09 速度: 74.10
公司: 通运集团金融公司 司机: 陈国忠
13511881529
位置: 贵州省遵义市习水县G4215(普通高速公路)
状态: 在线, 3G, ACC开启, SD卡(存在), 视频 对讲 监听 抓拍 更多

石板田 转匠岩

200米

运行时长: 00:01:04 在线数: 3 / 定损数: 1 / 欠费: 0 / 总数: 11 在线率: 27.27% / 定损率: 9.09%

o nosso apoio MDVR monitoramento de clientes móvel, como PC, celular etc.

[Anasayfa](#)[İndir](#)[Soru](#)[Language](#)

İstemci İndirme

 Windows İndir  Version: 7.4.0.15 Güncelle: 20151123	 İndir  Version: 7.0.3 Güncelle: 20150523	 İndir  Version: 7.0.0.10 Güncelle: 20150801
--	--	---

Uygun Program İndir

		
---	---	---

Appliication

FUNCTIONS

- Video& Audio real-time monitoring
- Online Vehicle Status
- Satellite Map
- GPS
- Video Storage
- Tracking Display
- Intercom
- Fuel Sensor
- G-Sensor
- Temperature-Sensor

Richmor

OEM & ODM Service

Brasil World Cup Supplier
www.rcmcctv.com



**Truck
Coach**



**School Bus
Bus**



**Police Car
Taxi**



**Support
All Vehicles**

certificado

[illegible][illegible]

	
CERTIFICATE of Conformity Reference No.: L2C-2014-03475	
Applicant	Shenzhen Rixiner Technology Development Co., LTD.
Address	101 Huili Road Longgang Road, Longhua New District, Shenzhen, China
Product	Mobile DVR
Model(s)	RCM-M0000A, RCM-M0000B, RCM-M0000C, RCM-M0000D, RCM-M0000E, RCM-M0000F, RCM-M0000G, RCM-M0000H
Trade Mark	Rixiner

The applicant certifies that each listed item is as well the latter provided and listed in compliance with the following European Directives:

The EMC Directive 2004/108/EC

EN 55022, EN 55024, EN 55035

The tests were performed in normal operation mode. This test result applies only to the particular sample tested and is in the specific case stated and not. This certificate applies specifically to the sample investigated in our test laboratory number only.

The CE marking as shown below can be affixed on the product after presentation of necessary technical documentation.

Other relevant Directives have to be checked.





April 16, 2015

Shenzhen L2C Compliance Testing Laboratory Ltd.
 101, Lingnan Industrial Park, Lingnan Road, Bao'an District, Shenzhen
 Guangdong, China
 Tel: +86 (755) 2707 1101
 http://www.l2c.com.cn

Fax: +86 (755) 2707 1102
 Email: shenzhen@l2c.com.cn

CERTIFICATE OF CONFORMITY

	
CERTIFICATE of Conformity	
Reference No.: C/0104/000079	
Applicant:	[] Shenzhen Mission Technology Development Co., LTD.
Address:	[] 3F South West Longgang Road, Longgang New District, Shenzhen, China
Product:	[] Camera
Model(s):	[] RCM-IPIC01, RCM-IPIC02, RCM-LPIC01, RCM-LPIC02, RCM-AP010, RCM-AP010L, RCM-SAL, RCM-SAL, RCM-SAL, RCM-H001, RCM-H001, RCM-S01, RCM-S01, RCM-S01, RCM-S01, RCM-IP0100, RCM-IP0100, RCM-C00000
Trade Mark:	[] Business
The submitted products have been tested by us with the related standards and found to conform with the following European Directives:	
The EMC Directive 2004/108/EC	
(EN 60950, EN 60958, EN 60959, EN 60960)	
The tests were performed in normal operation mode. The test results apply only to the particular sample tested and to the specific tests carried out. This certificate applies specifically to the samples investigated in our test reference number 0010.	
The CE markings are allowed below and to be affixed on the product after presentation of necessary technical documentation.	
(Please replace Company Name to be stamped)	
  April 10, 2014  Director	
Shenzhen CEC Compliance Testing Laboratory Ltd. 2/F, Longgang Industrial Park, Yungang Road, Bao'an Dist., Shenzhen District, Shenzhen, Guangdong, China http://www.shenzhencec.com Tel: (86)755-82591032 E-mail: info@shenzhencec.com	

[illegible]

CERTIFICATE OF CONFORMITY		
	CERTIFICATE of Conformity (OPTIONAL) Restriction of Hazardous Substances	
	Reference No. UL101001000108	
	When taken as specified, this submitted sample conforms with the requirements of Commission Decision of 27 July 2001 amending Directive 2002/95/EC.	
	Applicant:	Macintosh Notebook Technology Development Inc., USA
Address:	39 No. 24 West Longgang Road, Longgang New District, Shenzhen, China	
Trade Mark:	Notebook	
Product:	Laptop 15.6"	
Material:	POLYIMIDE, POLYIMIDE, POLYIMIDE, POLYIMIDE, POLYIMIDE, POLYIMIDE, POLYIMIDE, POLYIMIDE, POLYIMIDE, POLYIMIDE	
The test report is issued to the Company subject to its General Conditions of Service printed herewith. Attention is drawn to the limitations of liability, indemnification and arbitration clause outlined therein. The results shown in this test report are only for the samples tested unless otherwise stated. This Test Report cannot be reproduced, stored in full, without your written permission of the Company.		
Other relevant documents have to be attached.		
RoHS		
		
Signed: _____ Manager April 16, 2012		
Shenzhen CTS Compliance Testing Laboratory Ltd. 1/F, Hongxing Industrial Park, Hongxing Road, Xixiang Street, Baoan District, Shenzhen, Guangdong, China Tel: 86-755-8329-1102 http://www.ctsl.com.cn		
Fax: 86-755-8329-1102 Email: info@cts.com.cn		

empresa e fábrica



Richmor

OEM & ODM Service

Brasil World Cup Supplier



Exibição:

Richmor

CPSE2012 in Shenzhen



CPSE2013

10.29-10.31

4 Booth we have

Welcome you !!!



CPSE2012-- Guangdong TV Report-Shenzhen Richmor



Outros tipos de produtos

Product Introduction

We are Professional mobile dvr manufacturer !!

TOP SALE ---4ch AHD SD CARD MOBILE DVR & 4ch AHD HDD mobile dvr

If u r interested in our dvr, pls contact Amily: [whatsapp--18929314790](https://www.whatsapp.com/channel/0029918929314790)

系统配套产品

VEHICLE CAMERA PARAMETER

车载红外半球摄像机 Vehicle Dome IR Camera



RCM-D342S/IR	1/3" SONY CCD 420TVL 0.5LUX	24 units ≤ 5 LED or 10 Units ≤ 8 LED	3.6mm/6mm
RCM-D442A/IR	1/4" Sharp CCD 420TVL 0.5LUX	24 Units ≤ 5 LED or 10 units ≤ 8 LED	2.8mm/3.6mm
RCM-D348S/IR	1/3" SONY CCD 480TVL 0.1LUX	24 Units ≤ 5 LED or 10 units ≤ 8 LED	3.6mm/6mm
RCM-D354S/IR	1/3" SONY CCD 540TVL 0.1LUX	24 Units ≤ 5 LED or 10 Units ≤ 8 LED	3.6mm/6mm
RCM-D360S/IR	1/3" SONY CCD 600TVL 0.1LUX	24 Units ≤ 5 LED or 10 Units ≤ 8 LED	3.6mm/6mm
RCM-D370S/IR	1/3" SONY CCD 700TVL 0.1LUX	24 Units ≤ 5 LED or 10 Units ≤ 8 LED	3.6mm/6mm

车载红外防水摄像机 Vehicle IR Waterproof Camera



RCM-CM442A/IR	1/4" Sharp CCD 420TVL 0.5LUX	20 Units ≤ 5 LED (Work Under water)	3.6mm/6mm
RCM-CM342S/IR	1/3" SONY CCD 420TVL 0.1LUX	20 Units ≤ 5 LED (Work under Water)	3.6mm/6mm
RCM-CM348S/IR	1/3" SONY CCD 480TVL 0.1LUX	20 Units ≤ 5 LED (Work Under Water)	3.6mm/6mm
RCM-CM360S/IR	1/3" SONY CCD 600TVL 0.1LUX	20 Units ≤ 5 LED (Work Under Water)	3.6mm/6mm



Best Regards
Amily Zhang

HAND US YOUR TRUST, OFFER YOU OUR BEST!!!

Shenzhen Richmor Technology Development Co.,LTD

Email: overseasales-2@rcmccctv.com

Skype: rcmccctvsales2

QQ: 2355778097

MB/Whatsapp: +86 18929314790

Website: <http://www.richmor.net/>

ADD: 6th Floor, F Building, Xinzhi Industrial Park, Yangmei,Bantian,Longgang, Shenzhen

