

Mais novo corpo policial usado câmera infravermelha impermeável Portable DVR

Construído em GPS e WiFi 3G 4G corpo de polícia wearable e portátil câmera DVR corpo desgastado

| | |
|----------------------------|--|
| Detalhes de empacotamento: | Caixa de cor/caixa da caixa |
| Detalhe da entrega: | 3 ~ 5 dias de trabalho para a ordem da amostra |



Principais características

- 1) 2,4 polegadas display colorido embutido;**
- 2) bateria do Li-íon da grande capacidade de 2100mAh;**
- 3) Full D1 vídeo em tempo real e gravação de áudio;**
- 4) máx. 128GB cartão micro-SD suportado;**
- 5) módulo interno do GPS.**
- 6) áudio de 2 vias, suporta PTT Talkback;**
- 7) vista remota 3G/4G no PC ou no smartphone;**
- 8) built-in módulo Wi-Fi.**

Especificações

| | | |
|-----------------------------------|-----------------------------------|---|
| Sistema Operacional | Linux | |
| Gerenciamento de segurança | Senha do administrador | |
| Vídeo e visualização | Entrada de vídeo | Câmera externa, acima de 70 ângulo da vista do grau |
| | OSD | Identificação do tempo/data/dispositivo/GPS |
| | Compressão de vídeo | H. 264 codificação de compressão |
| | Dual-Stream | Suporte |
| | Resolução | D1/HD1/CIF selecionável |
| Áudio | Entrada de áudio | Microfone externo |
| | Compressão de áudio | G. 726 codificação |
| Gravação | Meio de armazenamento | Cartão do micro-SD (1G ~ 128g) |
| | Formato de arquivo/sistema | ASF/FAT32 |
| | Modo de gravação | Auto gravação após a inicialização |
| | Pesquisa de vídeo | Pesquisar por data/hora |
| | Reprodução | Reprodução local; Suporte 2/4/8/ 16 vezes avanço/retrocesso rápido |
| Display TFT | Tamanho | 2,4 polegadas LCD |
| | Resolução | 480 * 234 |
| Transmissão sem fio | módulo 3G built-in (4G opcional) | |
| Wi-Fi | built-in módulo WiFi | |
| GPS | módulo interno do GPS | |
| Atualização do sistema | Atualizando do cartão TF | |
| Fonte de alimentação | Capacidade da bateria | Bateria do Li-íon, 2100mAh, 7.4 v |
| | Tempo de carregamento | Menos de 3 horas |
| | Hora de trabalho | Acima de 4 horas |
| Ambiente operacional | Temperatura | -20 °C ~ + 50 °C |
| | Umidade | 20% a 90% |
| Dimensões | 65 (w) X130 (h) x30 (d) milímetro | |
| Três provas | Classe: IP54 | |
| Peso | Rede: 475 g, (1,05 lb) | |

Vitrine de produtos







Software cliente

Mobile monitoring and management platform

Web address: http://192.168.1.151

System | Video | Map | Favorites | System Set | Log Query | External App

Dev List | Polling | My Menu

Address

Google Map | MapInfo

1
2
3
4

Monitor Center (5/10)

- 手机7586
- 手机7587
- 手机7588
- 手机7589
- 手机7590
- 手机7591
- 手机7592
- 手机7593
- 手机7594
- 手机7595
- 手机7596
- 手机7597
- 手机7598
- 手机7599
- 手机7600

| Monitor | PTZ | Color | WPS |
|------------------|-----------------------|-------|-----|
| Device type | MDVR | | |
| Vehicle name | 吉C 20052 | | |
| Vehicle ID | 30005 | | |
| Company | 遵义县万美山运输有限公司 | | |
| Track Group | Monitor Center | | |
| Status | Online | | |
| Positioning Time | 2010-06-11 10:11:50 | | |
| Location | 贵州省遵义市汇川区汇川大道 | | |
| Speed | 0.00 km/h (Southwest) | | |
| Color | Normal | | |

2010 公里

Member: Online:1 Alarm:0 Offline:0 Idling:0 GPS Device:0

| Device | Positioning Time | Position | Speed | Alarm | Sta |
|--------|---------------------|-------------------|-----------------------|-------|-----|
| 手机7592 | 2010-06-11 10:11:49 | 福建省漳州市龙文区(鹿港西庭公路) | 0.00 km/h (Southwest) | | 001 |

Monitoring | System Status | System Break

Running: 02:00:01 | Online: 6 / Number of set (total): Areas: 0 / Total: 12 | Live Rate: 1.07% / Lock Rate: 1.07%

Mobile monitoring and management platform

Welcome to log in, RCHTEST
System
Video
Map
Playback
System Set
Log Query
Extend App

Dev List

- Monitor Center(112)
- 桂KY7501
- 桂C22762
- 贵C63968
- 贵C26512
- 贵C A6446
- 80319
- 贵F5001
- 桂KY7507
- 桂KY7509
- 桂KY7509
- 贵B0024
- 贵B0017

System Parameters

Language: Chinese

UI Style: Default

Exit System: Not Close No Operation Condition

Image Capture: On GPS_Download(CAPTURE) browse

Location: 72 (C Indicates variable loss)

GPS update time: 0 (Unit: s) 2-1.00

ID Name: Enable

Default choose of online equipment

Enable multi screen mode

Enable multi display

Display the vehicle of the city

Save

Monitor:1 Online:1 Alarm:0 Offline:0 Idling:0 ACC:OFF GPS Invalid:0

Export Auto Sort

| Device | Positioning Time | Position | Speed | Alarm | Status | Usage | Other Info |
|---------|---------------------|----------------|-----------------------|-------|-------------------|-------|--------------|
| 贵C27762 | 2015-08-11 10:14:33 | 福建省厦门市集美区软件园二期 | 52.00 km/h(Northeast) | | (Online)ACC ON,SC | | SD CardExist |

Running: 00:05:15 Online: / Number of set loss: / Alarms: / Total:12 Line Rate:41.67% / Loc. Rate:41.67%

Mobile monitoring and management platform

Welcome to log in, RCHTEST
System
Video
Map
Playback
System Set
Log Query
Extend App

Dev List

- Monitor Center(112)
- 桂KY7569
 - CH1
 - CH2
 - CH3
 - CH4
- 桂KY7586
 - CH1
 - CH2
 - CH3
 - CH4
- 桂KY7599
- 贵B2668
- 贵C26562
- 贵C A6446
- 80319
- 贵F5001
- 桂KY7507
- 贵B0024

Monitor:2 Online:2 Alarm:0 Offline:0 Idling:0 ACC:OFF GPS Invalid:0

Export Auto Sort

| Device | Positioning Time | Position | Speed | Alarm | Sta |
|---------|---------------------|----------------------|----------------------|-------|-----|
| 桂KY7569 | 2015-07-23 11:53:47 | 广西壮族自治区玉林市博白县兴隆中路10号 | 0.00 km/h(West) | | (On |
| 桂KY7586 | 2015-07-23 11:53:57 | 广西壮族自治区玉林市博白县S216 | 0.00 km/h(Northeast) | | (On |

Running: 00:02:05 Online: / Number of set loss: / Alarms: / Total:12 Line Rate:50.00% / Loc. Rate:33.33%

Aplicativos



Bem-vindo ao contato RICHMOR para mais detalhes!

Skype: rcmctvsales5

WhatsApp: + 86-18126263838