

4CH Mobile DVR 3G GPS Functions HDD Mobile DVR RCM-MDR8000 **car,bus ,truck , taxi , police car,solution**

Mobile DVR Key Features

1. Superhigh anti-shock, water-proof, dust-proof functions, easy installation
2. Support double data backup (Very Safe)
3. Support D1 each Channel, PTZ Control, 3G remote monitoring
4. Best after-sale service with 12 months warranty, lifetime maintaince
5. Support 3G. GPS. Modual for optional
6. Over-load, over-current, reverse, ESD, power-off protection
7. Support Auto recording, timed recording, alarm recording (open/ close door etc.)
8. Antomatic ON/OFF setup, can set many time periods.
9. Independent delayed-time off circuit, fire-off delaying recording, delay time is settable.
10. Support powerful client program: monitoring, playback, recording and screenshot and playback analysis.



Mobile DVR Specification

Truck DVR Recorder

- 1)3G GPS for option
- 2)12 Months Warranty
- 3)Key for HDD and SD card(Very Safe)
- 4)CE FCC Rohs Approval

Item	Parameter
A&V Input	4 channel, aviation connector
A&V Output	1 channel, aviation connector
Video compression format	H.264

Resolution	D1/HD1/CIF selectable. D1-the highest, CIF-the lowest
Video Frame rate	100 fps (PAL),120fps(NTSC),50fps(4*D1)
Recording	Fire recording, time recording, alarm recording
Storage	HDD + SD Card recording sync
Alarm	6CH alarm; alarm and recording at the same time
Black box function	Recording Vehicle operations (turn left/right, stop lamp), license NO. , route, driver
System Protection	Saving the recording data when the power off, support hard disk upgrading
Network	RJ45 Ethernet interface and can copy the data through Wired/Wireless networks, controlling and managing the main machine.
PTZ control	RS232 can turn to PTZ interface remote control
3G	3G Wireless transmission
GPS	Support GPS module expansion, recoding and playback the vehicle route
Wide Voltage Range	Operation voltage: 6V~48V; Instantaneous range: 6-70V. Support over-voltage / short circuit/ reverse/ ESD protection.fire on/off timing,delay power-off. Output voltage is 12v .
Low Consupion Power	2.4W
System	Embedded full-time multitask control system, support Chinese simplified & English
Working environment	Working temperature: -20C°to 50C°,Working humidity: <90%; storage temperature: -30C to 70C,Storage humidity<90%
Dimensions	200mm*130mm*65mm

Mobile DVR CE ROHS FCC Certification

CERTIFICATE OF CONFORMITY	
	CERTIFICATE of Conformity Reference No. LC03040500070
	Applicant : Shenzhen Richman Technology Development Co., LTD.
	Address : / Of No.38 West Longgang Road, Longgang New District, Shenzhen, China
	Product : Camera
Models : <div style="display: flex; flex-wrap: wrap;"> <div style="width: 50%;">RICHM-PC1216, RICHM-PC1216S, RICHM-LPC1216, RICHM-LPC1216S</div> <div style="width: 50%;">RICHM-AP0140, RICHM-AP0140S, RICHM-HAL, RICHM-HALS, RICHM-DA01, RICHM-DA01S, RICHM-DA02, RICHM-DA02S, RICHM-SAP01, RICHM-SAP01S, RICHM-DC0200, RICHM-DC0200S, RICHM-DC0400S</div> </div>	
Trade Mark : <div style="display: flex; align-items: center;">  Richman </div>	
The submitted products have been tested by us with the latest standards and found to be compliance with the following European Directives:	
The EMC Directive 2004/108/EC EN 55022 : 2010, EN 55024 : 2010	
The tests were performed in normal operation mode. The test results apply only to the particular sample tested and to the specific tests carried out. This certificate applies specifically to the sample investigated in our test laboratory under only.	
The CE markings on above stated can be affixed on the product after preparation of necessary technical documentation.	
Other relevant Directives have to be observed.	
<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  </div> <div style="text-align: center;">  <p>Shenzhen LLS Date: 10.10.2014</p> </div> </div>	
Shenzhen LLS Compliance Testing Laboratory Ltd. 101, Jingyuan Industrial Park, Tongda Road, Nan'ao Shou, Baotian District, Shenzhen, Guangdong, China Tel: 086176542491330 http://www.LLS.com.cn/	
Fax: 0861765425971332 Email: shenzhenlls@126.com	

 <h1 style="text-align: center;">CERTIFICATE of Conformity</h1> <p style="text-align: center;">SGS/SGS-CEI Certification of RoHS/Restriction Substances</p> <p style="text-align: center;">Reference No.: L2010041020670</p>	
<p>When tested as specified, the submitted sample complies with the requirements of European Directive 2011/65/EU amending Directive 2002/95/EC.</p>	
Applicant	Shenzhen Redstar Technology Development Co., Ltd.
Address	2F North West Longgang Road, Longgang New District, Shenzhen, China
Trade Mark	Redstar
Product	Camera
Material	PCBM-012124, PCBM-012126, PCBM-1P2125, PCBM-1P2126, PCBM-001216, PCBM-001218, PCBM-001219, PCBM-001220, PCBM-001221, PCBM-001222, PCBM-001223, PCBM-001224, PCBM-001225, PCBM-001226, PCBM-001227, PCBM-001228, PCBM-001229, PCBM-001230, PCBM-001231, PCBM-001232, PCBM-001233, PCBM-001234, PCBM-001235, PCBM-001236, PCBM-001237, PCBM-001238, PCBM-001239, PCBM-001240, PCBM-001241, PCBM-001242, PCBM-001243, PCBM-001244, PCBM-001245, PCBM-001246, PCBM-001247, PCBM-001248, PCBM-001249, PCBM-001250, PCBM-001251, PCBM-001252, PCBM-001253, PCBM-001254, PCBM-001255, PCBM-001256, PCBM-001257, PCBM-001258, PCBM-001259, PCBM-001260, PCBM-001261, PCBM-001262, PCBM-001263, PCBM-001264, PCBM-001265, PCBM-001266, PCBM-001267, PCBM-001268, PCBM-001269, PCBM-001270, PCBM-001271, PCBM-001272, PCBM-001273, PCBM-001274, PCBM-001275, PCBM-001276, PCBM-001277, PCBM-001278, PCBM-001279, PCBM-001280, PCBM-001281, PCBM-001282, PCBM-001283, PCBM-001284, PCBM-001285, PCBM-001286, PCBM-001287, PCBM-001288, PCBM-001289, PCBM-001290, PCBM-001291, PCBM-001292, PCBM-001293, PCBM-001294, PCBM-001295, PCBM-001296, PCBM-001297, PCBM-001298, PCBM-001299, PCBM-001300, PCBM-001301, PCBM-001302, PCBM-001303, PCBM-001304, PCBM-001305, PCBM-001306, PCBM-001307, PCBM-001308, PCBM-001309, PCBM-001310, PCBM-001311, PCBM-001312, PCBM-001313, PCBM-001314, PCBM-001315, PCBM-001316, PCBM-001317, PCBM-001318, PCBM-001319, PCBM-001320, PCBM-001321, PCBM-001322, PCBM-001323, PCBM-001324, PCBM-001325, PCBM-001326, PCBM-001327, PCBM-001328, PCBM-001329, PCBM-001330, PCBM-001331, PCBM-001332, PCBM-001333, PCBM-001334, PCBM-001335, PCBM-001336, PCBM-001337, PCBM-001338, PCBM-001339, PCBM-001340, PCBM-001341, PCBM-001342, PCBM-001343, PCBM-001344, PCBM-001345, PCBM-001346, PCBM-001347, PCBM-001348, PCBM-001349, PCBM-001350, PCBM-001351, PCBM-001352, PCBM-001353, PCBM-001354, PCBM-001355, PCBM-001356, PCBM-001357, PCBM-001358, PCBM-001359, PCBM-001360, PCBM-001361, PCBM-001362, PCBM-001363, PCBM-001364, PCBM-001365, PCBM-001366, PCBM-001367, PCBM-001368, PCBM-001369, PCBM-001370, PCBM-001371, PCBM-001372, PCBM-001373, PCBM-001374, PCBM-001375, PCBM-001376, PCBM-001377, PCBM-001378, PCBM-001379, PCBM-001380, PCBM-001381, PCBM-001382, PCBM-001383, PCBM-001384, PCBM-001385, PCBM-001386, PCBM-001387, PCBM-001388, PCBM-001389, PCBM-001390, PCBM-001391, PCBM-001392, PCBM-001393, PCBM-001394, PCBM-001395, PCBM-001396, PCBM-001397, PCBM-001398, PCBM-001399, PCBM-001400, PCBM-001401, PCBM-001402, PCBM-001403, PCBM-001404, PCBM-001405, PCBM-001406, PCBM-001407, PCBM-001408, PCBM-001409, PCBM-001410, PCBM-001411, PCBM-001412, PCBM-001413, PCBM-001414, PCBM-001415, PCBM-001416, PCBM-001417, PCBM-001418, PCBM-001419, PCBM-001420, PCBM-001421, PCBM-001422, PCBM-001423, PCBM-001424, PCBM-001425, PCBM-001426, PCBM-001427, PCBM-001428, PCBM-001429, PCBM-001430, PCBM-001431, PCBM-001432, PCBM-001433, PCBM-001434, PCBM-001435, PCBM-001436, PCBM-001437, PCBM-001438, PCBM-001439, PCBM-001440, PCBM-001441, PCBM-001442, PCBM-001443, PCBM-001444, PCBM-001445, PCBM-001446, PCBM-001447, PCBM-001448, PCBM-001449, PCBM-001450, PCBM-001451, PCBM-001452, PCBM-001453, PCBM-001454, PCBM-001455, PCBM-001456, PCBM-001457, PCBM-001458, PCBM-001459, PCBM-001460, PCBM-001461, PCBM-001462, PCBM-001463, PCBM-001464, PCBM-001465, PCBM-001466, PCBM-001467, PCBM-001468, PCBM-001469, PCBM-001470, PCBM-001471, PCBM-001472, PCBM-001473, PCBM-001474, PCBM-001475, PCBM-001476, PCBM-001477, PCBM-001478, PCBM-001479, PCBM-001480, PCBM-001481, PCBM-001482, PCBM-001483, PCBM-001484, PCBM-001485, PCBM-001486, PCBM-001487, PCBM-001488, PCBM-001489, PCBM-001490, PCBM-001491, PCBM-001492, PCBM-001493, PCBM-001494, PCBM-001495, PCBM-001496, PCBM-001497, PCBM-001498, PCBM-001499, PCBM-001500, PCBM-001501, PCBM-001502, PCBM-001503, PCBM-001504, PCBM-001505, PCBM-001506, PCBM-001507, PCBM-001508, PCBM-001509, PCBM-001510, PCBM-001511, PCBM-001512, PCBM-001513, PCBM-001514, PCBM-001515, PCBM-001516, PCBM-001517, PCBM-001518, PCBM-001519, PCBM-001520, PCBM-001521, PCBM-001522, PCBM-001523, PCBM-001524, PCBM-001525, PCBM-001526, PCBM-001527, PCBM-001528, PCBM-001529, PCBM-001530, PCBM-001531, PCBM-001532, PCBM-001533, PCBM-001534, PCBM-001535, PCBM-001536, PCBM-001537, PCBM-001538, PCBM-001539, PCBM-001540, PCBM-001541, PCBM-001542, PCBM-001543, PCBM-001544, PCBM-001545, PCBM-001546, PCBM-001547, PCBM-001548, PCBM-001549, PCBM-001550, PCBM-001551, PCBM-001552, PCBM-001553, PCBM-001554, PCBM-001555, PCBM-001556, PCBM-001557, PCBM-001558, PCBM-001559, PCBM-001560, PCBM-001561, PCBM-001562, PCBM-001563, PCBM-001564, PCBM-001565, PCBM-001566, PCBM-001567, PCBM-001568, PCBM-001569, PCBM-001570, PCBM-001571, PCBM-001572, PCBM-001573, PCBM-001574, PCBM-001575, PCBM-001576, PCBM-001577, PCBM-001578, PCBM-001579, PCBM-001580, PCBM-001581, PCBM-001582, PCBM-001583, PCBM-001584, PCBM-001585, PCBM-001586, PCBM-00

Applications of Mobile DVR



Our DVR are widely used in bus, school bus, car, taxi, dangerous cargo, lorry, truck, police car, van, ship etc.

1. Help the investigation of the scene for traffic accident
2. Gather evidence for violent crimes (blackmail and robbery)
3. Facilitate the management of company vehicles (GPS positioning)
4. Full view backing-car function
5. Sensor & alarm
6. Home security (CCTV)

Packing Detail

1. Your Logo is also welcomed!

2. Brand Box With Our Logo "Richmor"



3. Neutral Box

Customers throughout the world

South Africa



Argentina



Brazil



Russia



India



Turkey



Thanks for your supports!

