

product specification:

| Item | parameter | |
|------------------------------|---|---|
| Operating System | Linux | |
| Language | English/chinese/customized | |
| Video Compression | H.264 Compression | |
| OSD | overlays information such as date time and vehicle ID | |
| GUI | Graphical user interface | setup system parameters with the remote control |
| | video input | 4CH 960P/720P AHD input,aviation connector, 1.0Vp-p, 75Ω |
| | video output | 1 CVBS, 1.0Vp-p, 75Ω,Aviation,Support 1CH Full Screen,4CH Screen view |
| | preview | Support 1 channel and 4 channels preview., Support Manual/Alarm Trigger full screen preview |
| | resolution | 720P/D1/HD1/CIF, MAX:4 channels of 720P and 4 channels of D1 |
| | image quality | 1-4 levels, 1 is the highest level. |
| Video Record System | video standard | PAL: 100f/s , CCIR625 line,50field; NTSC: 120f/s, CCIR525 line,60field; CIF: 256Kbps ~ 1.5Mbps, 8 level video quality optional; HD1: 600Kbps ~ 2.5Mbps, 8 level video quality optional; D1: 800Kbps ~ 3Mbps, 8 level video quality optional; 720P: 4Mbps-6Mbps, multi level video quality optional |
| | record mode | The default setting is auto recording after power on. Timed recording, alarm trigger recording and manual recording are supported. |
| Audio | audio input | 4CH Aviation Plug Input |
| | audio output | 2CH,headphone connect at front panel, BNC Connect on Back panel |
| | compression | G.726 compression, 8KB/s speed |
| Alarm Input | 7CH Alarm Input,1CH AD Input,impulse speed input,Alarm Linkage | |
| Alarm Output | 2CH Alarm Output,Support Light/Sound alarm sensor,Oil/Power cut off | |
| Interface | 3CH RS232, POS/Fuel Sensor/LED Advertisement Connection | |
| | 1CH 485 Interface,Connect PTZ Camera | |
| Wireless Transmission | Support Built in 3G transmission,, WCDMA, CDMA2000,GPRS, EDGE; Built in 4G module optional, TDD-LTE, FDD-LTE | |
| GPS Position | Support Built GPS/BD Module | |
| Storage | HDD | Max 2.5" 1TB HDD |
| | SD Card | Max 128GB SD Card Mirror Recording Keep Data Safety |
| | update | Support USB Updating, SD Card Updating,OTA Remote Updating |
| | file format | H.264 |
| | file system | Special FAT32 File System |
| | USB | USB Interface on Front Panel for data back up by U Disk,Hard Disk |
| Record Replay | video search | Search By Record Time/Record Type etc |
| | playback | Max support 4CH Replay /Stop/Fast/Slow at same time Support forward and backward play at the speed of: x 2,x4,x8,x16. |
| Security | | User/Admin 2 Level Different Password |
| Optional Functions | voice call | Support voice call each other |
| | TTS Voice broadcast | Support TTS voice broadcast function. |
| | serial expand | Support LED Advertisement Panel,Oil Sensor, POS,Bus Station Broadcaster,Car OBD,ect.external device |
| Voltage & Power | Power Management | Wide Voltage.Support Timed/Delay off |
| | Input Voltage | DC:+6V - +36V |
| | Output Voltage | +12V~1.5A,+5V~1.5A |
| | Power | Working<5W |
| Working Environment | Temperature | -20°C - +70°C |
| | Humidity | 20% - 80% |

| | | |
|--------|--------|---------------------------|
| Others | Size | 200 (D)* 187(W)* 62(H) mm |
| | Weight | 1.90Kg |

Product Show;



Factory Audit

- SMS Device configure**
- OTA Remote Updating**
- 8CH Full D1 Real time monitor**
- 2TB HDD + 128GB SD Card**

Richmor

OEM/ODM Customized
Factory Price
Independent R&D Tech
Low Moq



RICHMOR TECH

CE

FCC



ROHS





SMS Device configure
OTA Remote Updating
8CH Full D1 Real time monitor
2TB HDD + 128GB SD Card

Richmor

OEM/ODM Customized
Factory Price
Independent R&D Tech
Low Moq





AV Input Cables



AV Output Cable



Power Cable



IO Cables



Remote Control



GPS Antenna



CD (Manual & Software Inside)



SD Mobile DVR



Richmor Brand Package



Standard Package

Client User Graph Interface

移动视频监控平台

欢迎登录, RCMTTEST 系统 实时预览 电子地图 回放管理 信息管理 系统设置

终端列表 轮询列表 我的地图

监控中心(3/11)
 贵州(1/1)
 贵C A6446
 CH1
 CH2
 CH3
 CH4
 桂KY7507
 桂KY7569
 80024
 80119
 D82868
 子NPS001
 桂KY7586
 桂KY7599
 贵B93017
 贵C87762

设备类型: MDVR
 终端名称: 贵C A6446
 终端ID: 80109
 公司: 通运集团金融公司
 所属分组: 贵州
 状态: 在线
 GPS时间: 2016-03-14 09:50:09
 位置: 贵州省遵义市习水县G4215(南)
 速度: 74.10 km/h(南)
 费用: 正常

1 贵C A6446 - CH1 - 0 KB/S
 2 贵C A6446 - CH2 - 24 KB/S
 3 贵C A6446 - CH3 - 0 KB/S
 4 贵C A6446 - CH4 - 0 KB/S

地址: 马临镇政府
 搜索: 地图 卫星
 贵C A6446
 时间: 2016-03-14 09:50:09 速度: 74.10
 公司: 通运集团金融公司 司机: 陈国忠
 13511881529
 位置: 贵州省遵义市习水县G4215(带道高
 状态: 在线, 3G, ACC开启, SD卡(存在), 网
 视频 对讲 监听 抓拍 更多

| 终端 | GPS时间 | 位置 | 速度 | 报警 |
|----------|---------------------|------------------------|----------------|----|
| 贵C A6446 | 2016-03-14 09:50:09 | 贵州省遵义市习水县G4215(带道高速公路) | 74.10 km/h(南) | |
| 桂KY7507 | 2016-03-14 09:50:17 | 广西壮族自治区玉林市博白县人民中路38号 | 11.00 km/h(北) | |
| 桂KY7569 | 2016-03-14 09:50:38 | 广西壮族自治区玉林市博白县X403 | 27.00 km/h(西北) | |
| 桂KY7599 | 2016-03-14 09:49:03 | 广西壮族自治区玉林市博白县S216 | 0.00 km/h(东) | |

GPS监控 / 报警信息 / 系统事件 / 抓拍图片 /

运行时长: 00:01:04 在线数: 3 / 定损数: 1 / 欠费: 0 / 总数: 11 在线率: 27.27% / 定损率: 9.09%

Application

FUNCTIONS

- Video & Audio real-time monitoring
- Online Vehicle Status
- Satellite Map
- GPS
- Video Storage
- Tracking Display
- Intercom
- Fuel Sensor
- G-Sensor
- Temperature-Sensor

Richmor

OEM & ODM Service

Brasil World Cup Supplier
www.rcmctv.com



Truck
Coach



School Bus
Bus



Police Car
Taxi



Support
All Vehicles

certificate



Richmor

OEM & ODM Service

Brasil World Cup Supplier



Exhibition:

Richmor

CPSE2012 in Shenzhen



CPSE2013

10.29-10.31

4 Booth we have

Welcome you !!!



CPSE2012-- Guangdong TV Report-Shenzhen Richmor



Welcome to contact **Susie** for more details

By Email/wechat, Wechat: Jobs2lovers

By Skype: rcmctvsales4

By Trademanager: cn1001765398

By Mobile phone/Whatsapp: +86-18126263832 (Susie Zhou)