

Richmor HD H.264 3G GPS Автомобиль DVR рекордер MDR500SDG

- 1, Latest New H.264 Video Compression, G.726 Audio Code, 4CH Video & 2CH Audio.
- 2, Recording Mode Can be Option CIF/HD1/D1, Frame Quality Can be Adjusted.
- 3, Professional Power Design for Vehicle, 6~48V Wide Voltage; Over-load, Over-voltage, Short Circuit, Reverse Protection.
- 4, All Aviation Connectors, Super Stable, High Anti-shock, Easy installation plug in and out.
- 5, Support DC12V, DC5V Output, Can offer Power for Cameras and some Accessories.
- 6, 64GB SD Card Max with Data Redundary Tech, Ensuring Data Stable.
- 7, Auto Recording, Timing Recording, Alarm (Open/Close door) Recording Mode for Different Request.
- 8, Powerful file fragmentation removal technology and data protection features, support for abnormal restart protection function.
- 9, Special Delay Power off circuit, Which can support the system continuous running after vehicle power off.
- 10, 4CH & NBSP; Alarm & NBSP; Input, Местная & NBSP; и & NBSP; Remote & NBSP; PTZ & NBSP; управления.
- 11, Support 3G, GPS, 3G Module: WCDMA/CDMA2000/TD-SCDMA..., Compatible with GPRS/EDGE;
- 12, Free software offered, Support Real-time Live video, GPS Location, Screenshot, Playback, Analysis, Alarm, Log Management.
- 13, Support Upgrading through SD Card; support phone monitoring Android/iOS.



Описание

Пункт	Параметр
& Ампер; V & NBSPP; Входной & Ампер; V & NBSPP; Выход	4 & NBSPP; канал, и NBSPP; авиация и NBSPP; & NBSPP; & NBSPP; разъем
Видео & NBSPP; сжатия & H.264 NBSPP; формат	1 & NBSPP; канал, и NBSPP; авиация и NBSPP; & NBSPP; & NBSPP; разъем
Разрешение	D1 / HD1 / CIF & NBSPP; набор. D1-и NBSPP; высокая, и NBSPP; CIF-& NBSPP; низкая
Видео & NBSPP; Рамка & NBSPP; скорость	100 & NBSPP; кадров в секунду и NBSPP; (PAL), 120 кадров в секунду (NTSC), 50fps (4 * D1)
Запись	Огонь & NBSPP; записи, и NBSPP; время и NBSPP; записи, и NBSPP; сигнализация и NBSPP; записи
Хранение	SD & NBSPP; карты
Сигнализация	1 канал & NBSPP; сигнализация; & NBSPP; сигнализация и NBSPP; и & NBSPP; записи & NBSPP; на & NBSPP; на & NBSPP; же и NBSPP; время
Автомобиль & NBSPP; записи	Recording Vehicle operation (turn left/right, stop lamp), license NO.,route, driver
Система & NBSPP; защиты	Saving the recording data when the power off, support hard disk upgrading
Сеть	RJ45 Ethernet interface and can copy the data through Wired/Wireless networks, controlling and managing the main machine.
PTZ & NBSPP; контроль GPS	RS232 & NBSPP; может и NBSPP; повернуть & NBSPP; на & NBSPP; PTZ & NBSPP; интерфейс Support GPS module expansion, recoding and playback the vehicle route
G-Sensor & NBSPP; & NBSPP; & NBSPP; модуль	Support G-Sensor module expansion, recording vehicle direction state and alarm
Аккумулятор	Wide Voltage Range. Operation voltage: 6V~48V; Recommend range: 8V-40V; instantaneous range: 6-70V. Support overvoltage protection, under-voltage protection, short-circuit protection, transposition protection, fire on/off timing,delay power-off. Output voltage is 12v .
Порошок	2,4 Вр
Система	Embedded full-time multitask control system, support Chinese simplified & English
Рабочая & NBSPP; среда	Working temperature: -20C°to 50C°,Working humidity: <90%; storage temperature: -30C to 70C.Storage humidity<90%
Размеры	180мм * 145мм * 45мм

Аксессуары



AV Input Cables



AV Output Cable



Power Cable



IO Cables



Remote Control



GPS Antenna



CD (Manual & Software Inside)



SD Mobile DVR

Пакет



Richmor Brand Package



Standard Package

Собственный & NBSP; Разработанный & NBSP; Software & NBSP; Скриншот



CE & NBSP; FCC & NBSP; ROHS & NBSP; Сертификация



Добро пожаловать & NBSP; на & NBSP; Контакт & NBSP; Дженни & NBSP; для & NBSP; детали

Электронная почта: jenny@rcmccvtv.com

Skype: [rcmccvtvsales4](https://www.skype.com/en/contacts/voice/jenny@rcmccvtv.com)