

SD-карта / HDD MDVR D1 / 720P / 1080P 4/5 / 8CH автомобиль мобильный видеорегистратор с GPS, 3G / 4G / WIFI опционально, камера автомобиля автомобиля и монитор

Shenzhen Richmor Science&Technologies Development Co.,Ltd



WE PUT FORWARD THE IDEAL OF "4M" IN ENTERPRISE MANAGEMENT:

- More enhancements of product quality everyday.
- More progress of services and sales everyday,
- More widely the effect of our brand expands everyday,
- More smiles to each of us everyday.

Richmor

спецификации продукта:

Пункт		параметр
Операционная система		Linux
язык		Английский / китайский / настроить
Сжатие видео		сжатия H.264
OSD		наложений такую информацию, как время и дата автомобиля ID
графический интерфейс пользователя	Графический интерфейс пользователя	системные параметры настройки с помощью пульта ДУ

Видеосистема Запись	видео вход	4CH 960P / 720P AND вход, разъем авиации, 1.0Vp-p, 75Ω
	видео выход	1 CVBS, 1.0Vp-p, 75Ω, Авиация, поддержка 1CH весь экран, вид экрана 4CH
	предварительный просмотр	Поддержка 1 канала и 4 канала предварительного просмотра., Ручная поддержка / Alarm Trigger полный экран предварительного просмотра
	разрешающая способность	720P / D1 / HD1 / CIF, MAX: 4 канала 720P и 4 канала D1
	Качество изображения	1-4 уровней, 1 самый высокий уровень.
	стандартное видео	PAL: 100F / сек, CCIR625 линия, 50field; NTSC: 120f / s, CCIR525 линия, 60field; CIF: 256Kbps ~ 1.5Mbps, качество видео 8 уровень опционально; HD1: 600Kbps ~ 2.5Mbps, качество видео 8 уровень опционально; D1: 800Kbps ~ 3Mbps, качество видео 8 уровень опционально; 720P: 4Mbps-6Mbps, качество видео многоуровневый опционально
	режим записи	По умолчанию используется автоматическая запись после включения питания. Timed запись, запись сигнала тревоги и запись в ручном режиме поддерживаются.
аудио	аудио ввод	4CH авиации штепсельной вилки ввода
	аудио выход	2CH, разъем для наушников подключить на передней панели, BNC Connect на задней панели
	сжатие	Сжатие G.726, 8KB / сек Скорость
Сигнал тревоги вход		7CH Alarm Input, 1CH AD вход, импульсный вход скорости, по тревоге
Выход сигнала тревоги		2CH Выход сигнала тревоги, сигнал тревоги датчика поддержки Свет / Звук, масло / Мощность отрезан
Интерфейс		3CH RS232, POS / Подключение топлива Датчик / LED Реклама
		485 1 канал, подключение PTZ камеры
беспроводной передачи		Поддержка Построено в 3G передачи , WCDMA, CDMA2000, GPRS, EDGE; Встроенный модуль 4G опционально, TDD-LTE, FDD-LTE
GPS-положение		Поддержка Встроенный модуль GPS / BD
Место хранения	жесткий диск	Max 2.5 "HDD 1TB
	SD Card	Макс 128GB SD Card Зеркало Запись Keep Безопасность данных
	Обновить	Поддержка USB Обновление, карты Обновление SD, OTA Удаленное обновление
	формат файла	H.264
	файловая система	Специальная файловая система FAT32
	USB	Интерфейс USB на передней панели для резервного копирования данных с помощью U диск, жесткий диск
Запись Replay	поиск видео	Поиск по времени записи / Тип записи и т.д.
	воспроизведение	Максимальная поддержка 4CH Повтор / Стоп / Fast / Slow одновременно Поддержка вперед и назад игра со скоростью: X 2, x4, x8, x16.

Безопасность		Пользователь / Admin 2 Уровень другой пароль
Дополнительные функции	Голосовой вызов	Голос поддержки звонить друг другу
	TTS голосовой трансляции	Поддержка TTS голосовой трансляции функцию.
	последовательного расширения	Поддержка LED Реклама панели, масла Датчик, POS, автовокзал Broadcaster, автомобилей OBD, ect.external устройство
Напряжение и усилителя; Мощность	Управление энергопотреблением	Широкий Voltage.Support Timed / Задержка выключения
	Входное напряжение	DC: + 6B - + 36V
	Выходное напряжение	+ 12V ~ 1.5A, + 5V ~ 1.5A
	Мощность	Рабочая & л; 5W
Рабочая обстановка	температура	-20 °C - + 70 °C
	влажность	20% - 80%
другие	размер	200 (D) * 187 (W) * 62 (H) мм
	вес	1.90Kg

Выставка продукта:





AV Input & Output Cables



Power Cable



IO Cables



Remote Control



3G Antenna



WIFI Antenna



CD (Manual & Software Inside)



7000 HDD Mobile DVR

Product Introduction

Device Series



15

Product Advantage



Клиент пользователя График Интерфейс

移动视频监控平台

欢迎登录: RCMTEST

终端列表

- 监控中心(3/11)
 - 贵州(1/1)
 - 贵C A6446
 - CH1
 - CH2
 - CH3
 - CH4
 - 桂KY7507
 - 桂KY7569
 - 80024
 - 80119
 - D82868
 - 子NPS001
 - 桂KY7586
 - 桂KY7599
 - 贵B93017
 - 贵C87762

设备信息

设备类型	MDVR
终端名称	贵C A6446
终端ID	80109
公司	通运集团金融公司
所属分组	贵州
状态	在线
GPS时间	2016-03-14 09:50:09
位置	贵州省遵义市习水县G4215(普通高速公路)
速度	74.10 km/h(南)
费用	正常

实时监控

1. 贵C A6446 - CH1 - 0 KB/S

2. 贵C A6446 - CH2 - 24 KB/S

3. 贵C A6446 - CH3 - 0 KB/S

4. 贵C A6446 - CH4 - 0 KB/S

GPS监控

终端	GPS时间	位置	速度	报警
贵C A6446	2016-03-14 09:50:09	贵州省遵义市习水县G4215(普通高速公路)	74.10 km/h(南)	
桂KY7507	2016-03-14 09:50:17	广西壮族自治区玉林市博白县人民中路38号	11.00 km/h(北)	
桂KY7569	2016-03-14 09:50:38	广西壮族自治区玉林市博白县X403	27.00 km/h(西北)	
桂KY7599	2016-03-14 09:49:03	广西壮族自治区玉林市博白县S216	0.00 km/h(东)	

运行时长: 00:01:04 | 报警: 未报警 | 在线数: 3 / 定损数: 1 / 欠费: 0 / 总数: 11 | 在线率: 27.27% / 定损率: 9.09%

наша поддержка MDVR мониторинг мобильного клиента, как ПК,
мобильный телефон и т.д.,

[Anasayfa](#)[İndir](#)[Soru](#)[Language](#)

İstemci İndirme

 Windows İndir  Version: 7.4.0.15 Güncelle: 20151123	 İndir  Version: 7.0.3 Güncelle: 20150523	 İndir  Version: 7.0.0.10 Güncelle: 20150801
--	--	---

Uygun Program İndir

		
---	---	---

Appliication

FUNCTIONS

- Video& Audio real-time monitoring
- Online Vehicle Status
- Satellite Map
- GPS
- Video Storage
- Tracking Display
- Intercom
- Fuel Sensor
- G-Sensor
- Temperature-Sensor

Richmor

OEM & ODM Service

Brasil World Cup Supplier
www.rcmcctv.com



Truck
Coach



School Bus
Bus



Police Car
Taxi



Support
All Vehicles

сертификат

[illegible]

VERIFICATION OF CONFORMITY		
	Verification of Conformity Reference No. LCC000000719	
	Responsible Party	Shenzhen Xixun Technology Development Co., LTD.
	Address	1F No.41 West 1, Longgang Road, Longhua New District, Shenzhen, China
	Product	Mobile USB
	Model No.	HCN-M00000, HCN-M00001, HCN-M00002, HCN-M00003, HCN-M00004, HCN-M00005, HCN-M00006, HCN-M00007, HCN-M00008, HCN-M00009, HCN-M00010
	Trade Mark	Shenzhen
	Standards	CYS 001, GB 19471.10 September 2014, GB 6845.2005
	Inspection notes: This device is in accordance with Part 15 of the FCC Rules and Regulations for radio frequency devices. Operation of the product is subject to the following test conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. When tested in conformity to the applicable FCC Rules and Regulations, the material appearing was in accordance to the most accurate measurement practicable possible, and that all necessary steps have been exhausted to ensure that all production units of the same equipment will continue to comply with the Federal Communications Commission's requirements.	
	 Manager April 15, 2017	
Shenzhen LCC Compliance Testing Laboratory Ltd. 1, Longgang Avenue Park, Longgang Road, Bao'an District, Shenzhen, Guangdong, China Tel: 86-(0)755-8058-1200 http://www.lcc-test.com		
Fax: 86-(0)755-8058-1171 Email: shenzhen@lcc-test.com		

CERTIFICATE OF CONFORMITY	 CERTIFICATE of Conformity Reference No. 12345678901234567890	
	Applicant	Shenzhen Rixiner Technology Development Co., Ltd.
	Address	1F Yu Wu Road Longgang Road, Longgang New District, Shenzhen, China
	Product	Mobile DVR
	Model(s)	RCM-000000A, RCM-000000B, RCM-000000C, RCM-000000D, RCM-000000E, RCM-000000F, RCM-000000G, RCM-000000H
Trade Mark	Rixiner	
The certified products have been tested by us with the latest standards and found to conform with the following European Directive: The EMC Directive 2002/95/EC EN 55022, EN 55024, EN 55034, EN 55035 The tests were performed in normal operation mode. The test results apply only to the particular sample tested and to the specific test carried out. This certificate applies specifically to the sample investigated and to our test laboratory number only. The CE marking on above table can be affixed on the product after presentation of necessary technical documentation. Shall relevant Directives have to be observed.		
   Manager April 16, 2011		
(Shenzhen L228 Compliance Testing Laboratory Ltd.) 1/F, Jingnang Industrial Park, Jingnang Road, Kaitian Bldg., Baoan District, Shenzhen Guangdong, China Tel: 0086-755-26747101 http://www.l228.com.cn		
Fax: 0086-755-26747122 Email: manager@l228.com.cn		

	
CERTIFICATE of Conformity Reference No.: CE04080001	
Applicant	Shenzhen Mission Technology Development Co., Ltd.
Address	37 South West Longgang Road, Longgang New District, Shenzhen, China
Product	Speakers
Model(s)	RCM-SPC10, RCM-SPC15, RCM-LAC15, RCM-SPC16, RCM-SPC18, RCM-SPC19, RCM-LAC18, RCM-LAC19, RCM-SPC18, RCM-SPC19, RCM-SPC18, RCM-SPC19, RCM-SPC18, RCM-SPC19, RCM-SPC18, RCM-SPC19, RCM-SPC18, RCM-SPC19, RCM-SPC18, RCM-SPC19
Trade Mark	Belosonic
The submitted products have been tested by us with the related standards and found in compliance with the following European Directive: The EMC Directive 2004/108/EC (EN 55022, EN 55024, EN 55035, EN 55036) The tests were performed in normal operation mode. The test results apply only to the particular sample tested and to the specific tests carried out. This certificate applies exclusively to the sample investigated in our test reference number 249. The CE markings on above listed can be affixed on the product after inspection of necessary technical documentation. (This relevant Declaration form is to be attached)	
  April 10, 2014	
Shenzhen LCB Electronics Testing Laboratory Ltd. 37, Anteng Industrial Park, Yanteng Road, Bao'an Dist., Shenzhen, Guangdong, Guangdong, China Tel: 86755-26618261 Fax: 86755-26618262 E-mail: anteng@lcb-test.com	

CERTIFICATE OF CONFORMITY	 CERTIFICATE of Conformity IEC/EN60950 Recognition of Testhouse Evidence
	Reference No.: LCF-001002078
	When tested at, recorded. The applicant certifies compliance with the requirements of Commission Decision of 17 July 2007 amending Decision 2006/685/EC.
	Applicant Schneider Electric Technology Development Co., Ltd.
	Address #1 Huai Hai West Longyuan Road, Longyuan New District, Shanghai, China
Trade Mark Schneider	
Product Supply	
Model(s) KOM-PICHA, KOM-PICHA, KOM-APICHA, KOM-APICHA, KOM-SARIN, KCM-BEASER, KCM-SAL, KCM-SAL, KCM-SAL, KCM-SAL, KCM-SAL, KCM-SAL, KCM-SAL, KCM-SAL, KCM-SDY-001, KCM-SDY-002, ALUM-SDY-001	
This test report is issued by the Company subject to the General Conditions of Service printed hereon. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. This certificate serves as this test report until step by the respective tested customer acceptance tested. This Test Report cannot be reproduced, copied or full without prior permission of the Company. Other relevant documents have to be submitted:	
RoHS	
	
Issued Date: April 10, 2012	
Schneider ECF Compliance Testing Laboratory Ltd. #1 Hongqiao Industrial Park, Songtao Road, Xue Bin Road, Jinshui District (Shanghai), Guangdong, China Tel: 0086-21-5011-1111 http://www.ecf.com.cn	
Fax: 0086-21-5011-1111 Email: ecf@ecf.com.cn	

CERTIFICATE OF CONFORMITY	 CERTIFICATE of Conformity (ISSUED) Recognition of National Standards Reference No. : L1010041000108	
	When tested as specified, this submitted sample conforms with the requirements of Commission Decision of 27 Jan 2011 amending Directive 2011/65/EU.	
	Applicant	Shenzhen Ruitong Technology Development Co., LTD.
	Address	3F No.24 West Longgang Road, Longgang New District, Shenzhen, China
Trade Mark	Ruitong	
Product	Wireless USB	
Model(s)	RUC-M1000S, RUC-M1000L, RUC-M1000M, RUC-M1000S, RUC-M1000L, RUC-M1000M, RUC-M1000S, RUC-M1000L, RUC-M1000M	
The test report is issued to the Company subject to its General Conditions of Service printed herewith. Attention is drawn to the limitations of liability, indemnification and confidentiality issues outlined therein. The results shown in this test report may only be for the sample(s) tested under reference material. This Test Report cannot be reproduced either in full, without prior written permission of the Company.		
Other relevant documents have to be submitted.		
		
 April 18, 2012  Manager		
Shenzhen L101 Compliance Testing Laboratory Ltd. 10, Honggang Industrial Area, Honggang Road, Nan Shan, Nanshan District, Shenzhen, Guangdong, China Tel: 0086-755-8329-1100 http://www.l101.com.cn		
Fax: 0086-755-8329-1102 E-mail: service@l101.com.cn		

КОМПАНИЯ И ЗАВОД



Richmor

OEM & ODM Service

Brasil World Cup Supplier



Выставка:

Richmor

CPSE2012 in Shenzhen



CPSE2013

10.29-10.31

4 Booth we have

Welcome you !!!



CPSE2012-- Guangdong TV Report-Shenzhen Richmor



Другие виды продукции

Product Introduction

We are Professional mobile dvr manufacturer !!

TOP SALE ---4ch AHD SD CARD MOBILE DVR & 4ch AHD HDD mobile dvr



If u r interested in our dvr, pls contact Amily: [whatsapp--18929314790](https://www.whatsapp.com/channel/0029918929314790)

系统配套产品

VEHICLE CAMERA PARAMETER

车载红外半球摄像机 Vehicle Dome IR Camera



RCM-D342S/IR	1/3" SONY CCD 420TVL 0.5LUX	24 units ≤ 5 LED or 10 Units ≤ 8 LED	3.6mm/6mm
RCM-D442A/IR	1/4" Sharp CCD 420TVL 0.5LUX	24 Units ≤ 5 LED or 10 units ≤ 8 LED	2.8mm/3.6mm
RCM-D348S/IR	1/3" SONY CCD 480TVL 0.1LUX	24 Units ≤ 5 LED or 10 units ≤ 8 LED	3.6mm/6mm
RCM-D354S/IR	1/3" SONY CCD 540TVL 0.1LUX	24 Units ≤ 5 LED or 10 Units ≤ 8 LED	3.6mm/6mm
RCM-D360S/IR	1/3" SONY CCD 600TVL 0.1LUX	24 Units ≤ 5 LED or 10 Units ≤ 8 LED	3.6mm/6mm
RCM-D370S/IR	1/3" SONY CCD 700TVL 0.1LUX	24 Units ≤ 5 LED or 10 Units ≤ 8 LED	3.6mm/6mm

车载红外防水摄像机 Vehicle IR Waterproof Camera



RCM-CM442A/IR	1/4" Sharp CCD 420TVL 0.5LUX	20 Units ≤ 5 LED (Work Under water)	3.6mm/6mm
RCM-CM342S/IR	1/3" SONY CCD 420TVL 0.1LUX	20 Units ≤ 5 LED (Work under Water)	3.6mm/6mm
RCM-CM348S/IR	1/3" SONY CCD 480TVL 0.1LUX	20 Units ≤ 5 LED (Work Under Water)	3.6mm/6mm
RCM-CM360S/IR	1/3" SONY CCD 600TVL 0.1LUX	20 Units ≤ 5 LED (Work Under Water)	3.6mm/6mm