


спецификации продукта:

Parameter Sheet

Item		Parameter
OS		Linux
Language		Chinese/English/Customized
Video Compression		H.264
OSD		Overlays information such as date time and vehicle ID
GUI	Graphical User Interface	Setup system parameters with the remote control.
Video Record System	Video Input	4CH 720P AHD input/SD input/mixed video input,aviation connector, 1.0Vp-p, 75Ω
	Video Output	1CH CVBS+1CH VGA output, 1.0Vp-p, 75Ω,Aviation,Support 1CH Full Screen,4CH Screen
	Preview	Support 1 channel and 4 channels preview.,Support Manual/Alarm Trigger full screen preview
	Resolution	720P/D1/HD1/CIF, MAX:4 channels 720P
	Video Quality	0-7 levels, 0 is the highest level.
	Video Standard	PAL: 100f/s , CCIR625 line,50field; NTSC: 120f/s, CCIR525 line,60field; CIF: 256Kbps ~ 1.5Mbps, 8 level video quality optional; HD1: 600Kbps ~ 2.5Mbps, 8 level video quality optional; D1: 800Kbps ~ 3Mbps, 8 level video quality optional; 720P: 4Mbps-6Mbps, multi level video quality optional
	Record Mode	The default setting is auto recording after power on. Timed recording, alarm trigger recording and manual recording are supported.
Audio	Audio Input	4CH ,Aviation Plug
	Audio Output	1CH,Aviation Plug
	Compression	G.726 compression, 8KB/s speed
Alarm Input		4Ch Alarm Input, kinds of alarm linkage support
Alarm Output		1CH Alarm Output
Communication interface		1CH RS232 or 1CH RS485 for optional
Position		Support Built GPS/BD Module, built in G-sensor, can repaly and analyse vehicle driven route.
wireless transmission		Support Built-in 3G/4G wireless transmission function, WCDMA, CDMA2000, TDD-LTE, FDD-LTE....
Motion Detection		Support motion detection alarm. (Can set the video recording duration time after alarm on platform.)
G-Sensor		Support G-sensor
Storage	SD	Dual SD Card,each max 128GB SD Card loop recording
	Upgrade	Support SD Card remote updating


	File Format	.264
	File System	Special FAT32 File System
Video Playback	Video Search	Search By Record Time/Record Type etc
	Playback	Max support 4CH Replay /Stop/Fast/Slow at same time
		Support forward and backward play at the speed of: x 2,x4,x8,x16.
Voltage & Power	Power Management	Wide Voltage.Support Timed/Delay off
	Voltage Input	DC:+8V ~ +36V
	Voltage Output	+12V@2.5A, +5V@2.5A
	Power Consumption	Normal Working < 14W , Stand-by status < 0.5W
Working Environment	Temperature	-20℃ to +70℃
	Humidity	20% to 80%
Security	Password	User/Admin 2 Level Different Password
others	Size	112(W) x36(H) x138(D) mm
	Net Weight	360g

Продукт:




Product Introduction

Device Series



15

Product Advantage



Интерфейс пользователя пользователя

移动视频监控平台

欢迎登录,RCMTEST 系统

实时预览 电子地图 回放管理 信息管理 系统设置

终端列表 轮询列表 我的地图

监控中心(3/11)

贵州(1/1)

贵C A6446

CH1

CH2

CH3

CH4

桂KY7507

桂KY7569

80024

80119

D82868

于NPS001

桂KY7586

桂KY7599

贵B93017

贵C87762

状态

云台

色彩

语音

设备类型 MDVR

终端名称 贵C A6446

终端ID 80109

公司 通运集团金融公司

所属分组 贵州

状态 在线

GPS时间 2016-03-14 09:50:09

位置 贵州省遵义市习水县G4215(

速度 74.10 km/h(南)

费用 正常

1 贵C A6446 - CH1 - 0 KB/S

2 贵C A6446 - CH2 - 24 KB/S

3 贵C A6446 - CH3 - 0 KB/S

4 贵C A6446 - CH4 - 0 KB/S

1/2/3/4

监控:4 在线:3 离线:1 报警:0 停车未熄火:0 停车熄火:0 定位无效:0

导出 自动排序

终端	GPS时间	位置	速度	报警
贵C A6446	2016-03-14 09:50:09	贵州省遵义市习水县G4215(遵遵高速公路)	74.10 km/h(南)	
桂KY7507	2016-03-14 09:50:17	广西壮族自治区玉林市博白县人民中路38号	11.00 km/h(北)	
桂KY7569	2016-03-14 09:50:38	广西壮族自治区玉林市博白县X403	27.00 km/h(西北)	
桂KY7599	2016-03-14 09:49:03	广西壮族自治区玉林市博白县S216	0.00 km/h(东)	

GPS监控 报警信息 系统事件 抓拍图片

运行时长: 00:01:04 在线数:3 / 定损数:1 / 欠费:0 / 总数:11 在线率:27.27% / 定损率:9.09%

地址 搜索

马临镇政府

贵C A6446

时间:2016-03-14 09:50:09 速度:74.10

公司:通运集团金融公司 司机:陈国忠

13511881529

位置:贵州省遵义市习水县G4215(遵遵高速公路)

状态:在线, 3G, ACC开启, SD卡(存在), 网络

视频 对讲 监听 抓拍 更多

贵C A6446

石板田

特匠岩

200米

© 2016 Baidu - Data, MapInfo & CenNavi & 道道通

Applacation

FUNCTIONS

- Video& Audio real-time monitoring
- Online Vehicle Status
- Satellite Map
- GPS
- Video Storage
- Tracking Display
- Intercom
- Fuel Sensor
- G-Sensor
- Temperature-Sensor

Richmor

OEM & ODM Service

Brasil World Cup Supplier
www.rcmcctv.com



Truck
Coach



School Bus
Bus




Police Car
Taxi





Support
All Vehicles

сертификат

 Verification of Conformity <small>Reference No.: L100000000000</small>	
Responsible Party	Shenzhen Richour Technology Development Co., LTD.
Address	3F, A1 West (Longgang Road, Longgang New District), Shenzhen, China
Product	Cables
Model No.	RGZ-PG01, RGZ-PG02, RGZ-PG03, RGZ-PG04, RGZ-PG05, RGZ-AP01, RGZ-AP02, RGZ-AP03, RGZ-AP04, RGZ-AP05, RGZ-AP06, RGZ-AP07, RGZ-AP08, RGZ-AP09, RGZ-AP10, RGZ-AP11, RGZ-AP12, RGZ-AP13, RGZ-AP14, RGZ-AP15, RGZ-AP16, RGZ-AP17, RGZ-AP18, RGZ-AP19, RGZ-AP20, RGZ-AP21, RGZ-AP22, RGZ-AP23, RGZ-AP24, RGZ-AP25, RGZ-AP26, RGZ-AP27, RGZ-AP28, RGZ-AP29, RGZ-AP30, RGZ-AP31, RGZ-AP32, RGZ-AP33, RGZ-AP34, RGZ-AP35, RGZ-AP36, RGZ-AP37, RGZ-AP38, RGZ-AP39, RGZ-AP40, RGZ-AP41, RGZ-AP42, RGZ-AP43, RGZ-AP44, RGZ-AP45, RGZ-AP46, RGZ-AP47, RGZ-AP48, RGZ-AP49, RGZ-AP50, RGZ-AP51, RGZ-AP52, RGZ-AP53, RGZ-AP54, RGZ-AP55, RGZ-AP56, RGZ-AP57, RGZ-AP58, RGZ-AP59, RGZ-AP60, RGZ-AP61, RGZ-AP62, RGZ-AP63, RGZ-AP64, RGZ-AP65, RGZ-AP66, RGZ-AP67, RGZ-AP68, RGZ-AP69, RGZ-AP70, RGZ-AP71, RGZ-AP72, RGZ-AP73, RGZ-AP74, RGZ-AP75, RGZ-AP76, RGZ-AP77, RGZ-AP78, RGZ-AP79, RGZ-AP80, RGZ-AP81, RGZ-AP82, RGZ-AP83, RGZ-AP84, RGZ-AP85, RGZ-AP86, RGZ-AP87, RGZ-AP88, RGZ-AP89, RGZ-AP90, RGZ-AP91, RGZ-AP92, RGZ-AP93, RGZ-AP94, RGZ-AP95, RGZ-AP96, RGZ-AP97, RGZ-AP98, RGZ-AP99, RGZ-AP100
Trade Mark	Richour
Standards	1. IEC 60332-1, IEC 60332-2, IEC 60332-3, IEC 60332-4, IEC 60332-5, IEC 60332-6, IEC 60332-7, IEC 60332-8, IEC 60332-9, IEC 60332-10, IEC 60332-11, IEC 60332-12, IEC 60332-13, IEC 60332-14, IEC 60332-15, IEC 60332-16, IEC 60332-17, IEC 60332-18, IEC 60332-19, IEC 60332-20, IEC 60332-21, IEC 60332-22, IEC 60332-23, IEC 60332-24, IEC 60332-25, IEC 60332-26, IEC 60332-27, IEC 60332-28, IEC 60332-29, IEC 60332-30, IEC 60332-31, IEC 60332-32, IEC 60332-33, IEC 60332-34, IEC 60332-35, IEC 60332-36, IEC 60332-37, IEC 60332-38, IEC 60332-39, IEC 60332-40, IEC 60332-41, IEC 60332-42, IEC 60332-43, IEC 60332-44, IEC 60332-45, IEC 60332-46, IEC 60332-47, IEC 60332-48, IEC 60332-49, IEC 60332-50, IEC 60332-51, IEC 60332-52, IEC 60332-53, IEC 60332-54, IEC 60332-55, IEC 60332-56, IEC 60332-57, IEC 60332-58, IEC 60332-59, IEC 60332-60, IEC 60332-61, IEC 60332-62, IEC 60332-63, IEC 60332-64, IEC 60332-65, IEC 60332-66, IEC 60332-67, IEC 60332-68, IEC 60332-69, IEC 60332-70, IEC 60332-71, IEC 60332-72, IEC 60332-73, IEC 60332-74, IEC 60332-75, IEC 60332-76, IEC 60332-77, IEC 60332-78, IEC 60332-79, IEC 60332-80, IEC 60332-81, IEC 60332-82, IEC 60332-83, IEC 60332-84, IEC 60332-85, IEC 60332-86, IEC 60332-87, IEC 60332-88, IEC 60332-89, IEC 60332-90, IEC 60332-91, IEC 60332-92, IEC 60332-93, IEC 60332-94, IEC 60332-95, IEC 60332-96, IEC 60332-97, IEC 60332-98, IEC 60332-99, IEC 60332-100

Important note:
 This document is in compliance with Part 11 of the TSC Rules and Regulations for safety listings.
 Description of the product is supplied in the following two sections:
 (1) this device can cause harmful interference; and (2) the device must accept any electromagnetic interference emanating from the radio frequency controlled apparatus.
 You need to conform to the applicable TSC Rules and Regulations. The method of testing was in accordance to the radio frequency measurement standards provided, and that all necessary steps have been followed to ensure that all manufacturer units of the same equipment will continue to comply with the Technical Commission's Commission to Requirements.



 Manager
 April 10, 2012

Shenzhen LUT Compliance Testing Service Ltd.
 1/Airport Express Park, Yunglong Road, Bao'an Dist., Shenzhen District, Shenzhen
 Guangdong, China
 Tel: 86755-26000000
 Fax: 86755-26000001
 Email: info@lut.com.cn
 Web: www.lut.com.cn

(P/N: 200701-00000000)
 Email: info@lut.com.cn
 Web: www.lut.com.cn

VERIFICATION OF CONFORMITY		
	Verification of Conformity Reference No.: LCC-0000000719	
	Responsible Party	Shenzhen Weichuan Technology Development Co., LTD.
	Address	3F No.42 West Longgang Road, Longgang New District, Shenzhen, China
	Product	Mobiles C60K
	Model No.	WTCM-00000001, WTCM-00000002, WTCM-00000003, WTCM-00000004, WTCM-00000005, WTCM-00000006, WTCM-00000007, WTCM-00000008, WTCM-00000009, WTCM-00000010
	Trade Mark	Shenzhen
	Standards	CCC (CNS 47 PART 1) in August 1st 1994, EMC (CISL 2000)
	Important notes This device is in-conformance with Part 15 of the FCC Rules and Regulations for radio frequency devices. Operation of the product is subject to the following two conditions: (1) this device will not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. This device is conform to the applicable FCC Rules and Regulations. The marked labeling was in accordance to the most accurate measurement capabilities available, and Part of necessary steps have been authorized to ensure that all production units of the same equipment will continue to comply with the Federal Communications Commission's requirements.	
	 Shenzhen LCC Conformity Testing Laboratory Co., Ltd. 3/F, Weichuan Industrial Park, Longgang Road, New District, Shenzhen, Guangdong, China Tel: 86-755-8320-1234 Web: www.lcc-test.com	

CERTIFICATE OF CONFORMITY

CERTIFICATE of Conformity

Reference No.: C237047032475

Applicant:	Shenzhen Rixinuo Technology Development Co., LTD.
Address:	2/F, 10th Floor Longgang Road, Longgang New District, Shenzhen, China
Product:	Mobile Phone
Model:	NON-MEMPHIS, NON-MEMPHIS, NON-MEMPHIS, NON-MEMPHIS, NON-MEMPHIS, NON-MEMPHIS, NON-MEMPHIS
Trade Mark:	Rixinuo

The mentioned products have been tested by us with the latest standards and found in compliance with the following European Directives:

The EMC Directive 2004/108/EC

EN 55022, EN 55024, EN 55025

The tests were performed in normal operating mode. The test results apply only to the particular sample tested and to the specific tests carried out. This certificate applies specifically to the sample investigated in our test laboratory number only.

The CE marking as shown below can be affixed on the product after completion of necessary technical investigations.

(This relevant Declaration has to be attached)

April 18, 2011

Shenzhen LCC Compliance Testing Laboratory Ltd.
 17, Shuangshui Industrial Park, Shuangshui Road, Nanshan District, Shenzhen
 Guangdong, China
 Tel: 0086-755-2627-1122
 Fax: 0086-755-2627-1123
 Email: szlcc@szlcc.com.cn
 Website: www.szlcc.com.cn

CERTIFICATE OF CONFORMITY

 CERTIFICATE of Conformity Reference No.: CCB0104000019	
Purchaser	Shenzhen Moxian Technology Development Co., LTD.
Addressee	3F South West Longgang Road, Longgang New District, Shenzhen, China
Product	Speakers
Models	RCM-IPIC01, RCM-IPIC02, RCM-LC0101, RCM-IPIC01B, RCM-APR01, RCM-APR01A, RCM-SAL, RCM-HS01, RCM-SAL, RCM-HS02, RCM-GD01, RCM-SAR, RCM-SAR01, RCM-SAR02, RCM-DE0101, RCM-DE0102, RCM-COM0101
Trade Mark	Boschman
The abovesaid products have been tested by us with the latest standards and found in compliance with the following European Directives:	
The EMC Directive 2004/108/EC	
(EN 55022, EN 55024, EN 55035)	
The tests were performed in normal operation mode. The test results apply only to the particular sample tested and to the specific tests carried out. This certificate attests conformity to the samples investigated in our test reference number 4916.	
This CE marking as stated below can be affixed on the product after inspection of satisfactory technical documentation.	
(This relevant Declaration form is to be attached)	
<div style="float: left; width: 40%;">  </div> <div style="float: right; width: 55%; text-align: right;">  April 10, 2013 </div> <div style="clear: both;"></div>	
<p>Shenzhen LCC Compliance Testing Laboratory Ltd. 3/F, Jingdong Industrial Park, Tongxin Road, Bao'an Dist., Shenzhen City, Guangdong, China Tel: 86-(0)755-26247133 Fax: 86-(0)755-26247133 E-mail: info@lcc-lab.com.cn</p>	

CERTIFICATE OF CONFORMITY



CERTIFICATE of Conformity

ISSUED IN ACCORDANCE WITH THE REQUIREMENTS OF

Standard No. **UL 1571-04-1000-10**

When issued on request, the certificate applies according to the requirements of Commission Directive of 21 July 2011 amending Directive 2002/95/EC.

Applicant:	Shenzhen Ruckstar Technology Development Co., Ltd.
Address:	3F No. 44 West Longgang Road, Longgang New District, Shenzhen, China
Trade Mark:	Ruckstar
Product:	Shower Drain
Version:	NEW MODEL, NEW MODEL, NEW MODEL, NEW MODEL, NEW MODEL, NEW MODEL, NEW MODEL, NEW MODEL

The test report is issued to the Company subject to the General Conditions of Service annexed hereto. Attention is drawn to the limitations of liability, manufacturer's and purchaser's responsibilities defined therein. The results shown in this test report may only be the subject of a limited number of claims without prejudice. This Test Report cannot be reproduced, copied in full, without your written permission of the Company.

Other relevant documents have to be obtained.

RoHS





 Manager

April 10, 2012

Shenzhen: UL Customer Testing Laboratory, Ltd.
 12, Guangming Industrial Park, Tanggou Road, Shuangda Road, Shuangda District, Tanggou, China
 Tel: 0755-2619-1000
<http://www.ul.com.cn>

Hong Kong: UL Customer Testing Laboratory, Ltd.
 12, Guangming Industrial Park, Tanggou Road, Shuangda Road, Shuangda District, Tanggou, China
 Tel: 00852-2619-1000
 Email: customer@ul.com.cn

компания и завод





Выставка:

Richmor

CPSE2012 in Shenzhen



CPSE2013

10.29-10.31

4 Booth we have

Welcome you !!!



CPSE2012-- Guangdong TV Report-Shenzhen Richmor



Добро пожаловать в контакт [Сюзи](#) Больше подробностей

По электронной почте / wechat, WeChat: Jobs2lovers

От Skype: rcmctvsales4

От Trademanager: cn1001765398

Мобильный телефон / Whatsapp: + 86-181 2626 3832 (Сьюзи Чжоу)

По QQ: 2355778106