

Yeni Polis Body Aşınmış Kamera su geçirmez taşınabilir DVR kızılötesi

GPS ve wifi 3g 4g polis vücut giyilebilir ve taşınabilir kamera dvr vücuda takılan kamera inşa

Paketleme Detayları:	Renk Kutu / Karton Kutu
Teslimat Detay:	örnek sipariş için 3 ~ 5 iş günü



Ana Özellikler

- 1) 2,4 inç Renkli Ekran Dahili;
- 2) 2100mAh büyük Kapasite Li-ion Pil;
- 3) Full D1 Gerçek zamanlı video ve amp; Ses kaydı;
- 4) Maks. 128GB Micro-SD Kart Destekli;
- 5) Dahili GPS Modülü.
- 6) 2-yönlü ses, PTT TalkBack'i destekler;
- PC veya Smartphone 7) 3G / 4G Uzak Görünüm;
- 8) Dahili Wi-Fi Modülü.

Özellikler

İşletim sistemi	Linux	
Güvenlik Yönetimi	yönetici Şifresi	
Görüntü ve Önizleme	Video Girişi	70 derece Görünüm Açısı Üstü Harici Kamera,
	OSD	Saat / Tarih / Cihaz Kimliği / GPS
	Video Sıkıştırma	Kodlama H.264 sıkıştırma
	Çift Akış	destekli
	çözüm	D1 / HD1 / CIF Seçilebilir
Ses	Ses girişi	harici Mikrofon
	ses Sıkıştırma	G.726 kodlama
Kayıt	depolama Ortamı	Micro-SD kart (1G ~ 128g)
	Dosya Biçimi / Sistem	ASF / FAT32
	kayıt Modu	Otomatik Kaydetme sonra Başlangıç
	Video aranıyor	Tarih / Saat göre ara
	Playback	Yerel Oynatma; Destek 2/4/8/16 Defa Hızlı ileri / Geri
TFT Ekran	Boyut	2.4 inç LCD
	çözüm	480 * 234
kablosuz İletim	3G modülü Dahili (4G Opsiyonel)	
Kablosuz internet	Dahili WiFi modülü	
Küresel Konumlama Sistemi	Dahili GPS Modülü	
sistem Yükseltme	TF Kart yükseltme	
Güç kaynağı	pil Kapasitesi	Li-ion Pil, 2100mAh, 7.4V
	Şarj süresi	En az 3 saat
	Mesai saati	4 saatin üzerinde
Çalışma ortamı	Sıcaklık	-20 °C ~ + 50 °C
	Nem	% 90 ila% 20
boyutlar	65 (W) X130 (H) x30 (D) mm	
uç Korunumu	Sınıf: IP54	
Ağırlık	Net: 475 g (1.05LB)	

Ürün Tanıtımı







istemci Yazılımı

Mobile monitoring and management platform

Web address: http://192.168.1.101/51

System | Video | Map | Functions | System Set | Log Query | External App

Dev List | Polling | My Menu

Address

Map: Baidu Map, Google Map, MapInfo

Monitor Center (5/10)

- 1. 18007596
- 2. 18007597
- 3. 18007598
- 4. 18007599
- 5. 18007600
- 6. 18007601
- 7. 18007602
- 8. 18007603
- 9. 18007604
- 10. 18007605

2000 公里

Monitor: Online: 1, Alarm: 0, Offline: 0, Idling: 0, GPS: 0, GPS: 0, GPS: 0

Device: 18007596, Positioning: 18007596, Position: 福建省漳州市龙文区(民泰西庭公路), Speed: 0.00km/h(0km/h), Alarm: 0.00km/h(0km/h)

Running: 02:00:01, Online: 6, Number of set: 0, Areas: 0, Total: 12, Live Rate: 1.00%, Lock Rate: 1.00%

Mobile monitoring and management platform

Welcome to log in, RCHTEST
System
Video
Map
Playback
System Set
Log Query
Extend App

Dev List

- Monitor Center(1/12)
- 桂KY7505
- 桂C22762
- 贵C26562
- 贵C26562
- 贵C A6446
- 80119
- 贵C26562
- 贵C A6446
- 80119
- 贵C26562
- 贵C A6446
- 80119
- 贵C26562
- 贵C A6446
- 80119

System Parameters

Video Parameters

Map Parameters

Alarm Image

Alarm status screen

Fuel sensor settings

☐ Software starts automatically login

Language: Chinese

UI Style: Default

Exit System: Not Close No Operation Condition

Image Capture: On GPS, On DOWIL, On CAPTURE Browse

Location: 72 (H/C Indicates variable loss)

GPS update time: 5 (Unit: s) 2~100

ID Name: ☐ Enable

☒ Default choose all online equipment

☒ Enable multi-screen mode

☐ Effective multi display

☐ Display the vehicle of the day

Save

Monitor:1 Online:1 Alarm:0 Offline:0 Idling:0 ACC:OFF GPS Invalid:0

Device	Positioning Time	Position	Speed	Alarm	Status	Message	Other Info
贵C22762	2015-05-11 10:14:33	福建省漳州市芫江区G60(厦漳高速)	52.00 km/h(Northeast)		(Online)ACC ON, SC		SD Card Exist

Export ☐ Auto Sort

Running: 00:55:15 Warning: Alarm Information Online:0 Number of set loss:4 Arrivals:0 Total:12 Line Rate:41.67% / Loc. Rate:41.67%

Mobile monitoring and management platform

Welcome to log in, RCHTEST
System
Video
Map
Playback
System Set
Log Query
Extend App

Dev List

- Monitor Center(1/12)
- 桂KY7569
- CH1
- CH2
- CH3
- CH4
- 桂KY7586
- CH1
- CH2
- CH3
- CH4
- 桂KY7599
- 贵C26562
- 贵C26562
- 贵C A6446
- 80119
- 贵C26562
- 贵C A6446
- 80119
- 贵C26562
- 贵C A6446
- 80119

System Parameters

Video Parameters

Map Parameters

Alarm Image

Alarm status screen

Fuel sensor settings

☐ Software starts automatically login

Language: Chinese

UI Style: Default

Exit System: Not Close No Operation Condition

Image Capture: On GPS, On DOWIL, On CAPTURE Browse

Location: 72 (H/C Indicates variable loss)

GPS update time: 5 (Unit: s) 2~100

ID Name: ☐ Enable

☒ Default choose all online equipment

☒ Enable multi-screen mode

☐ Effective multi display

☐ Display the vehicle of the day

Save

Monitor:2 Online:2 Alarm:0 Offline:0 Idling:0 ACC:OFF GPS Invalid:0

Device	Positioning Time	Position	Speed	Alarm	Status	Message	Other Info
桂KY7569	2015-07-23 11:53:47	广西壮族自治区玉林市博白县兴隆中路10号	0.00 km/h(West)		(On)		SD Card Exist
桂KY7586	2015-07-23 11:53:57	广西壮族自治区玉林市博白县5216	0.00 km/h(Northeast)		(On)		SD Card Exist

Export ☐ Auto Sort

Running: 00:02:05 Warning: Alarm Information Online:0 Number of set loss:4 Arrivals:0 Total:12 Line Rate:50.00% / Loc. Rate:33.33%

Uygulamalar



Daha fazla bilgi için RICHMOR irtibata hoş geldiniz!

Skype: rcmctvsales5

WhatsApp: + 86-18126263838