


ürün özellikleri:

Parameter Sheet

Item		Parameter
OS		Linux
Language		Chinese/English/Customized
Video Compression		H.264
OSD		Overlays information such as date time and vehicle ID
GUI	Graphical User Interface	Setup system parameters with the remote control.
Video Record System	Video Input	4CH 720P AHD input/SD input/mixed video input,aviation connector, 1.0Vp-p, 75Ω
	Video Output	1CH CVBS+1CH VGA output, 1.0Vp-p, 75Ω,Aviation,Support 1CH Full Screen,4CH Screen
	Preview	Support 1 channel and 4 channels preview.,Support Manual/Alarm Trigger full screen preview
	Resolution	720P/D1/HD1/CIF, MAX:4 channels 720P
	Video Quality	0-7 levels, 0 is the highest level.
	Video Standard	PAL: 100f/s , CCIR625 line,50field; NTSC: 120f/s, CCIR525 line,60field; CIF: 256Kbps ~ 1.5Mbps, 8 level video quality optional; HD1: 600Kbps ~ 2.5Mbps, 8 level video quality optional; D1: 800Kbps ~ 3Mbps, 8 level video quality optional; 720P: 4Mbps-6Mbps, multi level video quality optional
	Record Mode	The default setting is auto recording after power on. Timed recording, alarm trigger recording and manual recording are supported.
Audio	Audio Input	4CH ,Aviation Plug
	Audio Output	1CH,Aviation Plug
	Compression	G.726 compression, 8KB/s speed
Alarm Input		4Ch Alarm Input, kinds of alarm linkage support
Alarm Output		1CH Alarm Output
Communication interface		1CH RS232 or 1CH RS485 for optional
Position		Support Built GPS/BD Module, built in G-sensor, can repaly and analyse vehicle driven route.
wireless transmission		Support Built-in 3G/4G wireless transmission function, WCDMA, CDMA2000, TDD-LTE, FDD-LTE....
Motion Detection		Support motion detection alarm. (Can set the video recording duration time after alarm on platform.)
G-Sensor		Support G-sensor
Storage	SD	Dual SD Card,each max 128GB SD Card loop recording
	Upgrade	Support SD Card remote updating


	File Format	.264
	File System	Special FAT32 File System
Video Playback	Video Search	Search By Record Time/Record Type etc
	Playback	Max support 4CH Replay /Stop/Fast/Slow at same time Support forward and backward play at the speed of: x 2,x4,x8,x16.
Voltage & Power	Power Management	Wide Voltage.Support Timed/Delay off
	Voltage Input	DC:+8V ~ +36V
	Voltage Output	+12V@2.5A, +5V@2.5A
	Power Consumption	Normal Working < 14W , Stand-by status < 0.5W
Working Environment	Temperature	-20℃ to +70℃
	Humidity	20% to 80%
Security	Password	User/Admin 2 Level Different Password
others	Size	112(W) x36(H) x138(D) mm
	Net Weight	360g

Ürün gösteri:




Product Introduction

Device Series



15

Product Advantage



İstemci kullanıcı grafik arayüzü

移动视频监控平台

欢迎登录,RCMTEST 系统

实时预览 电子地图 回放管理 信息管理 系统设置

终端列表 轮询列表 我的地图

设备列表

- 监控中心(3/11)
- 贵州(1/1)
- 贵C A6446
 - CH1
 - CH2
 - CH3
 - CH4
- 桂KY7507
- 桂KY7569
- 80024
- 80119
- D82868
- 于NPS001
- 桂KY7586
- 桂KY7599
- 贵B93017
- 贵C87762

状态 云台 色彩 语音

设备类型 MDVR

终端名称 贵C A6446

终端ID 80109

公司 通运集团金融公司

所属分组 贵州

状态 在线

GPS时间 2016-03-14 09:50:09

位置 贵州省遵义市习水县G4215(遵)

速度 74.10 km/h(南)

费用 正常

实时监控

贵C A6446 - CH1 - 0 KB/S

贵C A6446 - CH2 - 24 KB/S

贵C A6446 - CH3 - 0 KB/S

贵C A6446 - CH4 - 0 KB/S

地址 搜索

贵C A6446

时间:2016-03-14 09:50:09 速度:74.10

公司:通运集团金融公司 司机:陈国忠

位置:贵州省遵义市习水县G4215(遵)

状态:在线, 3G, ACC开启, SD卡(存在), 网络

视频 对讲 监听 抓拍 更多

石板田

特匠岩

200米

运行时长: 00:01:04 在线数:3 / 定损数:1 / 欠费:0 / 总数:11 在线率:27.27% / 定损率:9.09%

终端	GPS时间	位置	速度	报警
贵C A6446	2016-03-14 09:50:09	贵州省遵义市习水县G4215(遵遵高速公路)	74.10 km/h(南)	
桂KY7507	2016-03-14 09:50:17	广西壮族自治区玉林市博白县人民中路38号	11.00 km/h(北)	
桂KY7569	2016-03-14 09:50:38	广西壮族自治区玉林市博白县X403	27.00 km/h(西北)	
桂KY7599	2016-03-14 09:49:03	广西壮族自治区玉林市博白县S216	0.00 km/h(东)	

GPS监控 报警信息 系统事件 抓拍图片

导出 自动排序

Appliation

FUNCTIONS

- Video& Audio real-time monitoring
- Online Vehicle Status
- Satellite Map
- GPS
- Video Storage
- Tracking Display
- Intercom
- Fuel Sensor
- G-Sensor
- Temperature-Sensor

Richmor

OEM & ODM Service

Brasil World Cup Supplier
www.rcmcctv.com



**Truck
Coach**



**School Bus
Bus**



**Police Car
Taxi**



**Support
All Vehicles**

Sertifika

VERIFICATION OF CONFORMITY

Verification of Conformity

Reference No.: LC0100000010

Responsible Party	Shenzhen Richcore Technology Development Co., LTD.
Address	3/F No. 101 West Langshan Road, Longhua New District, Shenzhen, China
Product	Cables
Model No.	RCH-PD70V, RCH-PD70V, RCH-LC70V, RCH-LC70V, RCH-LC70V, RCH-RFPAEAL, RCH-RFPAEL, RCH-SM, RCH-M, RCH-HS, RCH-JAES, RCH-JAES, RCH-AHSE, RCH-AHSE, RCH-AHSE, RCH-BSDTNE, RCH-BSDTNE, RCH-C240000
Trade Mark	Richcore
Standards	FCC OTR at Part II of FCC Rule & 90.1A, ANSI C83A-2008

Important note:

This device is in compliance with part II of the FCC Rules and Regulations for safety hazardous devices. Declaration of EMU analysis is based on the following key conditions:

(1) This device may not cause harmful interference, and (2) this device must accept all electromagnetic interference, including interference that is injurious to normal operation. It will continue to conform to the applicable FCC Rules and Regulations. The method of testing used is accordance to the most accurate measurement available to practice, and that all necessary steps have been followed to ensure that an evaluation copy of the same equipment will continue to comply with the Federal Communications Commission's requirements.

Manager

April 10, 2012

Shenzhen LCT Compliance Testing Laboratory Ltd.
#1, Anping Industrial Park, Pingtan Town, Baoan Dist., Shenzhen
Guangdong, China
Tel: +86(0)755-83291100
http://www.lct.com.cn Email: admin@lct.com.cn

VERIFICATION OF CONFORMITY

Verification of Conformity

Reference No.: LCC/SWQ0079

Responsible Party:	Shenzhen Wuxin Technology Development Co., LTD.
Address:	6F Yu Tai West Longgang Road, Longgang New District, Shenzhen, China
Product:	Bottle DCR
Model No.:	NCM-ME000A, NCM-BD000B, NCM-SM000C, NCM-WR000D, NCM-BD000E, NCM-SP000F, NCM-SP000G
Tech Mark:	Schneider
Standard:	FZS/CNS 47 PART 10 Subpart A: 2014, IEC60364-4:2008

Important notes

This device is in accordance with Part 15 of the FCC Rules and Regulations for radio frequency devices. Operation of the product is subject to the following two conditions:
(1) This device may not cause harmful interference, and
(2) It must accept any interference received, including interference from man-made or unlicensed equipment.
You agree to confirm in the applicable FCC Rules and Regulations. The manner of testing used in accordance with the above accepted measurement standards applies, and 75% of necessity steps have been estimated to secure that initial production units of the same equipment will continue to comply with the Federal Communications Commission's requirements.

Manager
April 10, 2017

Shenzhen LCC Compliance Testing Laboratory Ltd.
Kunming International Park, Tongxin Road, Baimai Hill, Baoan District, Shenzhen,
Guangdong, China
Tel: 86-(0)-755-80581100
http://www.LCC.com.cn

Ref: SWQ/A-CCT0079-01
Email: wxtian@lcc-sh.com

CERTIFICATE OF CONFORMITY		
	CERTIFICATE of Conformity Reference No.: CCC-012014-00475	
	Applicant:	Shenzhen Bixton Technology Development Co., LTD.
	Address:	2/F Yu-Kai Road, Longgang Road, Longgang New District, Shenzhen, China
	Product:	Mobile Phone
	Model(s):	HC6000-RED, HC6000-BLACK, HC6000-RED, HC6000-RED, HC6000-RED, HC6000-RED, HC6000-RED, HC6000-RED, HC6000-RED, HC6000-RED
	Trade Mark:	None
	The certified products have been tested by us with the latest procedure and found in compliance with the following European Directives:	
	The EMC Directive (2004/108/EC) EN 55022, EN 55024, EN 55034, EN 55035	
	The tests were performed in normal operating mode. The test results apply only to the particular sample tested and to the specific mode tested on. This certificate applies specifically to the sample investigated in our test laboratory number only.	
The CE marking can otherwise not be affixed to the product until presentation of necessary technical documentation.		
(Other relevant Directives have to be attached)		
 		
(Signature) Manager April 16, 2014		
(Shenzhen) CCC Compliance Testing Laboratory Ltd. 1/F, Jingnan Industrial Park, Xixiang Road, Nanshan Dist., Baoan District, Shenzhen Guangdong, China Tel: 86(755) 83217111 Fax: 86(755) 83217112 E-mail: admin@ccc-eur.com Web: www.ccc-eur.com		

 CERTIFICATE of Conformity Reference No.: CE004000009	
Applicant	Shenzhen Moxonic Technology Development Co., LTD.
Address	37 South West Longgang Road, Longgang New District, Shenzhen, China
Product	Scanner
Models	RCM-1P2010, RCM-1P2015, RCM-1C2015, RCM-1P2016, RCM-1MP100, RCM-1MP100, RCM-1A1, RCM-1A2, RCM-1A3, RCM-1A4, RCM-1A5, RCM-1A6, RCM-1A7, RCM-1A8, RCM-1A9, RCM-1B1, RCM-1B2, RCM-1B3, RCM-1B4, RCM-1B5, RCM-1B6, RCM-1B7, RCM-1B8, RCM-1B9, RCM-1C100, RCM-1C200, RCM-1C300, RCM-1C400
Trade Mark	Shenzhen
The submitted products have been tested by us with the latest standards and found in compliance with the following European Directives: The EMC Directive 2004/108/EC (EN 61326:2006, EN 61326:2010) The tests were performed in normal operation mode. The test results apply only to the particular sample tested and to the specific tests carried out. This certificate attests conformity to the sample investigated in our test reference number 010. The CE marking on stated below can be affixed on the product after inspection of necessary technical documentation. (This document (including form) is to be stored)	
  April 10, 2013	
Shenzhen LCC Compliance Testing Laboratory Ltd. 37, Shuanghe Industrial Park, Longgang Dist., Bao'an Dist., Shenzhen District, Shenzhen, Guangdong, China Tel: 86-0755-26214218 Fax: 86-0755-26214219 E-mail: info@shenzhen-lcc.com.cn Web: www.lcc.com.cn	

CERTIFICATE OF CONFORMITY

CERTIFICATE

of Conformity
(2010/001) Declaration of Technical Evidence

Reference No.: **L01-001000078**

This test report as requested, has been issued under compliance with the requirements of Commission Decision of 21 July 2011 amending Directive 2010/64/EU.

Applicant:	Sonotek Electronic Technology Development Co., LTD.
Address:	N° 88 West Longgang Road, Longgang New District, Shenzhen (China)
Trade Mark:	Rohmsen
Product:	Capacitors
Model(s):	KOM-PD10A, KOM-PD10A, KOM-A10P10A, KOM-A10P10A, KOM-SAP10A, KOM-SBP10A, KCM-SAL, KCM-SAL, KCM-SAL, KCM-SAL, KCM-SAL, KCM-SAL, KCM-SAL, KCM-SAL, KCM-SB10P, KCM-SB10P, KCM-SB10P, KCM-SB10P

This test report is provided by the Company subject to the General Conditions of Service printed hereafter. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues detailed therein. The results shown in this test report refer only to the specific tested items mentioned herein. This Test Report cannot be generalized, applied in full, without prior written permission of the Company.

Other relevant documents apply to be attached:

RoHS

April 16, 2012

Shenzhen CCS Compliance Testing Laboratory Ltd.
 N° 10 Jingnong Industrial Park, Songda Road, Bao'an Dist., Bao'an Precinct (Shenzhen),
 Guangdong, CHINA
 Tel: +86-(755)-4209-0100
<http://www.ccs-lab.com>

Fax: +86(755)-4209-0101
information@ccs-lab.com

CERTIFICATE OF CONFORMITY

CERTIFICATE of Conformity

ISSUED IN ACCORDANCE WITH THE REQUIREMENTS OF THE
DECLARATION OF 21 JULY 2011

Reference No.: **1101040100010**

When issued on request, the certificate applies in accordance with the requirements of Commission
Decision of 21 July 2011 amending (Directive 2011/65/EU).

Applicant	Shenzhen Ruitong Technology Development Co., Ltd.
Address	3F No. 44 West Longgang Road, Longgang New District, Shenzhen, China
Trade Mark	Ruitong
Product	Mobile phone
Version	NEW MODEL, NEW MODEL, NEW MODEL, NEW MODEL, NEW MODEL, NEW MODEL, NEW MODEL, NEW MODEL

The test report is issued to the Company subject to the General Conditions of Service annexed herewith. Attention is drawn to the limitations of liability, manufacturer's and importer's responsibilities defined therein. The results shown in this test report may only be the subject of a limited number of subsequent requests. This Test Report cannot be reproduced, copied in full, without your written permission of the Company.

Other relevant documents have to be obtained.

RoHS

Date: **April 10, 2012**

Shenzhen: 1101 Chinese Testing Laboratory, Ltd.
 12, Guangguang Industrial Park, Tanggou Road, Shuangzhen, Bao'an District, Shenzhen,
 Guangdong, China
 Tel: 0755-2610-1000
<http://www.1101.com.cn>

Beijing: 010-6378-1000
 E-mail: info@1101.com.cn

şirket ve fabrika



Richmor

OEM & ODM Service

Brasil World Cup Supplier



Sergi:

Richmor

CPSE2012 in Shenzhen



CPSE2013

10.29-10.31

4 Booth we have

Welcome you !!!



CPSE2012-- Guangdong TV Report-Shenzhen Richmor



Hoşgeldiniz iletişim **Susie** daha fazla bilgi için

E-posta/wechat tarafından Wechat:jobs2lovers

Tarafından Skype:rcmccvtsales4

Tarafından Trademanager:cn1001765398

Cep telefonu/Whatsapp tarafından: + 86-181 2626 3832 (Susie Zhou)

QQ:2355778106