


Araba van bagajı için geniş voltajlı 4CH 3G 4G wifi MDVR ile yüksek kaliteli 1080 AHD mobil DVR

Richmor

Shenzhen Richmor Technology Development CO.,Ltd is a global and professional MDVR/MNVR manufacturer and solution provider specializing in vehicle monitoring system design and deployment for over 10 years



COMPANY INFORMATION

Company Introduction

Shenzhen Richmor Technology Development CO.,Ltd is a global and professional MDVR/MNVR manufacturer and solution provider specializing in vehicle monitoring system design and deployment for over 10 years

01. Our company




02. Office area

03. Service team



04. Factory Photos

Araba van bagajı için geniş voltajlı 4CH 3G 4G wifi MDVR ile yüksek kaliteli milyon AHD mobil DVR



PRODUCT SHOW

Product's Front Side

Display

Military Design/ Good Stability/Durable /Shockproof & Earthquake Resistant



Product's Back Side

Display

Wide Voltage Design / Data Comprehensive Protection / High Security




STRUCTURE

Front Panel

Details


Professional Security Device/Powerful Functions/ User-friendly Button Operation/ Easy to Use



Back Panel

Details

Aviation AV&DV Input / Steady Port/ Strong Shockproof Ability/ Simple & Convenient



DETAILED SPECS

FUNCTION DISPLAY




Mobile Monitoring Management Platform

RMVS is a system of centralized management and monitoring of all kinds of vehicles based on wireless network. Perform real-time monitoring, GPS/BD positioning, video storage, vehicle scheduling, alarm and alarm, etc.

Related Kits



INSTALLATION



DEVELOPMENT HISTORY

**Sailing
2008**

Richmor Founded
in a 30㎡ Studio

Provided MDVR ODM
Service for Public Companies

**Challenging
2011**

Moved into Longhua 500㎡ Factory
Built Sales Team
Guangdong TV Interviewed at CPSE 2011

**Innovating
2016**

First Launched 1080P 8CH AHD HD
MDVR & 4G Body Cammera

Won the Golden Lion Award at ITS Expo

Won 10000PCS Order of Beijing Public
Bus via Strict National Las Testing

Got Certificate "National High-Tech Enterprise"

**Improving
2010**

Moved into 70㎡ Office Building
Officially Launched Own Brand Products
Thousand MDVR Order
Got From Changsha
Transportation Group in Hunan

**Striding
2014**

Moved into Bantian 1300㎡ Industrial Area
Launched New 3G Body Camera &
Ministerial Standard Products
3G Body Camera become Brasil World
Cup Security Products

**Transforming
2017**

Richmor Moved into 3000㎡ Building

Expanding Service & Developing
Team to Provide More Quality Products

Provide More Service & Support to
All Clients & Partners

CERTIFICATION



Detaylı

Araba van bagajı için geniş voltajlı 4CH 3G 4G wifi MDVR ile yüksek kaliteli milyon AHD mobil DVR

Öge		Parametre	
İşletim sistemi		Linux	
Video sıkıştırma		H.264	
Çalışma Arayüzü		OSD menüsü	
Video Kayıt Sistemi	Video girişi	4 kanal desteği Tam gerçek zamanlı AHD 720P	
	Video çıkışı	1 kanallı kompozit video çıkışı	
	Görüntülemek	1/2/4 kanal tam ekran	
	Sinyal sistemi	PAL/NTSC (PAL @100 Çerçeve, NTSC @120 Çerçeve	
	Çözünürlük	4 kanal desteği Tam gerçek zamanlı AHD 720P	
	Kayıt Formatı	Senkronize A/V kaydı	
Ses	Ses girişi	4 Kanal	
	Ses çıkışı	1 kanal	
	Sıkıştırma	G.726	
Alarm	Giriş	4 kanal	
	Çıktı	1 kanal	
Depolamak		Her biri için 256 GB'a kadar, 128 GB	
İletişim Bağlantı Noktası		1CH RS232 / 1 kanal RS485	
G sensörü		Dahili, X, Y ve Z koordinatları için kullanıcı ayar aralıklarıyla 3 Eksenli Hareket Algılamayı destekler	
Kablosuz bağlantılar		Küresel Konumlama Sistemi /3G /4G /WIFI isteğe bağlı	
GPS		GPS /Glonas	
Video Oynatma	Video arama	Videoyu Kayıt Süresine/Türüne vb. göre arayın	
	Geri çalma	A/V, GPS, Harita Görünümü, Hız, G sensörü, PC'de oynatılabilen video dosyaları.	
	CMS	Kablosuz (Wi-Fi veya hücresel gerektirir), gerçek zamanlı izleme. GPS ve alarm vb.	
Çalışma gerilimi	Gerilim Girişi	8V ~ 36VDC	
	Gerilim Çıkışı	12V @1.2A 4 kanal, IR'li	12V @0,9A 2 kanal, IR ile
	Kapanma Koruması	Elektrik kesildiğinde tüm video bilgileri otomatik olarak kaydedilebilir ve tüm dosyaların zarar görmeyeceğinden emin olun	
	GÜÇ KAYNAĞI	Harici UPS aküsü isteğe bağlı, 24 saat izleme desteği	
Diğer	Çalışma Sıcaklığı	-40°C ~ 70°C	
	Nem	%20 ~ %80	
	Boyut	112*36*138mm	
	Ağırlık	360g	

INSTALLATION

