

RCM-MDR7104

ürün özellikleri:

madde		parametre
İşletim sistemi		Linux
Dil		özelleştirilmiş çince İngilizce / /
Video Sıkıştırma		H.264 Sıkıştırma
OSD		Böyle tarih zaman ve araç kimliği olarak bindirmeleri bilgileri
GUI	Grafiksel kullanıcı arayüzü	uzaktan kumanda ile kurulum sistem parametreleri
Video Kayıt Sistemi	video girişi	4CH 960P / 720P AHD girişi, havacılık konektörü, 1.0Vp-p, 75Ω
	Video çıkışı	1 CVBS, 1.0Vp-p, 75Ω, Havacılık, Destek 1CH Tam Ekran, 4CH Ekran görünümü
	önizleme	Destek 1 kanal ve 4 kanal önizleme., Destek Manuel / Alarm Tetik tam ekran önizleme
	çözüm	720P / D1 / HD1 / CIF MAX: 720P 4 kanal ve D1 4 kanal
	görüntü kalitesi	1-4 seviyeleri, 1 en yüksek seviyedir.
	video standardıdır	PAL: 100f / s, CCIR625 hattı, 50field; NTSC: 120F / s, CCIR525 hattı, 60field; CIF: 256kbps ~ 1.5Mbps, 8 seviye video kalitesi isteğe bağlı; HD1: 600Kbps ~ 2.5Mbps, 8 seviye video kalitesi isteğe bağlı; D1: 800Kbps ~ 3Mbps, 8 seviye video kalitesi isteğe bağlı; 720P: 4Mbps-6Mbps, çok seviyeli video kalitesi opsiyonel
	kayıt modu	Varsayılan ayar güç sonra otomatik kayıt olduğunu. Zamanlı kayıt, alarm tetikleme kayıt ve manuel kayıt desteklenmektedir.
Ses	ses girişi	4CH Havacılık Fiş Girişi
	ses çıkışı	2CH, kulaklık BNC Bağlan Geri panelde, ön panelde bağlanmak
	sıkıştırma	G.726 sıkıştırma, 8KB / s hız
alarm Girişi		7CH Alarm Girişi, 1 Kanal AD Giriş, dürtü hızlı giriş, Alarm Bağlantı
alarm Çıkışı		2CH Alarm Çıkışı, Destek Işık / Ses alarm sensörü, Yağ / Güç kesti
arayüzey		3ch RS232, POS / Yakıt Sensörü / LED Reklam Bağlantı 1CH 485 arabirimi, Bağlan PTZ Kamera
kablosuz İletim		3G iletimi , WCDMA, CDMA2000, GPRS, EDGE Dahili destek; 4G modülü yerleşik isteğe bağlı, TDD-LTE, FDD-LTE
GPS Konumu		Destek Dahili GPS / BD Modülü
Depolama	HDD	Max 2.5 "1TB HDD
	Hafıza kartı	Max 128GB SD Kart Ayna Kayıt Veri Güvenliği tutun
	güncelleştirme	Destegi USB Güncelleniyor, SD Kart Güncelleniyor, OTA Uzaktan Güncelleme
	dosya formatı	H.264
	dosya sistemi	Özel FAT32 Dosya Sistemi
	USB	U Disk, Sabit Disk tarafından geri veri Ön Panelde USB Arabirim
kayıt Replay	video arama	Kayıt Süresi / Kayıt Türü vb Göre Arama
	playback	Aynı anda / Durdur / Hızlı / Yavaş Max destek 4CH Tekrar ileri Destek ve hızında geri oynatma: x 2, x4, x8, x16.
Güvenlik		Kullanıcı / Yönetici 2 Seviye Farklı Şifre

Opsiyonel Fonksiyonlar	sesli arama	Destek ses birbirlerine çağrı
	TTS Ses yayın	Destek TTS sesi işlevini yayın.
	genişletmek seri	Destek LED Reklam Paneli, Petrol Sensörü, POS, Otogar Yayıncı, Araba OBD, ect.external cihaz
Gerilim ve amp; Güç	Güç yönetimi	Geniş Voltage.Support Zamanlı / Gecikme kapalı
	Giriş gerilimi	DC: + 6V - + 36V
	Çıkış voltajı	+ 12V ~ 1.5A, + 5V ~ 1.5A
	Güç	Çalışma & lt; 5W
Çalışma ortamı	Sıcaklık	-20 °C - + 70 °C
	Nem	% 80 -% 20
Diğerleri	Boyut	200 (D) * 187 (W) * 62 (H) mm
	Ağırlık	1.90Kg

Ürün gösterimi:

Richmor

OEM/ODM Customized
Factory Price
Independent R&D Tech
Low Moq

✓ Factory Audit

SMS Device configure

OTA Remote Updating

8CH Full D1 Real time monitor

2TB HDD + 128GB SD Card



RICHMOR TECH

CE

FCC







SMS Device configure
OTA Remote Updating
8CH Full D1 Real time monitor
2TB HDD + 128GB SD Card

Richmor

OEM/ODM Customized
Factory Price
Independent R&D Tech
Low Moq



CE

FC





AV Input & Output Cables



Power Cable



IO Cables



Remote Control



3G Antenna



WIFI Antenna




CD (Manual & Software Inside)



7000 HDD Mobile DVR


Product Introduction

Device Series



15

Product Advantage



Müşteri Kullanıcı Arayüzü Grafik

vb PC, cep telefonu gibi bizim MDVR desteği mobil istemci izleme.

[Anasayfa](#)[İndir](#)[Soru](#)[Language](#)

İstemci İndirme

 Windows İndir  Version: 7.4.0.15 Güncelle: 20151123	 İndir  Version: 7.0.3 Güncelle: 20150523	 İndir  Version: 7.0.0.10 Güncelle: 20150801
--	--	---

Uygun Program İndir

		
---	---	---

Appliacation

FUNCTIONS

- Video& Audio real-time monitoring
- Online Vehicle Status
- Satellite Map
- GPS
- Video Storage
- Tracking Display
- Intercom
- Fuel Sensor
- G-Sensor
- Temperature-Sensor

Richmor

OEM & ODM Service

Brasil World Cup Supplier
www.rcmcctv.com



Truck
Coach



School Bus
Bus



Police Car
Taxi



Support
All Vehicles

sertifika

[illegible]

VERIFICATION OF CONFORMITY  Verification of Conformity Reference No.: LCC0300000719	
Responsible Party	Shenzhen Wuxinor Technology Development Co., LTD.
Address	37 No.4 West Longgang Road, Longgang New District, Shenzhen, China
Product	Mobile USB
Model No.	WXC-B000000, WXC-B000001, WXC-B000002, WXC-B000003, WXC-B000004, WXC-B000005, WXC-B000006, WXC-B000007, WXC-B000008, WXC-B000009, WXC-B000010
Trade Mark	Shenzhen
Standards	FCC, CE, EN 60950, EN 60950-1, EN 60950-2, EN 60950-3, EN 60950-4, EN 60950-5, EN 60950-6, EN 60950-7, EN 60950-8, EN 60950-9, EN 60950-10, EN 60950-11, EN 60950-12, EN 60950-13, EN 60950-14, EN 60950-15, EN 60950-16, EN 60950-17, EN 60950-18, EN 60950-19, EN 60950-20, EN 60950-21, EN 60950-22, EN 60950-23, EN 60950-24, EN 60950-25, EN 60950-26, EN 60950-27, EN 60950-28, EN 60950-29, EN 60950-30, EN 60950-31, EN 60950-32, EN 60950-33, EN 60950-34, EN 60950-35, EN 60950-36, EN 60950-37, EN 60950-38, EN 60950-39, EN 60950-40, EN 60950-41, EN 60950-42, EN 60950-43, EN 60950-44, EN 60950-45, EN 60950-46, EN 60950-47, EN 60950-48, EN 60950-49, EN 60950-50, EN 60950-51, EN 60950-52, EN 60950-53, EN 60950-54, EN 60950-55, EN 60950-56, EN 60950-57, EN 60950-58, EN 60950-59, EN 60950-60, EN 60950-61, EN 60950-62, EN 60950-63, EN 60950-64, EN 60950-65, EN 60950-66, EN 60950-67, EN 60950-68, EN 60950-69, EN 60950-70, EN 60950-71, EN 60950-72, EN 60950-73, EN 60950-74, EN 60950-75, EN 60950-76, EN 60950-77, EN 60950-78, EN 60950-79, EN 60950-80, EN 60950-81, EN 60950-82, EN 60950-83, EN 60950-84, EN 60950-85, EN 60950-86, EN 60950-87, EN 60950-88, EN 60950-89, EN 60950-90, EN 60950-91, EN 60950-92, EN 60950-93, EN 60950-94, EN 60950-95, EN 60950-96, EN 60950-97, EN 60950-98, EN 60950-99, EN 60950-100, EN 60950-101, EN 60950-102, EN 60950-103, EN 60950-104, EN 60950-105, EN 60950-106, EN 60950-107, EN 60950-108, EN 60950-109, EN 60950-110, EN 60950-111, EN 60950-112, EN 60950-113, EN 60950-114, EN 60950-115, EN 60950-116, EN 60950-117, EN 60950-118, EN 60950-119, EN 60950-120, EN 60950-121, EN 60950-122, EN 60950-123, EN 60950-124, EN 60950-125, EN 60950-126, EN 60950-127, EN 60950-128, EN 60950-129, EN 60950-130, EN 60950-131, EN 60950-132, EN 60950-133, EN 60950-134, EN 60950-135, EN 60950-136, EN 60950-137, EN 60950-138, EN 60950-139, EN 60950-140, EN 60950-141, EN 60950-142, EN 60950-143, EN 60950-144, EN 60950-145, EN 60950-146, EN 60950-147, EN 60950-148, EN 60950-149, EN 60950-150, EN 60950-151, EN 60950-152, EN 60950-153, EN 60950-154, EN 60950-155, EN 60950-156, EN 60950-157, EN 60950-158, EN 60950-159, EN 60950-160, EN 60950-161, EN 60950-162, EN 60950-163, EN 60950-164, EN 60950-165, EN 60950-166, EN 60950-167, EN 60950-168, EN 60950-169, EN 60950-170, EN 60950-171, EN 60950-172, EN 60950-173, EN 60950-174, EN 60950-175, EN 60950-176, EN 60950-177, EN 60950-178, EN 60950-179, EN 60950-180, EN 60950-181, EN 60950-182, EN 60950-183, EN 60950-184, EN 60950-185, EN 60950-186, EN 60950-187, EN 60950-188, EN 60950-189, EN 60950-190, EN 60950-191, EN 60950-192, EN 60950-193, EN 60950-194, EN 60950-195, EN 60950-196, EN 60950-197, EN 60950-198, EN 60950-199, EN 60950-200, EN 60950-201, EN 60950-202, EN 60950-203, EN 60950-204, EN 60950-205, EN 60950-206, EN 60950-207, EN 60950-208, EN 60950-209, EN 60950-210, EN 60950-211, EN 60950-212, EN 60950-213, EN 60950-214, EN 60950-215, EN 60950-216, EN 60950-217, EN 60950-218, EN 60950-219, EN 60950-220, EN 60950-221, EN 60950-222, EN 60950-223, EN 60950-224, EN 60950-225, EN 60950-226, EN 60950-227, EN 60950-228, EN 60950-229, EN 60950-230, EN 60950-231, EN 60950-232, EN 60950-233, EN 60950-234, EN 60950-235, EN 60950-236, EN 60950-237, EN 60950-238, EN 60950-239, EN 60950-240, EN 60950-241, EN 60950-242, EN 60950-243, EN 60950-244, EN 60950-245, EN 60950-246, EN 60950-247, EN 60950-248, EN 60950-249, EN 60950-250, EN 60950-251, EN 60950-252, EN 60950-253, EN 60950-254, EN 60950-255, EN 60950-256, EN 60950-257, EN 60950-258, EN 60950-259, EN 60950-260, EN 60950-261, EN 60950-262, EN 60950-263, EN 60950-264, EN 60950-265, EN 60950-266, EN 60950-267, EN 60950-268, EN 60950-269, EN 60950-270, EN 60950-271, EN 60950-272, EN 60950-273, EN 60950-274, EN 60950-275, EN 60950-276, EN 60950-277, EN 60950-278, EN 60950-279, EN 60950-280, EN 60950-281, EN 60950-282, EN 60950-283, EN 60950-284, EN 60950-285, EN 60950-286, EN 60950-287, EN 60950-288, EN 60950-289, EN 60950-290, EN 60950-291, EN 60950-292, EN 60950-293, EN 60950-294, EN 60950-295, EN 60950-296, EN 60950-297, EN 60950-298, EN 60950-299, EN 60950-300, EN 60950-301, EN 60950-302, EN 60950-303, EN 60950-304, EN 60950-305, EN 60950-306, EN 60950-307, EN 60950-308, EN 60950-309, EN 60950-3

CERTIFICATE OF CONFORMITY		
	CERTIFICATE of Conformity Reference No. 1-23-018-0475	
	Applicant	Shenzhen Elicitor Technology Development Co., LTD.
	Address	2/F Yu-Kai Road Longgang Road, Longgang New District, Shenzhen, China
	Product	Shenke 3000
	Model(s)	HCN-M0000A, HCN-M0000B, HCN-M0000C, HCN-M0000D, HCN-M0000E, HCN-M0000F, HCN-M0000G, HCN-M0000H
	Trade Mark	Shenke
	The certified products have been tested by us with the latest procedure and found in compliance with the following European Directives:	
	The EMC Directive 2004/108/EC	
	EN 55022, EN 55024, EN 55024-2	
The tests were performed in normal operating mode. The test results apply only to the particular sample tested and to the specific mode tested on. This certificate applies specifically to the sample investigated in our test laboratory number only.		
The CE marking can also be used on the product after presentation of satisfactory documentary evidence.		
(State relevant Directives have to be attached)		
   Manager April 16, 2013		
(Shenzhen UKAS Compliance Testing Laboratory Ltd) 17, Jingnan Industrial Park, Xingye Road, Nan-shi, Bao-an District, Shenzhen Guangdong, China Tel: 86-755-83297153 Fax: 86-755-83297153 E-mail: ukas@ukas-csl.com.cn Website: www.ukas-csl.com.cn		

CERTIFICATE OF CONFORMITY	 CERTIFICATE <i>of Conformity</i> Reference No.: (CEC/04/000001)	
	Applicant	Shenzhen Mission Technology Development Co., Ltd.
	Address	37 South West Longgang Road, Longgang New District, Shenzhen, China
	Product	Speakers
	Model(s)	RCM-SPC10, RCM-SPC15, RCM-LAC15, RCM-SPC16, RCM-SPC18, RCM-SPC19, RCM-SPC20, RCM-SPC21, RCM-SPC22, RCM-SPC23, RCM-SPC24, RCM-SPC25, RCM-SPC26, RCM-SPC27, RCM-SPC28, RCM-SPC29, RCM-SPC30, RCM-SPC31, RCM-SPC32, RCM-SPC33, RCM-SPC34, RCM-SPC35, RCM-SPC36, RCM-SPC37, RCM-SPC38, RCM-SPC39, RCM-SPC40, RCM-SPC41, RCM-SPC42, RCM-SPC43, RCM-SPC44, RCM-SPC45, RCM-SPC46, RCM-SPC47, RCM-SPC48, RCM-SPC49, RCM-SPC50, RCM-SPC51, RCM-SPC52, RCM-SPC53, RCM-SPC54, RCM-SPC55, RCM-SPC56, RCM-SPC57, RCM-SPC58, RCM-SPC59, RCM-SPC60, RCM-SPC61, RCM-SPC62, RCM-SPC63, RCM-SPC64, RCM-SPC65, RCM-SPC66, RCM-SPC67, RCM-SPC68, RCM-SPC69, RCM-SPC70, RCM-SPC71, RCM-SPC72, RCM-SPC73, RCM-SPC74, RCM-SPC75, RCM-SPC76, RCM-SPC77, RCM-SPC78, RCM-SPC79, RCM-SPC80, RCM-SPC81, RCM-SPC82, RCM-SPC83, RCM-SPC84, RCM-SPC85, RCM-SPC86, RCM-SPC87, RCM-SPC88, RCM-SPC89, RCM-SPC90, RCM-SPC91, RCM-SPC92, RCM-SPC93, RCM-SPC94, RCM-SPC95, RCM-SPC96, RCM-SPC97, RCM-SPC98, RCM-SPC99, RCM-SPC100, RCM-SPC101, RCM-SPC102, RCM-SPC103, RCM-SPC104, RCM-SPC105, RCM-SPC106, RCM-SPC107, RCM-SPC108, RCM-SPC109, RCM-SPC110, RCM-SPC111, RCM-SPC112, RCM-SPC113, RCM-SPC114, RCM-SPC115, RCM-SPC116, RCM-SPC117, RCM-SPC118, RCM-SPC119, RCM-SPC120, RCM-SPC121, RCM-SPC122, RCM-SPC123, RCM-SPC124, RCM-SPC125, RCM-SPC126, RCM-SPC127, RCM-SPC128, RCM-SPC129, RCM-SPC130, RCM-SPC131, RCM-SPC132, RCM-SPC133, RCM-SPC134, RCM-SPC135, RCM-SPC136, RCM-SPC137, RCM-SPC138, RCM-SPC139, RCM-SPC140, RCM-SPC141, RCM-SPC142, RCM-SPC143, RCM-SPC144, RCM-SPC145, RCM-SPC146, RCM-SPC147, RCM-SPC148, RCM-SPC149, RCM-SPC150, RCM-SPC151, RCM-SPC152, RCM-SPC153, RCM-SPC154, RCM-SPC155, RCM-SPC156, RCM-SPC157, RCM-SPC158, RCM-SPC159, RCM-SPC160, RCM-SPC161, RCM-SPC162, RCM-SPC163, RCM-SPC164, RCM-SPC165, RCM-SPC166, RCM-SPC167, RCM-SPC168, RCM-SPC169, RCM-SPC170, RCM-SPC171, RCM-SPC172, RCM-SPC173, RCM-SPC174, RCM-SPC175, RCM-SPC176, RCM-SPC177, RCM-SPC178, RCM-SPC179, RCM-SPC180, RCM-SPC181, RCM-SPC182, RCM-SPC183, RCM-SPC184, RCM-SPC185, RCM-SPC186, RCM-SPC187, RCM-SPC188, RCM-SPC189, RCM-SPC190, RCM-SPC191, RCM-SPC192, RCM-SPC193, RCM-SPC194, RCM-SPC195, RCM-SPC196, RCM-SPC197, RCM-SPC198, RCM-SPC199, RCM-SPC200, RCM-SPC201, RCM-SPC202, RCM-SPC203, RCM-SPC204, RCM-SPC205, RCM-SPC206, RCM-SPC207, RCM-SPC208, RCM-SPC209, RCM-SPC210, RCM-SPC211, RCM-SPC212, RCM-SPC213, RCM-SPC214, RCM-SPC215, RCM-SPC216, RCM-SPC217, RCM-SPC218, RCM-SPC219, RCM-SPC220, RCM-SPC221, RCM-SPC222, RCM-SPC223, RCM-SPC224, RCM-SPC225, RCM-SPC226, RCM-SPC227, RCM-SPC228, RCM-SPC229, RCM-SPC230, RCM-SPC231, RCM-SPC232, RCM-SPC233, RCM-SPC234, RCM-SPC235, RCM-SPC236, RCM-SPC237, RCM-SPC238, RCM-SPC239, RCM-SPC240, RCM-SPC241, RCM-SPC242, RCM-SPC243, RCM-SPC244, RCM-SPC245, RCM-SPC246, RCM-SPC247, RCM-SPC248, RCM-SPC249, RCM-SPC250, RCM-SPC251, RCM-SPC252, RCM-SPC253, RCM-SPC254, RCM-SPC255, RCM-SPC256, RCM-SPC257, RCM-SPC258, RCM-SPC259, RCM-SPC260, RCM-SPC261, RCM-SPC262, RCM-SPC263, RCM-SPC264, RCM-SPC265, RCM-SPC266, RCM-SPC267, RCM-SPC268, RCM-SPC269, RCM-SPC270, RCM-SPC271, RCM-SPC272, RCM-SPC273, RCM-SPC274, RCM-SPC275, RCM-SPC276, RCM-SPC277, RCM-SPC278, RCM-SPC279, RCM-SPC280, RCM-SPC281, RCM-SPC282, RCM-SPC283, RCM-SPC284, RCM-SPC285, RCM-SPC286, RCM-SPC287, RCM-SPC288, RCM-SPC289, RCM-SPC290, RCM-SPC291, RCM-SPC292, RCM-SPC293, RCM-SPC294, RCM-SPC295, RCM-SPC296, RCM-SPC297, RCM-SPC298, RCM-SPC299, RCM-SPC300, RCM-SPC301, RCM-SPC302, RCM-SPC303, RCM-SPC304, RCM-SPC305, RCM-SPC306, RCM-SPC307, RCM-SPC308, RCM-SPC309, RCM-SPC310, RCM-SPC311, RCM-SPC312, RCM-SPC313, RCM-SPC314, RCM-SPC315, RCM-SPC316, RCM-SPC317, RCM-SPC318, RCM-SPC319, RCM-SPC320, RCM-SPC321, RCM-SPC322, RCM-SPC323, RCM-SPC324, RCM-SPC325, RCM-SPC326, RCM-SPC327, RCM-SPC328, RCM-SPC329, RCM-SPC330, RCM-SPC331, RCM-SPC332, RCM-SPC333, RCM-SPC334, RCM-SPC335, RCM-SPC336, RCM-SPC337, RCM-SPC338, RCM-SPC339, RCM-SPC340, RCM-SPC341, RCM-SPC342, RCM-SPC343, RCM-SPC344, RCM-SPC345, RCM-SPC346, RCM-SPC347, RCM-SPC348, RCM-SPC349, RCM-SPC350, RCM-SPC351, RCM-SPC352, RCM-SPC353, RCM-SPC354, RCM-SPC355, RCM-SPC356, RCM-SPC357, RCM-SPC358, RCM-SPC359, RCM-SPC360, RCM-SPC361, RCM-SPC362, RCM-SPC363, RCM-SPC364, RCM-SPC365, RCM-SPC366, RCM-SPC367, RCM-SPC368, RCM-SPC369, RCM-SPC370, RCM-SPC371, RCM-SPC372, RCM-SPC373, RCM-SPC374, RCM-SPC375, RCM-SPC376, RCM-SPC377, RCM-SPC378, RCM-SPC379, RCM-SPC380, RCM-SPC381, RCM-SPC382, RCM-SPC383, RCM-SPC384, RCM-SPC385, RCM-SPC386, RCM-SPC387, RCM-SPC388, RCM-SPC389, RCM-SPC390, RCM-SPC391, RCM-SPC392, RCM-SPC393, RCM-SPC394, RCM-SPC395, RCM-SPC396, RCM-SPC397, RCM-SPC398, RCM-SPC399, RCM-SPC400, RCM-SPC401, RCM-SPC402, RCM-SPC403, RCM-SPC404, RCM-SPC405, RCM-SPC406, RCM-SPC407, RCM-SPC408, RCM-SPC409, RCM-SPC410, RCM-SPC411, RCM-SPC412, RCM-SPC413, RCM-SPC414, RCM-SPC415, RCM-SPC416, RCM-SPC417, RCM-SPC418, RCM-SPC419, RCM-SPC420, RCM-SPC421, RCM-SPC422, RCM-SPC423, RCM-SPC424, RCM-SPC425, RCM-SPC426, RCM-SPC427, RCM-SPC428, RCM-SPC429, RCM-SPC430, RCM-SPC431, RCM-SPC432, RCM-SPC433, RCM-SPC434, RCM-SPC435, RCM-SPC436, RCM-SPC437, RCM-SPC438, RCM-SPC439, RCM-SPC440, RCM-SPC441, RCM-SPC442, RCM-SPC443, RCM-SPC444, RCM-SPC445, RCM-SPC446, RCM-SPC447, RCM-SPC

CERTIFICATE OF CONFORMITY		
	CERTIFICATE of Conformity (S/10000) Declaration of Testimony Evidence	
	Reference No.: LCF 0010000278	
	When tested as specified, the supplier certifies conformity with the requirements of Commission Decision of 17 July 2017 amending Decision (S/10000).	
	Applicant: Shenzhen Etekwin Technology Development Co., Ltd.	
Address:	3F Huaili West Longgang Road, Longgang New District, Shenzhen, China	
Trade Mark:	Redmine	
Product:	Camera	
Model(s):	RCM-0012A, RCM-0012B, RCM-0012C, RCM-0012D, RCM-0012E, RCM-0012F, RCM-0012G, RCM-0012H, RCM-0012I, RCM-0012J, RCM-0012K, RCM-0012L, RCM-0012M, RCM-0012N, RCM-0012O, RCM-0012P, RCM-0012Q, RCM-0012R, RCM-0012S, RCM-0012T, RCM-0012U, RCM-0012V, RCM-0012W, RCM-0012X, RCM-0012Y, RCM-0012Z, RCM-0012AA, RCM-0012AB, RCM-0012AC, RCM-0012AD, RCM-0012AE, RCM-0012AF, RCM-0012AG, RCM-0012AH, RCM-0012AI, RCM-0012AJ, RCM-0012AK, RCM-0012AL, RCM-0012AM, RCM-0012AN, RCM-0012AO, RCM-0012AP, RCM-0012AQ, RCM-0012AR, RCM-0012AS, RCM-0012AT, RCM-0012AU, RCM-0012AV, RCM-0012AW, RCM-0012AX, RCM-0012AY, RCM-0012AZ, RCM-0012BA, RCM-0012BB, RCM-0012BC, RCM-0012BD, RCM-0012BE, RCM-0012BF, RCM-0012BG, RCM-0012BH, RCM-0012BI, RCM-0012BJ, RCM-0012BK, RCM-0012BL, RCM-0012BM, RCM-0012BN, RCM-0012BO, RCM-0012BP, RCM-0012BQ, RCM-0012BR, RCM-0012BS, RCM-0012BT, RCM-0012BU, RCM-0012BV, RCM-0012BW, RCM-0012BX, RCM-0012BY, RCM-0012BZ, RCM-0012CA, RCM-0012CB, RCM-0012CC, RCM-0012CD, RCM-0012CE, RCM-0012CF, RCM-0012CG, RCM-0012CH, RCM-0012CI, RCM-0012CJ, RCM-0012CK, RCM-0012CL, RCM-0012CM, RCM-0012CN, RCM-0012CO, RCM-0012CP, RCM-0012CQ, RCM-0012CR, RCM-0012CS, RCM-0012CT, RCM-0012CU, RCM-0012CV, RCM-0012CW, RCM-0012CX, RCM-0012CY, RCM-0012CZ, RCM-0012DA, RCM-0012DB, RCM-0012DC, RCM-0012DD, RCM-0012DE, RCM-0012DF, RCM-0012DG, RCM-0012DH, RCM-0012DI, RCM-0012DJ, RCM-0012DK, RCM-0012DL, RCM-0012DM, RCM-0012DN, RCM-0012DO, RCM-0012DP, RCM-0012DQ, RCM-0012DR, RCM-0012DS, RCM-0012DT, RCM-0012DU, RCM-0012DV, RCM-0012DW, RCM-0012DX, RCM-0012DY, RCM-0012DZ, RCM-0012EA, RCM-0012EB, RCM-0012EC, RCM-0012ED, RCM-0012EE, RCM-0012EF, RCM-0012EG, RCM-0012EH, RCM-0012EI, RCM-0012EJ, RCM-0012EK, RCM-0012EL, RCM-0012EM, RCM-0012EN, RCM-0012EO, RCM-0012EP, RCM-0012EQ, RCM-0012ER, RCM-0012ES, RCM-0012ET, RCM-0012EU, RCM-0012EV, RCM-0012EW, RCM-0012EX, RCM-0012EY, RCM-0012EZ, RCM-0012FA, RCM-0012FB, RCM-0012FC, RCM-0012FD, RCM-0012FE, RCM-0012FF, RCM-0012FG, RCM-0012FH, RCM-0012FI, RCM-0012FJ, RCM-0012FK, RCM-0012FL, RCM-0012FM, RCM-0012FN, RCM-0012FO, RCM-0012FP, RCM-0012FQ, RCM-0012FR, RCM-0012FS, RCM-0012FT, RCM-0012FU, RCM-0012FV, RCM-0012FW, RCM-0012FX, RCM-0012FY, RCM-0012FZ, RCM-0012GA, RCM-0012GB, RCM-0012GC, RCM-0012GD, RCM-0012GE, RCM-0012GF, RCM-0012GG, RCM-0012GH, RCM-0012GI, RCM-0012GJ, RCM-0012GK, RCM-0012GL, RCM-0012GM, RCM-0012GN, RCM-0012GO, RCM-0012GP, RCM-0012GQ, RCM-0012GR, RCM-0012GS, RCM-0012GT, RCM-0012GU, RCM-0012GV, RCM-0012GW, RCM-0012GX, RCM-0012GY, RCM-0012GZ, RCM-0012HA, RCM-0012HB, RCM-0012HC, RCM-0012HD, RCM-0012HE, RCM-0012HF, RCM-0012HG, RCM-0012HH, RCM-0012HI, RCM-0012HJ, RCM-0012HK, RCM-0012HL, RCM-0012HM, RCM-0012HN, RCM-0012HO, RCM-0012HP, RCM-0012HQ, RCM-0012HR, RCM-0012HS, RCM-0012HT, RCM-0012HU, RCM-0012HV, RCM-0012HW, RCM-0012HX, RCM-0012HY, RCM-0012HZ, RCM-0012IA, RCM-0012IB, RCM-0012IC, RCM-0012ID, RCM-0012IE, RCM-0012IF, RCM-0012IG, RCM-0012IH, RCM-0012II, RCM-0012IJ, RCM-0012IK, RCM-0012IL, RCM-0012IM, RCM-0012IN, RCM-0012IO, RCM-0012IP, RCM-0012IQ, RCM-0012IR, RCM-0012IS, RCM-0012IT, RCM-0012IU, RCM-0012IV, RCM-0012IW, RCM-0012IX, RCM-0012IY, RCM-0012IZ, RCM-0012JA, RCM-0012JB, RCM-0012JC, RCM-0012JD, RCM-0012JE, RCM-0012JF, RCM-0012JG, RCM-0012JH, RCM-0012JI, RCM-0012JJ, RCM-0012JK, RCM-0012JL, RCM-0012JM, RCM-0012JN, RCM-0012JO, RCM-0012JP, RCM-0012JQ, RCM-0012JR, RCM-0012JS, RCM-0012JT, RCM-0012JU, RCM-0012JV, RCM-0012JW, RCM-0012JX, RCM-0012JY, RCM-0012JZ, RCM-0012KA, RCM-0012KB, RCM-0012KC, RCM-0012KD, RCM-0012KE, RCM-0012KF, RCM-0012KG, RCM-0012KH, RCM-0012KI, RCM-0012KJ, RCM-0012KK, RCM-0012KL, RCM-0012KM, RCM-0012KN, RCM-0012KO, RCM-0012KP, RCM-0012KQ, RCM-0012KR, RCM-0012KS, RCM-0012KT, RCM-0012KU, RCM-0012KV, RCM-0012KW, RCM-0012KX, RCM-0012KY, RCM-0012KZ, RCM-0012LA, RCM-0012LB, RCM-0012LC, RCM-0012LD, RCM-0012LE, RCM-0012LF, RCM-0012LG, RCM-0012LH, RCM-0012LI, RCM-0012LJ, RCM-0012LK, RCM-0012LL, RCM-0012LM, RCM-0012LN, RCM-0012LO, RCM-0012LP, RCM-0012LQ, RCM-0012LR, RCM-0012LS, RCM-0012LT, RCM-0012LU, RCM-0012LV, RCM-0012LW, RCM-0012LX, RCM-0012LY, RCM-0012LZ, RCM-0012MA, RCM-0012MB, RCM-0012MC, RCM-0012MD, RCM-0012ME, RCM-0012MF, RCM-0012MG, RCM-0012MH, RCM-0012MI, RCM-0012MJ, RCM-0012MK, RCM-0012ML, RCM-0012MN, RCM-0012MO, RCM-0012MP, RCM-0012MQ, RCM-0012MR, RCM-0012MS, RCM-0012MT, RCM-0012MU, RCM-0012MV, RCM-0012MW, RCM-0012MX, RCM-0012MY, RCM-0012MZ, RCM-0012NA, RCM-0012NB, RCM-0012NC, RCM-0012ND, RCM-0012NE, RCM-0012NF, RCM-0012NG, RCM-0012NH, RCM-0012NI, RCM-0012NJ, RCM-0012NK, RCM-0012NL, RCM-0012NM, RCM-0012NN, RCM-0012NO, RCM-0012NP, RCM-0012NQ, RCM-0012NR, RCM-0012NS, RCM-0012NT, RCM-0012NU, RCM-0012NV, RCM-0012NW, RCM-0012NX, RCM-0012NY, RCM-0012NZ, RCM-0012OA, RCM-0012OB, RCM-0012OC, RCM-0012OD, RCM-0012OE, RCM-0012OF, RCM-0012OG, RCM-0012	

CERTIFICATE OF CONFORMITY

 CERTIFICATE of Conformity ISSUED BY: Notifier of Notified Bodies Reference No.: LU0104100818	
When tested as specified, the submitted sample complies with the requirements of Commission Decision of 21 July 2011 amending Directive 2011/65/EU.	
Applicant	Shenzhen Pictorial Technology Development Co., LTD.
Address	3F No. 34 West Longgang Road, Longhua New District, Shenzhen, China
Trade Mark	Pictorial
Product	Monitor D20K
Model(s)	NCM-INDUSTRIAL, NCM-MEDICAL, NCM-SPRINKLER, NCM-DETECTIVE, NCM-INDUSTRIAL, NCM-SPRINKLER, NCM-DETECTIVE
The test report is issued on the Applicant's behalf in its General Conditions of Service jointly accepted. Attention is drawn to the limitations of liability, indemnification and confidentiality herein referred to. The results shown in this test report refer only to the sample(s) tested under defined conditions. This Test Report cannot be reproduced, copied or full, without prior written permission of the Notifier.	
Other relevant documents have to be obtained.	
RoHS	
 <i>Philip He</i> Manager April 16, 2013	
Shenzhen ULT Compliance Testing Laboratory Ltd. 28/F, Hengfeng Industrial Park, Tanggou Road, Nanshan Dist., Shenzon District, Shenzhen, Guangdong, China Tel: +86-(0)755-83291100 http://www.ult.com.cn	
Fax: +86-(0)755-83291102 Email: shenzhen@ul.com.cn	

şirket ve fabrika



Richmor

OEM & ODM Service

Brasil World Cup Supplier



Sergi:

Richmor

CPSE2012 in Shenzhen



CPSE2013

10.29-10.31

4 Booth we have

Welcome you !!!



CPSE2012-- Guangdong TV Report-Shenzhen Richmor



ürünleri hakkında daha fazla bilgi için lütfen temsilcisine e-posta Sylvia.