

Newest Police Body Worn Camera infrared waterproof portable DVR Packaging & Delivery

| | |
|--------------------|--------------------------------|
| Packaging Details: | Color Box/ Carton Box |
| Delivery Detail: | 3~5 work days for sample order |



Main Features

- 1) 2.4 inch Color Display Built-in;
- 2) 2100mAh large Capacity Li-ion Battery;
- 3) Full D1 Real-time Video & Audio Recording;
- 4) Max. 128GB Micro-SD Card Supported;
- 5) Built-in GPS Module.
- 6) 2-way audio, supports PTT talkback;
- 7) 3G/ 4G Remote View on PC or Smartphone;
- 8) Built-in Wi-Fi Module.

Specifications

| | | |
|-----------------------|----------------------------------|---------------------------------------------------------------------|
| Operating System | Linux | |
| Security Management | Administrator Password | |
| Video and Preview | Video Input | External Camera, Above 70 degree View Angle |
| | OSD | Time/ Date/ Device ID/ GPS |
| | Video Compression | H.264 Compression Coding |
| | Dual-Stream | Supported |
| | Resolution | D1/ HD1/ CIF Selectable |
| Audio | Audio Input | External Microphone |
| | Audio Compression | G.726 coding |
| Recording | Storage Medium | Micro-SD card(1G ~ 128G) |
| | File Format/ System | ASF/FAT32 |
| | Record Mode | Auto Recording after Startup |
| | Video Searching | Search by Date/ Time |
| | Playback | Local Playback; Support 2/ 4/ 8/ 16 Times Fast forward/ Backward |
| TFT Display | Size | 2.4 inch LCD |
| | Resolution | 480*234 |
| Wireless Transmission | 3G Module Built-in (4G Optional) | |
| Wi-Fi | built-in WIFI module | |

| | | |
|-----------------------|-------------------------|-------------------------------|
| GPS | built-in GPS Module | |
| System Upgrading | Upgrading from TF Card | |
| Power Supply | Battery Capacity | Li-ion Battery, 2100mAh, 7.4V |
| | Charging Time | Less than 3 hours |
| | Working Hour | Above 4 hours |
| Operating Environment | Temperature | -20°C~+50°C |
| | Humidity | 20% to 90% |
| Dimensions | 65(W) x130(H) x30(D) mm | |
| Three Proofings | Grade: IP54 | |
| Weight | Net: 475 g, (1.05LB) | |

Product Showcase





Client Software

Mobile monitoring and management platform

Web: www.logan.cn/MTESI System Video Map Playback System Set Log Query Extend App

Dev List: [Dropdown]

Monitor Center(5/12)

- 桂C37762
- 桂C37762
- 桂C37762
- 桂C37762
- 桂C37762
- 桂C37762
- 桂C37762
- 桂C37762
- 桂C37762
- 桂C37762
- 桂C37762
- 桂C37762
- 桂C37762
- 桂C37762
- 桂C37762

Vehicle details for 桂C37762:

- Device type: MEUR
- Vehicle name: 苏C 26002
- Vehicle ID: 100005
- Company: 福建县外贸进出口有限公司
- Track Group: Monitor Center
- Status: Online
- Positioning Time: 2015-05-11 10:11:50
- Location: 贵州省遵义市汇川区汇川大道
- Speed: 0.00 km/h(Northwest)
- Costs: Normal

Map: Baidu Map, Google Map, MapInfo

Monitoring: [Status] System Set /

Running: 02:00:01 Online 5 / Number of set: 0000 / Alarms: 0 / Total: 12 / Live Ratio: 1.67% / Lost Ratio: 1.67%

Mobile monitoring and management platform

Web: www.logan.cn/MTESI System Video Map Playback System Set Log Query Extend App

Dev List: [Dropdown]

System Parameters

- Video Parameters
- Map Parameters
- Alarm Image
- Alarm status screen
- Fuel sensor settings

System Settings:

- Software starts automatically login
- Language: [Dropdown]
- UI Style: [Dropdown]
- Exit System: [Dropdown] No Operation Condition
- Image Capture: [Dropdown] [Browse]
- Location: 72 (HC indicates variable loss)
- GPS update time: 0 (Unit: s/2-100)
- ID name: [Text] Enable
- Default choose all online equipment
- Enable multi screen mode
- Effect on call display
- Deploy the vehicle of the day

Save

Monitoring: [Status] System Set /

Running: 00:00:15 Online 5 / Number of set: 0000 / Alarms: 0 / Total: 12 / Live Ratio: 41.67% / Lost Ratio: 41.67%



Applications



Welcome to contact RICHMOR for more details!

Skype:rcmctvsales5

WhatsApp: +86-18126263838