

4ch mobil dvr ađ mdvr destek bađlanmak IP kamera ile 1080p ile hdd yuvası
2TB--RCM-9204Series

Product Description

MAIN FEATURES

H.264 Compression, 8CH Real-time 720P/4ch 1080P High definition camera input.

2CH video output (1CH CVBS video, 1CH VGA output for optional.)

Exclusive pre-allocate File System protect data completeness, prevent SD Card fragment, ensure data stable and complete.

8-36V wide voltage with low power consumption.

Unique UPS Technology ensures the integrality of record when power failure occurs, even can for 8-10s.

HDD+SD Card Storage (Support 2.5" HDD, max 128G SD Card) protect from Shock & Dust damage; support USB port data backup and device update;

Support 2 USB interfaces, data backup and device upgrade.

Support 8CH alarm input (1CH Analog + 7CH IO Alarm input), 2CH independent alarm output.

Support 1 CH CAN port.

Support HDD heating functions, can work in harsh environment.

Support GPS/BD/G-Sensor Extension modules;

Realize real time monitor through 3G/4G;

Support WIFI module, can download data automatically.

Support Broadcast/Intercom/Text sent etc; can add oil sensor/temperature sensor/POS/LED Advertisement Panel;

Supporting the ministry of communications agreement. Support SMS remote configure/ control device;

OTA(On-The-Air) Device automatically upgrade function, can upgrade to updated version, maintenance is more convenient.

Support voice call function.

Support IOS/Android Phone Remote monitor

High level aviation interface, easily installation and better shockproof, more stable;


Item		Parameter
OS		Linux
Language		Chinese/English/Others (can be customized)
Video Compression		H.264 Compression Mode
OSD		Overlays information such as date time and vehicle ID
GUI	Graphical User Interface	Can connect to external LED screen. Setup system parameters with the remote control.
Video Record System	Video Input	4CH 1080p or 8ch 720p input ,aviation connector.
	Video Output	1CH CVBS+ VGA output for optional, 1.0Vp-p, 75 Ω
	Preview	Support 1 channel, 4 channels,9channels preview.,Support Manual/Alarm Trigger full screen preview
	Resolution	1080p/720p/D1/HD1/CIF, MAX:4 channels 1080p or 8 channels 720p
	Video Quality	0-7 levels, 0 is the highest level, 7 is the lowest level.
	Video Standard	CIF: 256Kbps ~ 1.5Mbps, <u>multi levels video quality optional</u> HD1: 600Kbps ~ 2.5Mbps, <u>multi levels video quality optional</u> D1: 800Kbps ~ 3Mbps, <u>multi levels video quality optional</u> 720P:4Mbps-6Mbps, <u>multi levels video quality optional</u> 1080P:4Mbps-8Mbps, <u>multi levels video quality optional</u>
	Record Mode	The default setting is auto recording after power on. Timed recording, alarm trigger recording and manual recording are supported.
Audio	Audio Input	4CH
	Audio Output	1CH
	Compression	G.711 compression, 8KB/s speed
Alarm Input		7CH IO Alarm Input+1ch AD input; Support alarm linkage function

Voltage & Power Consumption	Power Management	Adaptive wide power input, support Wide Voltage, Over-load、Over-voltage、 Short Circuit、Reverse Protection..Support Time Setting/Delay power off
	Voltage Input	DC:+8V ~ +36V
	Voltage Output	+12V@2.5A, +5V@2.5A
	Power-off Protection	UPS Technology,All video information can be saved automatically when the power is cut off, and make sure that all the files can not be damaged.
	Power Consumption	Normal Working <5W
Working Environment	Temperature	-20℃ to +70℃
	Humidity	20% to 80%
others	Size	187 (D) * 188 (W) * 67 (H) mm
	Net Weight	1.8kg

RMSV6 INTERFACE

Easily Smart GUI Interface, saving time in device setting.





Customer Feedback



David from USA.

This supplier has good softwares ability and can meet my needs. The sample works very good. I am hoping to order more.

Tony from Russia.

The cooperation is satisfied. The products are good. Very strong housing case. My clients like a lot.



Jose from Columbia.

We made correct decision in choosing this supplier. We are now having much better management and control on our vehicles. The ticket cash are more each day.



Detailed Images



[illegible]

Verification of Conformity (Reference No. 1131304030719)	
Responsible Party	Shenzhen Nuclear Technology Development Co., LTD.
Address	2F, No. 10 West Longgang Road, Longgang New District, Shenzhen
Product	Model 2048
Model No.	NCM-00010001, NCM-00010002, NCM-00010003, NCM-00010004, NCM-00010005, NCM-00010006, NCM-00010007
Trade Mark	ShenNuo
Standards	FCC CFR 47 PART 15 Subpart E, ICNIR, ANSI C63.4-2006
Important notice This notice is in accordance with Part 15 of FCC/ICES Rules and Regulations for radio frequency energy. Operation of the product is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that originates from external equipment. This notice is written in the applicable FCC Rules and Regulations. The nature of testing used to determine if the radio accurate measurements standards, positive, and that all measures will be taken when necessary to ensure that all production units of the same equipment will continue to comply with the Federal Communications Commission's requirements.	
 Date: 10/10/2019	
Shenzhen L2-0 Compliance Testing Laboratory Ltd. 2F, Kungang Building First, Longgang Road, Kungang New District, Shenzhen, Guangdong, China Tel: 86-15-0000-10000 Fax: 86-15-0000-10000 E-mail: L2-0@l2-0.com Web: www.l2-0.com	

CERTIFICATE of Conformity Reference No.: CCB-00000000000000000000	
Applicant:	Shenzhen Shennan Technology Development Co., Ltd.
Addressee:	2F No.44 West Longgang Road, Longgang New District, Shenzhen, China
Product:	Mosfet DPAK
Model:	NCM-B00000A, NCM-B0000B, NCM-B0000C, NCM-B0000D, NCM-B0000E, NCM-B0000F, NCM-B0000G
Trade Mark:	Shennan
The certificate includes two test notices as well as the latest standards and laws in compliance with the following European Directives: The EMC Directive (2004/108/EC) EN 55022, EN 55024, EN 55025, EN 55032 The tests have been performed in normal operation mode. The test results apply only to the particular sample tested and to the specific test setup used. This certificate confirms specifically to the sample identified by the test identification number only. The CE marking as shown below can be affixed to the product after acceptance of necessary technical documentation. (This document Certificate has to be attached)	
Shennan CCB Compliance Testing Laboratory 10 2/F, Singapore Industrial Park, Singapore Street 41, Singapore Island, Singapore; Guangdong, China Tel: +86(0)20-89999122 Fax: +86(0)20-89999122 Http: http://www.ccb.com.cn Approved by UKAS Certificate No. 0450 Valid until 31/03/2012	

 CERTIFICATE of Conformity Reference No. 1308010000016	
Applicant	Electronic Materials Technology Development Co., LTD
Address	2F No.48 Weng Longshan Road, Longshan New District, Shunde City
Product	Camera
Model(s)	RCM-PC101, RCM-PC102, RCM-LP101, RCM-PC103, RCM-IMP101, RCM-IMP102, RCM-PA10, RCM-PA1, RCM-PA2, RCM-PA3, RCM-PA4, RCM-PA5, RCM-PA6, RCM-PA7, RCM-PA8, RCM-PA9, RCM-PA10, RCM-PA11, RCM-PA12, RCM-PA13, RCM-PA14, RCM-PA15, RCM-PA16, RCM-PA17, RCM-PA18, RCM-PA19, RCM-PA20
Trade Mark	Belmont
The submitted products have been tested by us with the listed standards and found to conform with the following European Directives: the EMC Directive (2004/108/EC) EN 60950, EN 60958, EN 60959, EN 60960 The tests were performed in a normal operation mode. The test results apply only to the particular sample tested and to the specific data carried out. This certificate applies specifically to the sample designated in our test laboratory number 010. The CE marking as shown below can be affixed to the product after preparation of necessary technical documentation. (Other relevant Directives may be applicable)	
April 10, 2016 Shenzhen CEC Conformity Testing Laboratory Ltd 2/F, Jingxin Industrial Park, Jingxin Road, Dongguan City, Dongguan District, Guangdong, China Tel: 86(755)44341111 http://www.ceclab.com Email: address@ceclab.com	

 CERTIFICATE of Conformity (2014/66/EU Restriction of Hazardous Substances)	
Reference No.: (2014/66/000178)	
When issued as required, this document sample complies with the requirements of CE Commission Decision of 27 July 2014 (meeting Decision 2014/66/EU)	
Applicant	Shenzhen Xingxing Technology Development Co., LTD.
Address	1F No.44 West Longgang Road, Longgang New District, Shenzhen, China
Trade Mark	XXXXXXXX
Product	Camera
Material	ROHS-SPC100, ROHS-SPC105, ROHS-LP100, ROHS-LP105, ROHS-AP100, ROHS-AP105, ROHS-PC100, ROHS-PC105, ROHS-SD100, ROHS-SD105, ROHS-SD100, ROHS-SD105, ROHS-SD100, ROHS-SD105, ROHS-SD100, ROHS-SD105, ROHS-SD100, ROHS-SD105, ROHS-SD100, ROHS-SD105
This job sheet is issued by the Company's system in the General Coordinates of RoHS and current information is shown in the limitations of liability, environmental and performance (see attached document). This results are in the test report only refer to the regulatory defined within standards (EN61218). This Report cannot be reproduced, except in full, without prior written permission of the Company.	
(This document distribution type is as follows)	
Shenzhen (2014) Compliance Testing Laboratory Ltd. 1/F, Xingxing Technology Park, Xingxing Road, West Longgang, Shenzhen, Guangdong China Tel: 0086-755-2929-1100 Fax: 0086-755-2929-1101 E-mail: xingxing@xingtong.com.cn Date: April 18, 2015	

CERTIFICATE

of Conformity

2017000351 Declaration of Hazardous Substance

Reference No.: L2170003512018-08

After tested as specified, the submitted sample conforms with the requirements of Commission Decision of 27 July 2017 amending Decision 2017/2003/L.

Applicant:	Shenzhen Ruitong Technology Development Co., Ltd.
Address:	#10 No. 8th Langgong Road, Langgong New District, Shenzhen, China
Trade Mark:	Ruitong
Product:	Resin Ink
Material:	PC10-MATERIAL, PC10-MATERIAL, PC10-MATERIAL, PC10-MATERIAL, PC10-MATERIAL, PC10-MATERIAL, PC10-MATERIAL, PC10-MATERIAL

This test report is issued by the Company subject to its General Conditions of Service printed separately. Reference is drawn to the limitations of scope, interpretations and consequential results stated therein. The results shown in this test report apply to the representative sample unless otherwise stated. This Report cannot be reproduced without a full written prior written permission of the Company.

Other relevant documents have to be obtained.

RoHS

Shenzhen LSC Compliance Testing Laboratory Ltd.
10, Hengyuan Industrial Park, Yungui Road, Baoan District, Shenzhen,
Guangdong, China
Tel: +86(755) 8759-1155
http://www.lsc.com.cn/en/

Shen He
Manager
April 18, 2018

Fax: +86(755) 8759-1152
Email: customer@lsc.com.cn
http://www.lsc.com.cn/en/

FAQ

Q:Are you factory manufacturer or trade company?

We are factory manufacturer,we have our own factory and technology/skill support,we have engineers to support/take charge of R&D ,resolve problems product.

Q: Does the MDVR support Hard drive and SD card?

Yes, HDD version MDVR supports SSD, HDD, and SD card. SD card version MDVR supports max 2 SD card.The storage capacity can be from 32GB to 2TB.

Q: Is it difficult to install MDVR into the vehicle?

Actually it is easy to install it into vehicle. Most driver can figure out how to connect the power cables.And the camera installation is more easy. Just screw, connect and mount on the target place inside the vehicle.

Q: If I need door open and close alarm, overspeed alarm, reverse video, brake video, left-turn video, right-turn video, etc,is it available?

Definitely yes!The I/O RS232 and 485 extension port is for all expanded purposes, including the functions above.In fact, there are more customized functions which can be connect through this port, such as Fuel sensor, Counter system,PTZ camera, and so on.

Q: We have our own platform and server, can we use your MDVR? Do you have SDK or can you do customized platform for us?

Yes, we have SDK ready and welcome your OEM customized order!

Q: We have our own platform and server, can we use your MDVR? Do you have SDK or can you do customized platform for us?

Yes, we have SDK ready and welcome your OEM customized order!

Q: Does the MDVR come with accessory, such as HDD, SD card, Microphone, Camera, Extension cable etc?

We have all accessories ready. You can ask us to make the complete quote for one whole set. Normally the MDVR doesn't include any accessory. Therefore it is advisable to inform us about your target accessory. All are can done right here. One-stop-serve purchasing.

Q: Can I get a sample to test before formal order?

Yes, you can. We can provide sample with 1 month test period. It will demand some deposit and the delivery (both send and resend) cost is supposed to be on your own side. If the deliver cost is not so high, we recommend this way. If not, then we do not recommend you do this. Do not forget the import tax as well.


Q: How many camera in one set? Can I use my own accessory?

A: The accessory depends on you. The normal quotation is based on MDVR only. The accessory would not be quoted until you ask for them. And it is OK to use your own accessory. It is compatible.

Q: What can I do if the MDVR fails to work?

A: You can send it back to us. Remember that we provide 12 months quality warranty under normal use. If you send it back, we will inspect the MDVR in details and repair it for you. However we seldom have returned defective MDVR. The quality is rather good!

Easily Smart WIN8 Interface, saving time in device setting.



Pls temas kurmaktan çekinmeyin **Ailemin** doğrudan araç projeleriniz için ~
~

MB/Whatsapp: + 86 18929314790